

One, Five and Ten Year Cancer Prevalence
by Cancer Network, UK, 2006

One, Five and Ten Year Cancer Prevalence by Cancer Network, UK, 2006

Contents

Page 3	Foreword
Page 4	Introduction

UK Prevalence – summary tables

Page 6	UK prevalence by cancer site – one-year prevalence
Page 7	UK prevalence by cancer site – five-year prevalence
Page 8	UK prevalence by cancer site – ten-year prevalence

Prevalence by cancer network and constituent country of the UK for one-year, five-year & ten-year prevalence

Page 10	C00-C97 excl. C44: All malignant neoplasms excl. non-melanoma skin cancer
Page 13	C00-C14 & C30-C32: Head and neck
Page 16	C15: Oesophagus
Page 19	C16: Stomach
Page 22	C18-C20: Colorectum
Page 25	C22: Liver
Page 28	C25: Pancreas
Page 31	C33-C34: Trachea, bronchus and lung
Page 34	C43: Malignant melanoma
Page 37	C45: Mesothelioma
Page 40	C50: Breast
Page 43	C53: Cervix
Page 46	C54-C55: Uterus
Page 49	C56: Ovary
Page 52	C61: Prostate
Page 55	C62: Testis
Page 58	C64-C66 & C68: Kidney and unspecified urinary organs
Page 61	C67: Bladder
Page 64	C70-C72: Brain and other parts of central nervous system
Page 67	C81: Hodgkin disease
Page 70	C82-C85 & C96: Non-Hodgkin lymphoma
Page 73	C88 & C90: Myeloma
Page 76	C91-C95: Leukaemia
Page 79	All other malignant neoplasms [^]

Annex 1

Page 84	England prevalence by cancer site – twenty-year prevalence
Page 85	Scotland prevalence by cancer site – twenty-year prevalence

Supplementary information

Page 86	Methodology
Page 87	Glossary
Page 88	Map of cancer networks and estimated populations
Page 89	NCIN Core Objectives

[^] All other malignant neoplasms comprises of the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

All cancer sites have been coded to the International Classification of Disease, tenth revision (ICD-10).

Foreword

Today there are just over two million people in the UK living with or beyond cancer and this is rising by more than 3% a year as a result of increasing incidence and survival.

The vision for the National Cancer Survivorship Initiative for England is for cancer “survivors” to be supported to live as healthy and active life as possible for as long as possible. The vision, while developed for one of the UK’s four Nations, articulates five major shifts required to support anyone living with cancer, along their whole journey.

Achieving these shifts will require health and social care services which are responsive to individual needs. To plan and organise them we need to understand more about the two million cancer survivors and where they are.

This report builds on the report for England published in 2009 by providing a breakdown of survivors for the whole of the UK and for many more different types of cancer. This will allow a significant step forward to be made in assessing demand, equity and access of services for each cancer type across the UK.

It also provides a basis for continuing work at the Thames Cancer Registry to quantify the needs of survivors over time.



Ciarán Devane

Chief Executive, Macmillan Cancer Support

Acknowledgements

These analyses were undertaken by Thames Cancer Registry on behalf of the National Cancer Intelligence Network (NCIN) and Macmillan Cancer Support.

Introduction

This report presents one-year, five-year and ten-year prevalence of cancer in the United Kingdom, as well as in English and Scottish cancer networks, with national estimates for Wales and Northern Ireland, for the end of 2006. These analyses follow on from those published in the 2009 NCIN report “*One Year and Five Year Cancer Prevalence By Cancer Network, England, 2004*”.

Cancer prevalence is the number of people, or the proportion of the population, who are alive on a specified index date (in this report the 31st December 2006) and have previously been diagnosed with cancer. As such it is an indicator of the burden of cancer and can help to inform health care service planning. This report provides one-year, five-year and ten-year prevalence (those people who were up to one year, five years and ten years from diagnosis and still alive on the 31st December 2006). National estimates of twenty-year prevalence of cancer in England and Scotland for the end of 2006 are presented in Annex 1. It was not possible to produce equivalent national estimates for Wales and Northern Ireland.

The cancer prevalence figures supplement the generally available vital statistics about cancer occurrence (cancer incidence) and deaths from cancer (cancer mortality). The resource needs for diagnostic and initial treatment will be proportional to, and well quantified by, cancer incidence as routinely reported by cancer registries. Similarly, the needs for palliative and terminal care are adequately quantified by cancer mortality statistics as reported by the Official of National Statistics on the basis of death certification.

The cancer prevalence measure falls somewhere between incidence and mortality, and measures the burden of cancer in terms of the number of people who have or have had cancer. The cancer survivorship agenda is not merely about counting the cases or the deaths, but about compassion and care for those directly or indirectly affected by cancer. Cancer prevalence quantifies the magnitude of this challenge.

The data analysed in this report were for all malignant neoplasms diagnosed between 1997 and 2006, and registered by the eight cancer registries in England and the registries of Scotland, Wales and Northern Ireland. To ensure that patients, rather than tumours, were counted, only the first diagnosed tumour (excluding non-melanoma skin cancer) in each patient was included in the analysis. Prevalence figures have been presented as simple counts of patients as well as crude and European age-standardised proportions (per 100,000 population).

Information is provided for all malignant neoplasms excluding non-melanoma skin cancer (C00-C97 xC44), for 22 common cancers grouped according to the ICD-10 classification, and also for all other malignant neoplasms. All other malignant neoplasms covers all malignant neoplasms excluding the 22 common cancers analysed in this report and non-melanoma skin cancer (information on the ICD-10 codes included are documented in the methodology section of this report).

Patients resident in England were assigned a cancer network of residence by matching their postcode at diagnosis to the National Cancer Postcode Directory. Patients resident in Scotland were assigned a cancer network of residence from their NHS Board of residence. Over 99.9% of prevalent patients were successfully assigned a cancer network of residence.

Prevalence figures are influenced by both incidence and survival. One-year prevalence is highly correlated with incidence whereas five-year and ten-year prevalence are correlated with both incidence and survival. Thus, the most prevalent types of cancer are those with a relatively high incidence rate and a good prognosis. In the United Kingdom the most prevalent cancer in males is prostate cancer and in females it is breast cancer.

At the end of 2006, there were over 200,000 prevalent cancer patients in the UK who were less than one year from their diagnosis; 166,000 in England, 18,000 in Scotland, 11,000 in Wales and 5,000 in Northern Ireland. For England, this represents a 5% increase in prevalence when compared with the figures published in the previous version of this report for 2004. An increase of 6% was also seen for five-year prevalence from 2004 to 2006. In total, there were 1.13 million cancer survivors in the United Kingdom who were up to 10 years from diagnosis at the end of 2006; equivalent to a crude proportion of 1,866 per 100,000 population or an age-standardised proportion of 1,501 per 100,000 population.

A report last year produced by organisations within the NCIN¹ showed that men had higher incidence and mortality rates than females. This can also be seen in cancer prevalence in the UK. Fifteen of the sixteen cancers that affect both sexes showed higher one-year, five-year and ten-year prevalence rates for males compared to females (excluding breast cancer and all other malignant neoplasms).

Variation in prevalence is also evident between networks and countries. Combined male and female prevalence of all malignant neoplasms (exc. NMSC) was highest in Wales for one-year, five-year and ten-year age-standardised prevalence rates. Dorset Cancer Network had the highest prevalence rates of any individual cancer network; whereas the lowest prevalence rates were in West London Cancer Network for one-year, North East London for five-year and Sussex for ten-year.

This report gives a detailed account of cancer prevalence in the United Kingdom, and regional variations. It is hoped that these figures will be of use to those responsible for planning local treatment and support services for patients living with a diagnosis of cancer.

Jacob Maddams and Henrik Møller

**King's College London
Thames Cancer Registry**

¹ The Excess Burden of Cancer in Men in the UK, <http://www.ncin.org.uk/analysis>

One-year cancer prevalence, UK, 31st December 2006



UK Prevalence by cancer site

Males					Females					Persons				
Cancer Site	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
C00-C14 & C30-C32: Head and neck	4,833	16.3	14.7	14.3 - 15.1	2,088	6.8	5.5	5.2 - 5.7		6,921	11.4	9.9	9.6 - 10.1	
C15: Oesophagus	2,864	9.6	8.2	7.9 - 8.5	1,418	4.6	3.1	2.9 - 3.3		4,282	7.1	5.5	5.3 - 5.7	
C16: Stomach	2,608	8.8	7.2	6.9 - 7.4	1,337	4.3	2.8	2.7 - 3.0		3,945	6.5	4.8	4.6 - 5.0	
C18-C20: Colorectum	14,635	49.3	40.7	40.1 - 41.4	11,415	37.0	25.5	25.0 - 26.0		26,050	43.0	32.4	32.0 - 32.9	
C22: Liver	709	2.4	2.1	1.9 - 2.2	404	1.3	1.0	0.9 - 1.1		1,113	1.8	1.5	1.4 - 1.6	
C25: Pancreas	1,186	4.0	3.4	3.2 - 3.6	1,221	4.0	2.9	2.7 - 3.1		2,407	4.0	3.1	3.0 - 3.3	
C33-C34: Trachea, bronchus and lung	8,958	30.2	25.0	24.5 - 25.5	6,844	22.2	16.4	16.0 - 16.8		15,802	26.1	20.2	19.9 - 20.5	
C43: Malignant melanoma	4,278	14.4	12.8	12.4 - 13.2	5,132	16.6	14.3	13.8 - 14.7		9,410	15.5	13.4	13.1 - 13.7	
C45: Mesothelioma	992	3.3	2.8	2.6 - 2.9	218	0.7	0.5	0.5 - 0.6		1,210	2.0	1.6	1.5 - 1.7	
C50: Breast	256	0.9	0.7	0.6 - 0.8	40,137	129.9	108.8	107.7 - 109.9		40,393	66.7	57.2	56.6 - 57.7	
C53: Cervix uteri					2,517	8.1	7.6	7.3 - 8.0						
C54-C55: Uterus					5,920	19.2	15.6	15.2 - 16.0						
C56: Ovary					4,516	14.6	12.4	12.1 - 12.8						
C61: Prostate	31,452	105.9	86.4	85.4 - 87.3										
C62: Testis	1,982	6.7	6.6	6.3 - 6.9										
C64-C66 & C68: Kidney	3,186	10.7	9.3	9.0 - 9.6	1,894	6.1	4.8	4.6 - 5.1		5,080	8.4	6.9	6.7 - 7.1	
C67: Bladder	5,514	18.6	14.8	14.4 - 15.2	1,913	6.2	4.0	3.8 - 4.2		7,427	12.3	8.8	8.6 - 9.0	
C70-C72: Brain and other parts of CNS	1,448	4.9	4.7	4.5 - 4.9	986	3.2	3.0	2.8 - 3.2		2,434	4.0	3.8	3.7 - 4.0	
C81: Hodgkin disease	792	2.7	2.6	2.4 - 2.8	645	2.1	2.0	1.9 - 2.2		1,437	2.4	2.3	2.2 - 2.4	
C82-C85 & C96: Non-Hodgkin lymphoma	4,094	13.8	12.1	11.7 - 12.5	3,497	11.3	8.8	8.5 - 9.1		7,591	12.5	10.4	10.1 - 10.6	
C88 & C90: Myeloma	1,595	5.4	4.5	4.3 - 4.7	1,294	4.2	3.0	2.8 - 3.1		2,889	4.8	3.7	3.5 - 3.8	
C91-C95: Leukaemia	2,668	9.0	8.0	7.7 - 8.3	1,847	6.0	4.9	4.6 - 5.1		4,515	7.5	6.3	6.1 - 6.5	
Other Malignant Neoplasms ^a	4,676	15.7	13.9	13.5 - 14.4	6,553	21.2	17.1	16.7 - 17.6		11,229	18.5	15.5	15.2 - 15.8	
C00-C97 excl. C44: All malignant neoplasms (excl. non-melanoma skin cancer)	98,726	332.5	280.5	278.7 - 282.2	101,796	329.5	264.2	262.5 - 265.9		200,522	331.0	268.5	267.3 - 269.7	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

^aAll other malignant neoplasms includes the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

Five-year cancer prevalence, UK, 31st December 2006



UK Prevalence by cancer site

Males					Females					Persons				
Cancer Site	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
C00-C14 & C30-C32: Head and neck	17,008	57.3	51.2	50.4 - 52.0	7,521	24.4	19.6	19.1 - 20.0		24,529	40.5	34.6	34.1 - 35.0	
C15: Oesophagus	5,727	19.3	16.5	16.0 - 16.9	2,868	9.3	6.5	6.3 - 6.8		8,595	14.2	11.2	10.9 - 11.4	
C16: Stomach	6,160	20.7	17.0	16.6 - 17.5	3,322	10.8	7.2	6.9 - 7.4		9,482	15.7	11.7	11.4 - 11.9	
C18-C20: Colorectum	51,183	172.4	141.2	140.0 - 142.4	40,594	131.4	89.4	88.5 - 90.3		91,777	151.5	112.8	112.0 - 113.6	
C22: Liver	1,380	4.7	4.1	3.9 - 4.3	728	2.4	1.9	1.7 - 2.0		2,108	3.5	2.9	2.8 - 3.0	
C25: Pancreas	1,898	6.4	5.5	5.3 - 5.8	1,886	6.1	4.6	4.4 - 4.8		3,784	6.3	5.0	4.9 - 5.2	
C33-C34: Trachea, bronchus and lung	16,977	57.2	47.3	46.6 - 48.1	13,692	44.3	33.0	32.4 - 33.6		30,669	50.6	39.4	38.9 - 39.8	
C43: Malignant melanoma	16,118	54.3	48.3	47.6 - 49.1	21,203	68.6	58.8	57.9 - 59.6		37,321	61.6	53.4	52.8 - 53.9	
C45: Mesothelioma	1,547	5.2	4.4	4.1 - 4.6	366	1.2	0.9	0.8 - 1.0		1,913	3.2	2.5	2.4 - 2.6	
C50: Breast	1,089	3.7	3.0	2.8 - 3.2	175,974	569.6	475.6	473.2 - 477.9		177,063	292.2	249.9	248.7 - 251.1	
C53: Cervix uteri					10,125	32.8	31.0	30.4 - 31.6						
C54-C55: Uterus					23,364	75.6	60.7	59.8 - 61.5						
C56: Ovary					15,794	51.1	44.1	43.4 - 44.8						
C61: Prostate	127,630	429.8	343.4	341.5 - 345.3										
C62: Testis	9,473	31.9	31.5	30.8 - 32.1										
C64-C66 & C68: Kidney	10,771	36.3	31.5	30.9 - 32.1	6,466	20.9	16.5	16.1 - 17.0		17,237	28.5	23.5	23.1 - 23.8	
C67: Bladder	20,040	67.5	53.6	52.9 - 54.4	6,453	20.9	13.4	13.1 - 13.8		26,493	43.7	31.2	30.8 - 31.6	
C70-C72: Brain and other parts of CNS	3,633	12.2	12.1	11.7 - 12.5	2,650	8.6	8.6	8.3 - 8.9		6,283	10.4	10.3	10.1 - 10.6	
C81: Hodgkin disease	3,497	11.8	11.5	11.2 - 11.9	2,693	8.7	8.6	8.3 - 8.9		6,190	10.2	10.1	9.8 - 10.3	
C82-C85 & C96: Non-Hodgkin lymphoma	15,378	51.8	45.6	44.8 - 46.3	13,674	44.3	34.6	34.0 - 35.2		29,052	48.0	39.8	39.3 - 40.2	
C88 & C90: Myeloma	5,247	17.7	14.9	14.5 - 15.3	4,175	13.5	9.7	9.4 - 10.0		9,422	15.6	12.1	11.8 - 12.4	
C91-C95: Leukaemia	10,053	33.9	30.5	29.9 - 31.1	7,058	22.9	18.9	18.5 - 19.4		17,111	28.2	24.3	23.9 - 24.7	
Other Malignant Neoplasms ^a	15,162	51.1	45.9	45.1 - 46.6	21,424	69.4	57.7	56.9 - 58.5		36,586	60.4	51.9	51.3 - 52.4	
C00-C97 excl. C44: All malignant neoplasms (excl. non-melanoma skin cancer)	339,971	1144.9	958.8	955.6 - 962.1	382,030	1236.6	1001.1	997.8 - 1004.3		722,001	1191.7	967.1	964.8 - 969.3	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

^aAll other malignant neoplasms includes the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

Ten-year cancer prevalence, UK, 31st December 2006



KING'S
College
LONDON



UK Prevalence by cancer site

Males					Females					Persons				
Cancer Site	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
C00-C14 & C30-C32: Head and neck	26,619	89.6	79.1	78.2 - 80.1	12,039	39.0	30.8	30.2 - 31.4		38,658	63.8	53.5	53.0 - 54.1	
C15: Oesophagus	6,978	23.5	20.0	19.5 - 20.5	3,674	11.9	8.3	8.0 - 8.6		10,652	17.6	13.8	13.5 - 14.0	
C16: Stomach	8,587	28.9	23.5	23.0 - 24.0	4,765	15.4	10.1	9.8 - 10.4		13,352	22.0	16.2	15.9 - 16.5	
C18-C20: Colorectum	78,483	264.3	213.8	212.2 - 215.3	65,075	210.6	139.2	138.1 - 140.4		143,558	236.9	172.5	171.6 - 173.4	
C22: Liver	1,727	5.8	5.1	4.9 - 5.4	899	2.9	2.3	2.2 - 2.5		2,626	4.3	3.6	3.5 - 3.8	
C25: Pancreas	2,205	7.4	6.4	6.1 - 6.7	2,144	6.9	5.2	5.0 - 5.4		4,349	7.2	5.8	5.6 - 5.9	
C33-C34: Trachea, bronchus and lung	21,197	71.4	58.8	58.0 - 59.6	16,944	54.9	40.6	39.9 - 41.2		38,141	63.0	48.6	48.1 - 49.1	
C43: Malignant melanoma	24,617	82.9	73.8	72.9 - 74.7	34,530	111.8	95.2	94.1 - 96.2		59,147	97.6	84.4	83.7 - 85.1	
C45: Mesothelioma	1,651	5.6	4.6	4.4 - 4.9	404	1.3	1.0	0.9 - 1.1		2,055	3.4	2.7	2.6 - 2.8	
C50: Breast	1,732	5.8	4.7	4.5 - 5.0	296,037	958.3	790.8	787.9 - 793.8		297,769	491.5	416.2	414.7 - 417.7	
C53: Cervix uteri					19,046	61.7	58.1	57.2 - 58.9						
C54-C55: Uterus					38,667	125.2	97.6	96.6 - 98.7						
C56: Ovary					25,066	81.1	69.5	68.6 - 70.3						
C61: Prostate	181,463	611.1	479.0	476.8 - 481.2										
C62: Testis	18,562	62.5	61.3	60.4 - 62.2										
C64-C66 & C68: Kidney	16,468	55.5	47.8	47.0 - 48.5	10,035	32.5	25.3	24.8 - 25.8		26,503	43.7	35.7	35.2 - 36.1	
C67: Bladder	34,932	117.6	92.8	91.8 - 93.7	11,608	37.6	23.7	23.3 - 24.2		46,540	76.8	54.1	53.6 - 54.6	
C70-C72: Brain and other parts of CNS	5,456	18.4	18.2	17.7 - 18.7	4,252	13.8	13.9	13.5 - 14.3		9,708	16.0	16.0	15.7 - 16.3	
C81: Hodgkin disease	6,536	22.0	21.5	21.0 - 22.0	4,959	16.1	15.8	15.3 - 16.2		11,495	19.0	18.6	18.2 - 18.9	
C82-C85 & C96: Non-Hodgkin lymphoma	24,004	80.8	71.1	70.2 - 72.1	21,768	70.5	54.9	54.2 - 55.7		45,772	75.6	62.6	62.0 - 63.2	
C88 & C90: Myeloma	6,921	23.3	19.7	19.2 - 20.1	5,544	18.0	12.9	12.5 - 13.3		12,465	20.6	16.0	15.7 - 16.3	
C91-C95: Leukaemia	15,738	53.0	47.7	46.9 - 48.4	11,430	37.0	30.6	30.0 - 31.2		27,168	44.8	38.6	38.1 - 39.1	
Other Malignant Neoplasms ^a	23,964	80.7	72.4	71.4 - 73.3	33,989	110.0	91.2	90.1 - 92.2		57,953	95.7	81.9	81.2 - 82.6	
C00-C97 excl. C44: All malignant neoplasms (excl. non-melanoma skin cancer)	507,840	1710.3	1421.2	1417.3 - 1425.0	622,875	2016.2	1616.9	1612.8 - 1621.0		1,130,715	1866.3	1501.0	1498.2 - 1503.8	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

^aAll other malignant neoplasms includes the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

One-year, five-year & ten-year prevalence

by cancer network

and constituent country of the UK

One-year cancer prevalence, UK, 31st December 2006

C00-C97 excl. C44: All malignant neoplasms (excl. non-melanoma skin cancer)

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	2,643	355.3	284.3	273.3 - 295.2	2,652	343.3	266.2	255.5 - 276.9		5,295	349.2	270.7	263.2 - 278.3	
N02 Greater Manchester and Cheshire	5,214	348.0	310.4	302.0 - 318.9	5,261	341.5	287.1	279.0 - 295.1		10,475	344.7	293.8	288.0 - 299.5	
N03 Merseyside & Cheshire	3,236	333.0	272.9	263.4 - 282.4	3,303	317.5	250.0	241.0 - 258.9		6,539	325.0	257.5	251.1 - 264.0	
N06 Yorkshire Cancer Network	4,213	323.1	288.0	279.3 - 296.8	4,300	316.9	263.4	255.2 - 271.7		8,513	320.0	271.2	265.3 - 277.1	
N07 Humber & Yorkshire Coast	1,927	370.3	282.9	270.0 - 295.7	1,850	344.7	259.5	246.9 - 272.0		3,777	357.3	267.4	258.6 - 276.3	
N08 North Trent	2,845	324.6	263.5	253.7 - 273.4	3,178	352.0	274.6	264.5 - 284.6		6,023	338.5	265.5	258.5 - 272.4	
N11 Pan Birmingham	2,898	310.5	281.8	271.4 - 292.2	2,780	285.4	247.0	237.4 - 256.7		5,678	297.7	260.4	253.4 - 267.4	
N12 Arden	1,487	300.9	256.6	243.4 - 269.7	1,438	286.9	227.8	215.5 - 240.2		2,925	293.9	239.8	230.9 - 248.8	
N20 Mount Vernon	1,684	275.2	242.5	230.8 - 254.2	1,939	306.1	252.7	240.9 - 264.4		3,623	290.9	245.0	236.8 - 253.2	
N21 West London	2,004	218.3	235.8	225.3 - 246.2	2,163	234.0	228.9	219.0 - 238.8		4,167	226.2	229.5	222.4 - 236.6	
N22 North London	1,928	257.0	275.1	262.7 - 287.5	1,771	227.9	217.3	206.8 - 227.8		3,699	242.2	241.6	233.6 - 249.5	
N23 North East London	1,678	219.1	251.2	239.0 - 263.4	1,768	227.2	231.0	219.8 - 242.2		3,446	223.2	238.1	229.9 - 246.3	
N24 South East London	2,028	266.3	295.8	282.7 - 308.9	2,071	266.0	256.4	244.9 - 267.9		4,099	266.1	271.5	262.9 - 280.0	
N25 South West London	2,114	275.7	281.4	269.3 - 293.6	2,287	285.2	259.1	248.0 - 270.2		4,401	280.6	267.2	259.1 - 275.3	
N26 Peninsula	3,247	404.9	282.7	272.6 - 292.8	3,427	404.8	283.6	273.4 - 293.9		6,674	404.9	280.1	272.9 - 287.2	
N27 Dorset	1,632	481.1	314.7	298.6 - 330.8	1,575	435.2	297.3	281.1 - 313.5		3,207	457.4	301.9	290.6 - 313.3	
N28 Avon, Somerset & Wiltshire	3,302	354.5	285.6	275.7 - 295.5	3,345	347.5	270.5	260.9 - 280.2		6,647	351.0	274.8	267.9 - 281.6	
N29 3 Counties	1,884	369.6	274.7	262.0 - 287.4	1,883	355.1	260.8	248.3 - 273.3		3,767	362.2	264.6	255.8 - 273.4	
N30 Thames Valley	3,683	316.3	293.9	284.3 - 303.4	3,859	326.4	284.2	275.0 - 293.4		7,542	321.4	285.5	279.0 - 292.1	
N31 Central South Coast	3,309	345.3	269.7	260.3 - 279.1	3,544	354.0	268.2	258.8 - 277.5		6,853	349.7	266.4	259.8 - 273.0	
N32 Surrey, West Sussex & Hampshire	1,781	302.3	260.2	247.9 - 272.4	1,815	295.3	241.3	229.7 - 252.9		3,596	298.7	247.1	238.7 - 255.4	
N33 Sussex	1,894	339.9	241.0	229.7 - 252.3	2,005	332.6	233.7	222.5 - 244.9		3,899	336.1	233.9	226.0 - 241.8	
N34 Kent & Medway	2,609	328.3	267.3	256.9 - 277.7	2,632	313.4	243.0	233.3 - 252.8		5,241	320.6	252.5	245.4 - 259.6	
N35 Greater Midlands	3,030	326.5	255.3	246.1 - 264.5	3,219	336.2	257.9	248.5 - 267.2		6,249	331.4	253.2	246.7 - 259.7	
N36 North of England	5,162	351.3	280.7	273.0 - 288.5	5,334	347.6	266.1	258.6 - 273.6		10,496	349.4	269.3	264.0 - 274.6	
N37 Anglia	5,300	399.7	302.8	294.5 - 311.1	5,306	388.6	289.9	281.7 - 298.2		10,606	394.1	292.8	287.0 - 298.6	
N38 Essex	2,444	359.1	282.3	270.9 - 293.7	2,672	373.9	280.9	269.6 - 292.1		5,116	366.7	277.7	269.8 - 285.6	
N39 East Midlands	6,589	336.1	277.1	270.3 - 283.9	6,761	337.4	271.5	264.7 - 278.2		13,350	336.8	270.8	266.1 - 275.6	
England ¹	81,766	328.0	277.4	275.5 - 279.3	84,139	325.7	262.4	260.5 - 264.3		165,905	326.8	266.3	265.0 - 267.6	
North of Scotland	2,191	344.9	268.3	256.9 - 279.6	2,405	363.9	266.9	255.7 - 278.2		4,596	354.6	264.0	256.2 - 271.9	
South East Scotland	2,506	366.6	308.2	296.0 - 320.3	2,650	360.6	283.9	272.6 - 295.2		5,156	363.5	291.3	283.2 - 299.5	
West of Scotland	3,950	343.3	295.8	286.5 - 305.1	4,438	354.6	275.0	266.6 - 283.4		8,388	349.2	280.3	274.1 - 286.4	
Scotland ¹	8,647	350.2	291.6	285.5 - 297.8	9,493	358.6	275.4	269.6 - 281.2		18,140	354.5	279.0	274.8 - 283.2	
Wales	5,822	403.0	310.1	302.0 - 318.2	5,578	366.7	277.3	269.6 - 285.0		11,400	384.4	289.0	283.5 - 294.5	
Northern Ireland	2,491	291.9	282.2	271.1 - 293.3	2,586	291.1	255.9	245.7 - 266.1		5,077	291.5	264.4	257.0 - 271.8	
United Kingdom	98,726	332.5	280.5	278.7 - 282.2	101,796	329.5	264.2	262.5 - 265.9		200,522	331.0	268.5	267.3 - 269.7	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C00-C97 excl. C44: All malignant neoplasms (excl. non-melanoma skin cancer)

Males

Females

Persons

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	9,175	1233.3	979.4	959.4 - 999.5	9,729	1259.4	979.6	959.2 - 999.9	18,904	1246.6	961.7	947.6 - 975.7
N02 Greater Manchester and Cheshire	16,678	1113.1	987.2	972.3 - 1002.1	18,416	1195.5	1012.1	997.0 - 1027.1	35,094	1154.9	983.0	972.6 - 993.4
N03 Merseyside & Cheshire	11,130	1145.5	933.4	916.1 - 950.8	12,670	1217.9	970.6	953.1 - 988.0	23,800	1182.9	939.3	927.1 - 951.5
N06 Yorkshire Cancer Network	15,079	1156.6	1020.8	1004.6 - 1037.0	16,918	1246.8	1051.4	1035.1 - 1067.8	31,997	1202.6	1019.8	1008.4 - 1031.1
N07 Humber & Yorkshire Coast	6,526	1254.0	948.2	925.0 - 971.3	7,229	1347.0	1019.9	995.3 - 1044.4	13,755	1301.2	969.8	953.1 - 986.5
N08 North Trent	9,468	1080.2	878.4	860.6 - 896.1	11,322	1254.1	994.0	975.0 - 1013.0	20,790	1168.4	925.2	912.3 - 938.0
N11 Pan Birmingham	10,426	1117.0	1004.7	985.4 - 1023.9	10,729	1101.4	965.2	946.2 - 984.1	21,155	1109.0	968.5	955.2 - 981.9
N12 Arden	5,527	1118.5	930.0	905.5 - 954.5	5,962	1189.6	963.0	937.7 - 988.3	11,489	1154.3	933.1	915.7 - 950.5
N20 Mount Vernon	5,613	917.2	808.6	787.4 - 829.8	6,822	1077.0	911.4	889.0 - 933.7	12,435	998.5	850.6	835.3 - 865.8
N21 West London	7,429	809.3	871.1	851.2 - 890.9	8,508	920.4	902.3	882.7 - 921.8	15,937	865.1	878.0	864.2 - 891.8
N22 North London	6,965	928.5	976.4	953.5 - 999.3	7,234	930.8	902.6	881.3 - 923.9	14,199	929.7	923.7	908.3 - 939.2
N23 North East London	5,837	762.1	856.2	834.2 - 878.3	6,599	848.1	863.7	842.2 - 885.2	12,436	805.4	847.7	832.5 - 862.8
N24 South East London	6,699	879.6	964.4	941.2 - 987.6	7,854	1008.9	990.0	967.5 - 1012.5	14,553	944.9	964.5	948.6 - 980.5
N25 South West London	7,877	1027.5	1031.2	1008.5 - 1054.0	8,810	1098.5	1010.7	989.0 - 1032.5	16,687	1063.8	1007.5	991.9 - 1023.1
N26 Peninsula	11,300	1409.2	975.0	956.6 - 993.5	12,954	1530.1	1073.3	1053.6 - 1093.1	24,254	1471.3	1014.6	1001.2 - 1028.1
N27 Dorset	6,274	1849.6	1181.7	1151.1 - 1212.2	5,886	1626.6	1083.6	1053.2 - 1113.9	12,160	1734.5	1115.6	1094.3 - 1137.0
N28 Avon, Somerset & Wiltshire	11,775	1264.2	1011.0	992.6 - 1029.4	13,142	1365.3	1062.4	1043.4 - 1081.4	24,917	1315.6	1026.2	1013.1 - 1039.3
N29 3 Counties	6,423	1260.0	923.8	901.0 - 946.7	7,214	1360.3	1000.9	976.6 - 1025.1	13,637	1311.1	950.8	934.3 - 967.4
N30 Thames Valley	13,476	1157.5	1069.7	1051.8 - 1087.6	14,957	1265.0	1107.8	1089.7 - 1125.9	28,433	1211.7	1075.4	1062.8 - 1088.0
N31 Central South Coast	12,194	1272.3	980.9	963.2 - 998.5	13,454	1343.9	1024.4	1006.2 - 1042.6	25,648	1308.9	991.5	978.9 - 1004.1
N32 Surrey, West Sussex & Hampshire	5,854	993.7	856.7	834.7 - 878.7	6,994	1138.0	939.1	916.4 - 961.9	12,848	1067.4	889.3	873.6 - 905.0
N33 Sussex	6,432	1154.4	825.2	804.4 - 846.0	7,652	1269.3	897.7	875.9 - 919.5	14,084	1214.1	852.9	838.0 - 867.9
N34 Kent & Medway	8,649	1088.2	878.5	860.0 - 897.1	9,847	1172.5	926.2	907.2 - 945.2	18,496	1131.5	893.7	880.5 - 906.9
N35 Greater Midlands	10,533	1135.0	883.4	866.5 - 900.3	12,248	1279.3	984.1	966.0 - 1002.2	22,781	1208.3	922.1	909.8 - 934.4
N36 North of England	17,869	1216.2	966.4	952.2 - 980.6	20,343	1325.7	1027.2	1012.5 - 1041.8	38,212	1272.2	982.9	972.8 - 993.0
N37 Anglia	17,836	1345.2	1013.4	998.4 - 1028.4	19,278	1412.0	1063.5	1047.8 - 1079.1	37,114	1379.1	1026.3	1015.5 - 1037.0
N38 Essex	7,966	1170.6	917.5	897.3 - 937.8	9,191	1286.2	982.4	961.4 - 1003.4	17,157	1229.8	938.0	923.5 - 952.4
N39 East Midlands	21,418	1092.7	896.7	884.7 - 908.8	24,552	1225.1	990.9	978.1 - 1003.7	45,970	1159.6	933.1	924.3 - 941.8
England ¹	282,516	1133.4	951.0	947.5 - 954.5	316,574	1225.3	997.0	993.4 - 1000.6	599,090	1180.2	961.5	959.0 - 964.0
North of Scotland	7,465	1175.0	916.8	896.0 - 937.7	8,896	1346.0	1000.1	978.5 - 1021.8	16,361	1262.2	946.5	931.7 - 961.3
South East Scotland	8,422	1232.2	1026.9	1005.1 - 1048.8	9,865	1342.3	1066.2	1044.5 - 1087.9	18,287	1289.2	1032.8	1017.6 - 1048.0
West of Scotland	13,126	1140.8	983.3	966.6 - 1000.0	15,876	1268.5	1000.9	984.9 - 1017.0	29,002	1207.3	976.2	964.8 - 987.5
Scotland ¹	29,027	1175.5	977.3	966.1 - 988.4	34,649	1308.8	1018.9	1007.8 - 1030.0	63,676	1244.4	984.1	976.3 - 991.8
Wales	19,833	1372.7	1048.0	1033.4 - 1062.7	20,759	1364.7	1036.9	1022.1 - 1051.6	40,592	1368.6	1026.9	1016.6 - 1037.1
Northern Ireland	8,595	1007.1	970.2	949.9 - 990.6	10,048	1131.3	1000.2	980.1 - 1020.2	18,643	1070.4	969.7	955.7 - 983.8
United Kingdom	339,971	1144.9	958.8	955.6 - 962.1	382,030	1236.6	1001.1	997.8 - 1004.3	722,001	1191.7	967.1	964.8 - 969.3

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C00-C97 excl. C44: All malignant neoplasms (excl. non-melanoma skin cancer)

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion
N01 Lancashire and South Cumbria	13,442	1806.8	1424.5	1400.6 - 1448.4	15,773	2041.8	1573.2	1547.7 - 1598.7	29,215	1926.5	1472.9	1455.6 - 1490.1	29,215	1926.5
N02 Greater Manchester and Cheshire	24,539	1637.7	1443.3	1425.5 - 1461.1	30,127	1955.7	1641.3	1622.3 - 1660.3	54,666	1798.9	1518.9	1506.1 - 1531.7	54,666	1798.9
N03 Merseyside & Cheshire	16,689	1717.6	1391.7	1370.7 - 1412.7	20,631	1983.2	1563.0	1541.0 - 1584.9	37,320	1854.9	1458.6	1443.6 - 1473.6	37,320	1854.9
N06 Yorkshire Cancer Network	22,348	1714.1	1502.9	1483.5 - 1522.4	27,495	2026.3	1691.1	1670.6 - 1711.7	49,843	1873.3	1574.6	1560.6 - 1588.5	49,843	1873.3
N07 Humber & Yorkshire Coast	9,423	1810.6	1367.3	1339.8 - 1394.9	11,609	2163.2	1621.2	1590.5 - 1651.8	21,032	1989.6	1474.4	1454.0 - 1494.8	21,032	1989.6
N08 North Trent	13,913	1587.4	1286.5	1265.2 - 1307.8	17,961	1989.4	1565.1	1541.5 - 1588.7	31,874	1791.4	1410.1	1394.4 - 1425.9	31,874	1791.4
N11 Pan Birmingham	15,628	1674.2	1489.9	1466.8 - 1513.0	17,985	1846.2	1604.8	1580.6 - 1629.0	33,613	1762.1	1523.5	1506.9 - 1540.0	33,613	1762.1
N12 Arden	8,503	1720.7	1414.0	1384.3 - 1443.8	9,944	1984.1	1587.6	1555.5 - 1619.7	18,447	1853.4	1479.2	1457.6 - 1500.9	18,447	1853.4
N20 Mount Vernon	8,619	1408.4	1230.9	1205.1 - 1256.8	11,288	1782.1	1508.9	1480.4 - 1537.4	19,907	1598.5	1356.2	1337.2 - 1375.3	19,907	1598.5
N21 West London	11,652	1269.4	1349.4	1325.1 - 1373.7	14,284	1545.3	1509.5	1484.4 - 1534.6	25,936	1407.8	1417.9	1400.5 - 1435.2	25,936	1407.8
N22 North London	10,760	1434.4	1487.2	1459.5 - 1515.0	12,047	1550.1	1500.0	1472.8 - 1527.3	22,807	1493.3	1471.2	1452.0 - 1490.5	22,807	1493.3
N23 North East London	9,027	1178.6	1308.7	1281.9 - 1335.6	10,969	1409.7	1438.9	1411.4 - 1466.5	19,996	1295.1	1356.1	1337.1 - 1375.1	19,996	1295.1
N24 South East London	10,281	1349.9	1458.4	1430.3 - 1486.4	12,715	1633.3	1592.4	1564.1 - 1620.7	22,996	1493.1	1508.5	1488.7 - 1528.2	22,996	1493.1
N25 South West London	12,104	1578.8	1564.6	1537.1 - 1592.2	14,870	1854.1	1700.3	1672.3 - 1728.2	26,974	1719.6	1615.4	1595.9 - 1634.8	26,974	1719.6
N26 Peninsula	16,690	2081.4	1429.8	1407.6 - 1451.9	20,914	2470.3	1701.6	1677.1 - 1726.0	37,604	2281.1	1553.4	1537.0 - 1569.9	37,604	2281.1
N27 Dorset	9,563	2819.2	1761.4	1724.8 - 1798.0	9,816	2712.6	1757.1	1719.2 - 1795.1	19,379	2764.2	1734.9	1708.7 - 1761.1	19,379	2764.2
N28 Avon, Somerset & Wiltshire	17,524	1881.4	1493.0	1470.9 - 1515.1	21,657	2249.9	1733.5	1709.5 - 1757.5	39,181	2068.7	1599.9	1583.6 - 1616.1	39,181	2068.7
N29 3 Counties	9,626	1888.3	1374.8	1347.2 - 1402.4	11,857	2235.8	1624.9	1594.4 - 1655.4	21,483	2065.5	1482.6	1462.1 - 1503.0	21,483	2065.5
N30 Thames Valley	20,732	1780.7	1632.9	1611.2 - 1654.7	24,474	2069.9	1804.3	1781.4 - 1827.1	45,206	1926.4	1696.8	1681.2 - 1712.4	45,206	1926.4
N31 Central South Coast	18,720	1953.2	1493.2	1471.7 - 1514.7	22,427	2240.1	1689.2	1666.1 - 1712.3	41,147	2099.8	1575.1	1559.4 - 1590.8	41,147	2099.8
N32 Surrey, West Sussex & Hampshire	9,284	1575.9	1341.5	1314.4 - 1368.7	11,873	1931.9	1577.3	1548.2 - 1606.4	21,157	1757.7	1446.2	1426.5 - 1466.0	21,157	1757.7
N33 Sussex	10,018	1798.0	1261.5	1236.1 - 1286.8	12,740	2113.4	1465.7	1438.3 - 1493.2	22,758	1961.9	1351.6	1333.1 - 1370.2	22,758	1961.9
N34 Kent & Medway	12,665	1593.5	1278.2	1256.0 - 1300.4	15,844	1886.6	1476.4	1452.7 - 1500.1	28,509	1744.1	1366.2	1350.1 - 1382.4	28,509	1744.1
N35 Greater Midlands	15,795	1701.9	1318.1	1297.7 - 1338.6	20,008	2089.9	1586.1	1563.4 - 1608.8	35,803	1898.9	1434.7	1419.6 - 1449.9	35,803	1898.9
N36 North of England	26,441	1799.6	1421.1	1404.0 - 1438.1	32,446	2114.4	1628.8	1610.5 - 1647.1	58,887	1960.5	1504.7	1492.3 - 1517.0	58,887	1960.5
N37 Anglia	25,614	1931.8	1447.6	1429.9 - 1465.3	30,513	2234.8	1667.9	1648.5 - 1687.3	56,127	2085.5	1541.8	1528.8 - 1554.9	56,127	2085.5
N38 Essex	11,587	1702.7	1326.5	1302.4 - 1350.6	14,624	2046.5	1550.4	1524.3 - 1576.5	26,211	1878.8	1423.9	1406.2 - 1441.5	26,211	1878.8
N39 East Midlands	31,140	1588.6	1295.7	1281.4 - 1310.1	39,227	1957.3	1565.9	1550.0 - 1581.8	70,367	1775.0	1416.0	1405.4 - 1426.6	70,367	1775.0
England ¹	422,642	1695.6	1410.8	1406.6 - 1415.0	516,421	1998.8	1611.5	1606.9 - 1616.0	939,063	1849.9	1493.5	1490.4 - 1496.6	939,063	1849.9
North of Scotland	11,461	1804.0	1400.4	1375.0 - 1425.9	14,639	2214.9	1630.4	1603.1 - 1657.7	26,100	2013.5	1496.8	1478.4 - 1515.3	26,100	2013.5
South East Scotland	12,488	1827.1	1513.3	1487.1 - 1539.5	15,955	2170.9	1705.7	1678.5 - 1732.8	28,443	2005.2	1591.1	1572.4 - 1609.8	28,443	2005.2
West of Scotland	19,522	1696.7	1460.2	1440.0 - 1480.3	25,988	2076.4	1627.9	1607.6 - 1648.1	45,510	1894.5	1523.9	1509.8 - 1537.9	45,510	1894.5
Scotland ¹	43,497	1761.4	1459.0	1445.5 - 1472.5	56,606	2138.1	1650.5	1636.5 - 1664.4	100,103	1956.3	1535.8	1526.2 - 1545.4	100,103	1956.3
Wales	29,129	2016.2	1530.1	1512.6 - 1547.6	33,373	2194.0	1645.0	1626.6 - 1663.3	62,502	2107.4	1565.6	1553.0 - 1578.2	62,502	2107.4
Northern Ireland	12,572	1473.2	1414.4	1390.1 - 1438.6	16,475	1854.8	1625.0	1599.8 - 1650.3	29,047	1667.8	1500.0	1482.7 - 1517.2	29,047	1667.8
United Kingdom	507,840	1710.3	1421.2	1417.3 - 1425.0	622,875	2016.2	1616.9	1612.8 - 1621.0	1,130,715	1866.3	1501.0	1498.2 - 1503.8	1,130,715	1866.3

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C00-C14 & C30-C32: Head and neck

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		
N01 Lancashire and South Cumbria	131	17.6	15.4	12.7 - 18.0	54	7.0	5.4	3.9 - 6.9	185	12.2	10.3	8.8 - 11.8		
N02 Greater Manchester and Cheshire	273	18.2	17.2	15.2 - 19.3	95	6.2	5.1	4.1 - 6.2	368	12.1	11.0	9.8 - 12.1		
N03 Merseyside & Cheshire	178	18.3	16.2	13.8 - 18.6	69	6.6	5.2	3.9 - 6.4	247	12.3	10.5	9.1 - 11.8		
N06 Yorkshire Cancer Network	207	15.9	15.1	13.1 - 17.2	95	7.0	5.7	4.5 - 6.9	302	11.4	10.2	9.0 - 11.4		
N07 Humber & Yorkshire Coast	101	19.4	16.0	12.8 - 19.1	35	6.5	4.5	2.9 - 6.1	136	12.9	10.1	8.3 - 11.8		
N08 North Trent	154	17.6	15.6	13.1 - 18.0	50	5.5	4.5	3.2 - 5.9	204	11.5	9.9	8.5 - 11.2		
N11 Pan Birmingham	130	13.9	13.6	11.3 - 16.0	69	7.1	6.4	4.8 - 8.0	199	10.4	9.8	8.4 - 11.2		
N12 Arden	76	15.4	14.0	10.8 - 17.2	27	5.4	4.3	2.6 - 6.1	103	10.3	9.1	7.3 - 10.9		
N20 Mount Vernon	95	15.5	14.1	11.2 - 16.9	37	5.8	4.9	3.2 - 6.6	132	10.6	9.2	7.6 - 10.8		
N21 West London	97	10.6	12.0	9.5 - 14.4	55	6.0	5.2	3.8 - 6.7	152	8.3	8.5	7.1 - 9.9		
N22 North London	73	9.7	11.2	8.6 - 13.8	33	4.2	4.1	2.7 - 5.5	106	6.9	7.4	6.0 - 8.9		
N23 North East London	92	12.0	14.8	11.7 - 17.9	36	4.6	4.9	3.3 - 6.5	128	8.3	9.6	7.9 - 11.3		
N24 South East London	110	14.4	17.0	13.8 - 20.2	47	6.0	6.2	4.4 - 8.1	157	10.2	11.3	9.5 - 13.1		
N25 South West London	121	15.8	16.7	13.6 - 19.7	42	5.2	4.6	3.1 - 6.1	163	10.4	10.3	8.7 - 11.9		
N26 Peninsula	144	18.0	13.5	11.3 - 15.8	71	8.4	5.6	4.2 - 7.0	215	13.0	9.3	8.0 - 10.7		
N27 Dorset	47	13.9	11.3	7.9 - 14.7	24	6.6	4.1	2.3 - 6.0	71	10.1	7.6	5.7 - 9.5		
N28 Avon, Somerset & Wiltshire	144	15.5	13.2	11.0 - 15.4	58	6.0	4.6	3.3 - 5.8	202	10.7	8.7	7.4 - 9.9		
N29 3 Counties	70	13.7	10.9	8.3 - 13.5	32	6.0	4.3	2.7 - 5.9	102	9.8	7.4	5.9 - 8.9		
N30 Thames Valley	154	13.2	12.4	10.4 - 14.4	78	6.6	5.6	4.3 - 6.9	232	9.9	8.8	7.6 - 10.0		
N31 Central South Coast	118	12.3	10.7	8.7 - 12.7	71	7.1	5.2	3.9 - 6.5	189	9.6	7.9	6.7 - 9.0		
N32 Surrey, West Sussex & Hampshire	97	16.5	14.2	11.3 - 17.1	31	5.0	4.2	2.7 - 5.8	128	10.6	8.9	7.3 - 10.5		
N33 Sussex	96	17.2	13.8	11.0 - 16.7	28	4.6	2.9	1.7 - 4.1	124	10.7	8.1	6.6 - 9.6		
N34 Kent & Medway	104	13.1	11.6	9.4 - 13.9	52	6.2	4.9	3.5 - 6.3	156	9.5	8.2	6.9 - 9.5		
N35 Greater Midlands	154	16.6	14.0	11.8 - 16.3	63	6.6	5.1	3.7 - 6.4	217	11.5	9.4	8.2 - 10.7		
N36 North of England	289	19.7	16.6	14.6 - 18.5	125	8.1	6.5	5.3 - 7.6	414	13.8	11.2	10.1 - 12.4		
N37 Anglia	218	16.4	13.8	12.0 - 15.7	105	7.7	6.0	4.8 - 7.2	323	12.0	9.7	8.6 - 10.8		
N38 Essex	102	15.0	13.0	10.5 - 15.6	62	8.7	6.4	4.6 - 8.1	164	11.8	9.6	8.0 - 11.1		
N39 East Midlands	275	14.0	12.4	11.0 - 13.9	123	6.1	5.1	4.2 - 6.0	398	10.0	8.7	7.8 - 9.5		
England ¹	3,850	15.4	14.0	13.6 - 14.5	1,667	6.5	5.2	4.9 - 5.5	5,517	10.9	9.4	9.2 - 9.7		
North of Scotland	125	19.7	16.1	13.2 - 18.9	55	8.3	6.5	4.7 - 8.3	180	13.9	11.0	9.3 - 12.6		
South East Scotland	148	21.7	18.9	15.8 - 22.0	68	9.3	7.3	5.5 - 9.1	216	15.2	12.8	11.0 - 14.5		
West of Scotland	300	26.1	23.4	20.7 - 26.0	108	8.6	7.0	5.7 - 8.4	408	17.0	14.5	13.1 - 15.9		
Scotland ¹	573	23.2	20.1	18.5 - 21.8	231	8.7	6.9	6.0 - 7.9	804	15.7	13.1	12.1 - 14.0		
Wales	260	18.0	15.2	13.3 - 17.1	129	8.5	6.6	5.4 - 7.8	389	13.1	10.7	9.6 - 11.8		
Northern Ireland	150	17.6	17.4	14.6 - 20.2	61	6.9	5.7	4.2 - 7.2	211	12.1	11.2	9.6 - 12.7		
United Kingdom	4,833	16.3	14.7	14.3 - 15.1	2,088	6.8	5.5	5.2 - 5.7	6,921	11.4	9.9	9.6 - 10.1		

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C00-C14 & C30-C32: Head and neck

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	447	60.1	51.8	46.9 - 56.7
N02 Greater Manchester and Cheshire	902	60.2	56.6	52.9 - 60.3
N03 Merseyside & Cheshire	588	60.5	52.8	48.4 - 57.1
N06 Yorkshire Cancer Network	732	56.2	52.5	48.7 - 56.4
N07 Humber & Yorkshire Coast	343	65.9	52.9	47.2 - 58.6
N08 North Trent	521	59.4	51.7	47.2 - 56.2
N11 Pan Birmingham	483	51.7	50.9	46.3 - 55.5
N12 Arden	262	53.0	47.2	41.5 - 53.0
N20 Mount Vernon	275	44.9	41.9	36.9 - 47.0
N21 West London	426	46.4	52.9	47.9 - 58.0
N22 North London	321	42.8	47.5	42.3 - 52.8
N23 North East London	314	41.0	48.9	43.4 - 54.4
N24 South East London	386	50.7	60.0	54.0 - 66.1
N25 South West London	409	53.4	56.6	51.0 - 62.1
N26 Peninsula	475	59.2	44.7	40.5 - 48.8
N27 Dorset	222	65.5	49.7	42.9 - 56.6
N28 Avon, Somerset & Wiltshire	485	52.1	44.8	40.7 - 48.8
N29 3 Counties	266	52.2	40.8	35.8 - 45.8
N30 Thames Valley	622	53.4	50.6	46.6 - 54.6
N31 Central South Coast	459	47.9	40.5	36.7 - 44.3
N32 Surrey, West Sussex & Hampshire	263	44.6	38.9	34.2 - 43.7
N33 Sussex	314	56.4	45.2	40.0 - 50.3
N34 Kent & Medway	368	46.3	39.9	35.8 - 44.1
N35 Greater Midlands	529	57.0	47.3	43.2 - 51.4
N36 North of England	1,029	70.0	58.6	55.0 - 62.3
N37 Anglia	750	56.6	45.8	42.5 - 49.2
N38 Essex	333	48.9	41.2	36.7 - 45.8
N39 East Midlands	1,024	52.2	45.5	42.7 - 48.3
England ¹	13,552	54.4	48.9	48.0 - 49.7

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
225	29.1	22.9	19.8 - 26.0
406	26.4	22.3	20.1 - 24.5
203	19.5	15.4	13.2 - 17.6
367	27.1	22.1	19.8 - 24.5
149	27.8	20.1	16.7 - 23.6
168	18.6	14.7	12.4 - 17.1
218	22.4	19.5	16.8 - 22.2
107	21.4	17.4	13.9 - 20.8
111	17.5	14.5	11.6 - 17.3
189	20.5	19.6	16.7 - 22.5
141	18.1	17.6	14.6 - 20.6
137	17.6	18.4	15.2 - 21.6
155	19.9	20.2	16.9 - 23.5
166	20.7	19.7	16.6 - 22.9
232	27.4	18.1	15.6 - 20.7
99	27.4	17.1	13.3 - 20.9
190	19.7	14.9	12.6 - 17.1
109	20.6	14.1	11.2 - 17.0
303	25.6	21.2	18.7 - 23.7
233	23.3	17.8	15.3 - 20.2
115	18.7	15.5	12.5 - 18.4
128	21.2	13.6	11.0 - 16.2
182	21.7	16.6	14.1 - 19.1
207	21.6	17.1	14.7 - 19.6
434	28.3	21.6	19.4 - 23.7
362	26.5	20.1	17.9 - 22.3
176	24.6	19.0	16.0 - 22.0
473	23.6	19.2	17.4 - 21.0
5,985	23.2	18.7	18.2 - 19.2

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
672	44.3	36.8	33.9 - 39.6
1,308	43.0	38.7	36.6 - 40.9
791	39.3	33.0	30.7 - 35.4
1,099	41.3	36.5	34.3 - 38.7
492	46.5	35.8	32.6 - 39.1
689	38.7	32.4	30.0 - 34.9
701	36.8	34.6	32.0 - 37.2
369	37.1	32.0	28.6 - 35.3
386	31.0	27.6	24.8 - 30.4
615	33.4	35.5	32.6 - 38.4
462	30.3	31.6	28.7 - 34.6
451	29.2	32.8	29.7 - 35.9
541	35.1	39.0	35.6 - 42.3
575	36.7	37.1	34.0 - 40.2
707	42.9	30.7	28.3 - 33.1
321	45.8	32.7	28.9 - 36.6
675	35.6	29.1	26.8 - 31.4
375	36.1	26.8	24.0 - 29.7
925	39.4	35.2	32.9 - 37.5
692	35.3	28.6	26.4 - 30.8
378	31.4	26.5	23.8 - 29.3
442	38.1	28.5	25.7 - 31.3
550	33.7	27.7	25.3 - 30.1
736	39.0	31.5	29.2 - 33.8
1,463	48.7	39.0	37.0 - 41.1
1,112	41.3	32.2	30.2 - 34.1
509	36.5	29.3	26.7 - 32.0
1,497	37.8	31.8	30.1 - 33.4
19,537	38.5	33.0	32.6 - 33.5

North of Scotland	471	74.1	59.6	54.2 - 65.1
South East Scotland	532	77.8	67.7	61.9 - 73.5
West of Scotland	1,037	90.1	80.3	75.4 - 85.3
Scotland ¹	2,040	82.6	71.2	68.0 - 74.3

220	33.3	24.6	21.2 - 28.0
241	32.8	24.9	21.6 - 28.2
434	34.7	27.8	25.1 - 30.5
895	33.8	26.2	24.4 - 28.0

691	53.3	41.1	37.9 - 44.2
773	54.5	44.9	41.7 - 48.2
1,471	61.2	51.8	49.1 - 54.5
2,935	57.4	47.0	45.3 - 48.8

Wales	909	62.9	52.0	48.5 - 55.4
-------	-----	------	------	-------------

429	28.2	22.0	19.8 - 24.2
-----	------	------	-------------

1,338	45.1	36.1	34.1 - 38.1
-------	------	------	-------------

Northern Ireland	507	59.4	59.0	53.9 - 64.2
------------------	-----	------	------	-------------

212	23.9	20.6	17.7 - 23.4
-----	------	------	-------------

719	41.3	38.4	35.5 - 41.2
-----	------	------	-------------

United Kingdom	17,008	57.3	51.2	50.4 - 52.0
----------------	--------	------	------	-------------

7,521	24.4	19.6	19.1 - 20.0
-------	------	------	-------------

24,529	40.5	34.6	34.1 - 35.0
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C00-C14 & C30-C32: Head and neck

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	703	94.5	80.5	74.5 - 86.5
N02 Greater Manchester and Cheshire	1,416	94.5	88.2	83.5 - 92.8
N03 Merseyside & Cheshire	936	96.3	82.5	77.2 - 87.9
N06 Yorkshire Cancer Network	1,172	89.9	83.1	78.3 - 87.9
N07 Humber & Yorkshire Coast	551	105.9	83.5	76.4 - 90.5
N08 North Trent	766	87.4	75.0	69.6 - 80.4
N11 Pan Birmingham	761	81.5	79.0	73.3 - 84.7
N12 Arden	409	82.8	71.9	64.9 - 79.0
N20 Mount Vernon	434	70.9	65.8	59.5 - 72.0
N21 West London	706	76.9	87.3	80.8 - 93.8
N22 North London	510	68.0	75.2	68.6 - 81.9
N23 North East London	471	61.5	73.1	66.4 - 79.8
N24 South East London	574	75.4	88.3	81.0 - 95.6
N25 South West London	607	79.2	83.3	76.6 - 90.0
N26 Peninsula	727	90.7	66.7	61.6 - 71.7
N27 Dorset	342	100.8	75.0	66.7 - 83.4
N28 Avon, Somerset & Wiltshire	749	80.4	67.6	62.7 - 72.6
N29 3 Counties	403	79.1	61.1	55.0 - 67.2
N30 Thames Valley	951	81.7	77.2	72.3 - 82.2
N31 Central South Coast	778	81.2	67.7	62.9 - 72.6
N32 Surrey, West Sussex & Hampshire	435	73.8	64.6	58.4 - 70.7
N33 Sussex	502	90.1	70.5	64.1 - 76.8
N34 Kent & Medway	572	72.0	61.3	56.2 - 66.4
N35 Greater Midlands	798	86.0	70.8	65.8 - 75.8
N36 North of England	1,650	112.3	92.8	88.2 - 97.3
N37 Anglia	1,150	86.7	69.5	65.4 - 73.6
N38 Essex	489	71.9	59.6	54.2 - 65.0
N39 East Midlands	1,575	80.4	69.0	65.6 - 72.5
England ¹	21,163	84.9	75.3	74.3 - 76.3

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
353	45.7	35.7	31.8 - 39.6
652	42.3	35.1	32.3 - 37.9
374	36.0	27.9	24.9 - 30.8
584	43.0	34.6	31.7 - 37.6
246	45.8	32.6	28.3 - 36.9
278	30.8	23.7	20.8 - 26.7
341	35.0	30.5	27.1 - 33.9
174	34.7	27.4	23.1 - 31.7
181	28.6	23.8	20.2 - 27.5
312	33.8	32.5	28.7 - 36.2
222	28.6	27.8	24.0 - 31.6
213	27.4	28.4	24.4 - 32.3
247	31.7	31.6	27.5 - 35.7
281	35.0	33.2	29.1 - 37.2
365	43.1	27.8	24.7 - 30.9
173	47.8	30.6	25.5 - 35.7
328	34.1	25.5	22.6 - 28.5
191	36.0	25.4	21.5 - 29.3
452	38.2	31.4	28.4 - 34.4
390	39.0	29.0	25.9 - 32.1
220	35.8	28.9	24.9 - 32.9
195	32.4	21.0	17.8 - 24.3
276	32.9	25.1	22.0 - 28.2
321	33.5	25.7	22.8 - 28.7
698	45.5	34.1	31.4 - 36.7
527	38.6	28.3	25.8 - 30.9
257	36.0	27.3	23.7 - 30.8
752	37.5	29.8	27.6 - 32.0
9,618	37.2	29.5	28.9 - 30.2

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
1,056	69.6	57.0	53.5 - 60.6
2,068	68.1	60.4	57.7 - 63.0
1,310	65.1	53.4	50.4 - 56.4
1,756	66.0	57.4	54.7 - 60.2
797	75.4	56.6	52.6 - 60.7
1,044	58.7	48.2	45.2 - 51.2
1,102	57.8	53.5	50.3 - 56.8
583	58.6	48.8	44.7 - 52.9
615	49.4	43.8	40.3 - 47.4
1,018	55.3	58.3	54.7 - 62.0
732	47.9	49.8	46.1 - 53.5
684	44.3	49.4	45.6 - 53.2
821	53.3	58.0	54.0 - 62.1
888	56.6	56.5	52.7 - 60.3
1,092	66.2	46.0	43.2 - 48.9
515	73.5	51.7	46.9 - 56.6
1,077	56.9	45.3	42.5 - 48.1
594	57.1	42.3	38.8 - 45.9
1,403	59.8	53.1	50.3 - 55.9
1,168	59.6	47.4	44.6 - 50.3
655	54.4	45.6	42.0 - 49.2
697	60.1	44.2	40.7 - 47.7
848	51.9	42.1	39.2 - 45.0
1,119	59.4	47.1	44.3 - 50.0
2,348	78.2	61.5	59.0 - 64.1
1,677	62.3	47.6	45.3 - 50.0
746	53.5	42.3	39.1 - 45.4
2,327	58.7	48.4	46.4 - 50.4
30,781	60.6	51.2	50.6 - 51.7

North of Scotland	744	117.1	93.2	86.4 - 100.0
South East Scotland	841	123.0	105.3	98.1 - 112.5
West of Scotland	1,629	141.6	125.8	119.7 - 132.0
Scotland ¹	3,217	130.3	111.4	107.5 - 115.2

351	53.1	38.5	34.3 - 42.7
374	50.9	38.8	34.7 - 42.9
694	55.5	43.2	39.9 - 46.6
1,421	53.7	40.8	38.6 - 43.0

1,095	84.5	63.9	60.0 - 67.8
1,215	85.7	69.3	65.3 - 73.3
2,323	96.7	80.7	77.3 - 84.0
4,638	90.6	73.1	71.0 - 75.3

Wales	1,454	100.6	81.9	77.6 - 86.1
-------	-------	-------	------	-------------

683	44.9	33.9	31.2 - 36.5
-----	------	------	-------------

2,137	72.1	56.4	54.0 - 58.9
-------	------	------	-------------

Northern Ireland	785	92.0	90.7	84.3 - 97.1
------------------	-----	------	------	-------------

317	35.7	30.0	26.5 - 33.4
-----	------	------	-------------

1,102	63.3	57.9	54.4 - 61.4
-------	------	------	-------------

United Kingdom	26,619	89.6	79.1	78.2 - 80.1
----------------	--------	------	------	-------------

12,039	39.0	30.8	30.2 - 31.4
--------	------	------	-------------

38,658	63.8	53.5	53.0 - 54.1
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C15: Oesophagus

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	83	11.2	8.9	7.0 - 10.9
N02 Greater Manchester and Cheshire	171	11.4	10.4	8.9 - 12.0
N03 Merseyside & Cheshire	102	10.5	8.7	7.0 - 10.4
N06 Yorkshire Cancer Network	127	9.7	8.8	7.2 - 10.3
N07 Humber & Yorkshire Coast	58	11.1	8.6	6.4 - 10.9
N08 North Trent	89	10.2	8.3	6.5 - 10.0
N11 Pan Birmingham	72	7.7	7.2	5.5 - 8.9
N12 Arden	39	7.9	6.7	4.6 - 8.8
N20 Mount Vernon	27	4.4	4.1	2.5 - 5.6
N21 West London	47	5.1	5.8	4.1 - 7.5
N22 North London	41	5.5	6.1	4.2 - 8.0
N23 North East London	48	6.3	7.4	5.3 - 9.5
N24 South East London	58	7.6	8.6	6.4 - 10.9
N25 South West London	51	6.7	6.8	4.9 - 8.7
N26 Peninsula	109	13.6	9.5	7.7 - 11.3
N27 Dorset	44	13.0	8.3	5.7 - 10.9
N28 Avon, Somerset & Wiltshire	105	11.3	9.0	7.2 - 10.7
N29 3 Counties	58	11.4	8.4	6.2 - 10.6
N30 Thames Valley	91	7.8	7.4	5.8 - 8.9
N31 Central South Coast	81	8.5	6.5	5.0 - 7.9
N32 Surrey, West Sussex & Hampshire	53	9.0	7.9	5.7 - 10.0
N33 Sussex	74	13.3	9.2	7.0 - 11.4
N34 Kent & Medway	80	10.1	8.0	6.2 - 9.8
N35 Greater Midlands	85	9.2	7.2	5.6 - 8.7
N36 North of England	129	8.8	7.2	5.9 - 8.5
N37 Anglia	126	9.5	6.9	5.7 - 8.2
N38 Essex	67	9.8	7.7	5.8 - 9.6
N39 East Midlands	194	9.9	8.2	7.0 - 9.4
England ¹	2,309	9.3	7.9	7.6 - 8.2

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
39	5.0	3.0	2.0 - 4.0
75	4.9	3.6	2.8 - 4.5
45	4.3	3.1	2.1 - 4.0
62	4.6	3.5	2.6 - 4.4
23	4.3	2.8	1.5 - 4.1
46	5.1	3.6	2.5 - 4.7
34	3.5	2.7	1.8 - 3.7
29	5.8	3.9	2.4 - 5.3
25	3.9	3.0	1.7 - 4.2
28	3.0	2.4	1.5 - 3.3
15	1.9	1.5	0.7 - 2.3
25	3.2	3.3	2.0 - 4.7
31	4.0	3.5	2.2 - 4.7
23	2.9	2.2	1.2 - 3.2
48	5.7	2.7	1.9 - 3.6
25	6.9	3.6	2.1 - 5.1
58	6.0	3.8	2.8 - 4.9
25	4.7	3.0	1.8 - 4.3
48	4.1	2.9	2.0 - 3.8
38	3.8	2.4	1.5 - 3.2
12	2.0	1.5	0.6 - 2.3
31	5.1	3.0	1.8 - 4.1
32	3.8	2.4	1.5 - 3.3
43	4.5	2.6	1.7 - 3.4
82	5.3	3.4	2.6 - 4.2
79	5.8	3.9	2.9 - 4.8
29	4.1	2.6	1.6 - 3.6
82	4.1	2.6	2.0 - 3.2
1,132	4.4	3.0	2.8 - 3.2

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
122	8.0	5.7	4.6 - 6.8
246	8.1	6.8	5.9 - 7.7
147	7.3	5.7	4.7 - 6.6
189	7.1	5.9	5.0 - 6.8
81	7.7	5.5	4.3 - 6.8
135	7.6	5.8	4.8 - 6.8
106	5.6	4.8	3.8 - 5.7
68	6.8	5.2	4.0 - 6.5
52	4.2	3.5	2.5 - 4.5
75	4.1	4.0	3.1 - 5.0
56	3.7	3.6	2.6 - 4.6
73	4.7	5.2	4.0 - 6.4
89	5.8	5.8	4.5 - 7.0
74	4.7	4.4	3.3 - 5.4
157	9.5	5.9	4.9 - 6.9
69	9.8	5.8	4.3 - 7.3
163	8.6	6.2	5.2 - 7.2
83	8.0	5.6	4.3 - 6.8
139	5.9	5.0	4.1 - 5.8
119	6.1	4.3	3.5 - 5.1
65	5.4	4.4	3.3 - 5.5
105	9.1	5.8	4.6 - 7.0
112	6.9	5.1	4.1 - 6.0
128	6.8	4.8	3.9 - 5.6
211	7.0	5.3	4.5 - 6.0
205	7.6	5.3	4.5 - 6.0
96	6.9	4.9	3.9 - 6.0
276	7.0	5.3	4.7 - 5.9
3,441	6.8	5.3	5.1 - 5.5

North of Scotland	95	15.0	11.8	9.4 - 14.2
South East Scotland	80	11.7	9.8	7.7 - 12.0
West of Scotland	134	11.6	10.0	8.3 - 11.7
Scotland ¹	309	12.5	10.4	9.2 - 11.6

39	5.9	3.3	2.2 - 4.4
39	5.3	3.4	2.2 - 4.5
88	7.0	4.7	3.6 - 5.7
166	6.3	3.9	3.3 - 4.6

134	10.3	7.3	6.1 - 8.6
119	8.4	6.4	5.2 - 7.6
222	9.2	7.0	6.1 - 8.0
475	9.3	6.9	6.3 - 7.6

Wales	179	12.4	9.4	8.0 - 10.9
-------	-----	------	-----	------------

85	5.6	3.6	2.8 - 4.4
----	-----	-----	-----------

264	8.9	6.3	5.5 - 7.1
-----	-----	-----	-----------

Northern Ireland	67	7.9	7.7	5.8 - 9.5
------------------	----	-----	-----	-----------

35	3.9	3.4	2.2 - 4.6
----	-----	-----	-----------

102	5.9	5.3	4.3 - 6.4
-----	-----	-----	-----------

United Kingdom	2,864	9.6	8.2	7.9 - 8.5
----------------	-------	-----	-----	-----------

1,418	4.6	3.1	2.9 - 3.3
-------	-----	-----	-----------

4,282	7.1	5.5	5.3 - 5.7
-------	-----	-----	-----------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C15: Oesophagus

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	148	19.9	16.0	13.4 - 18.6	75	9.7	6.2	4.7 - 7.7		223	14.7	10.7	9.3 - 12.2	
N02 Greater Manchester and Cheshire	313	20.9	19.1	17.0 - 21.2	150	9.7	7.4	6.1 - 8.6		463	15.2	12.9	11.7 - 14.1	
N03 Merseyside & Cheshire	208	21.4	17.7	15.3 - 20.2	106	10.2	7.2	5.7 - 8.6		314	15.6	12.1	10.7 - 13.5	
N06 Yorkshire Cancer Network	275	21.1	19.1	16.9 - 21.4	130	9.6	7.4	6.0 - 8.7		405	15.2	12.9	11.6 - 14.1	
N07 Humber & Yorkshire Coast	104	20.0	15.1	12.2 - 18.1	49	9.1	6.4	4.5 - 8.2		153	14.5	10.4	8.7 - 12.1	
N08 North Trent	176	20.1	16.6	14.1 - 19.1	81	9.0	6.8	5.3 - 8.3		257	14.4	11.3	9.9 - 12.7	
N11 Pan Birmingham	148	15.9	15.0	12.5 - 17.4	81	8.3	6.9	5.3 - 8.4		229	12.0	10.7	9.3 - 12.1	
N12 Arden	91	18.4	15.4	12.2 - 18.5	53	10.6	7.2	5.2 - 9.3		144	14.5	11.1	9.3 - 13.0	
N20 Mount Vernon	66	10.8	10.0	7.5 - 12.4	43	6.8	5.0	3.4 - 6.6		109	8.8	7.4	6.0 - 8.8	
N21 West London	104	11.3	12.6	10.2 - 15.1	64	6.9	5.8	4.3 - 7.3		168	9.1	9.0	7.6 - 10.4	
N22 North London	95	12.7	14.2	11.3 - 17.1	41	5.3	4.1	2.8 - 5.5		136	8.9	8.8	7.3 - 10.4	
N23 North East London	106	13.8	16.3	13.1 - 19.4	48	6.2	6.1	4.3 - 8.0		154	10.0	10.8	9.0 - 12.5	
N24 South East London	110	14.4	16.6	13.5 - 19.8	60	7.7	7.0	5.1 - 8.8		170	11.0	11.4	9.6 - 13.2	
N25 South West London	108	14.1	14.7	11.9 - 17.5	56	7.0	5.7	4.1 - 7.3		164	10.5	10.0	8.4 - 11.5	
N26 Peninsula	209	26.1	18.6	16.0 - 21.2	96	11.3	6.0	4.7 - 7.3		305	18.5	12.0	10.6 - 13.4	
N27 Dorset	90	26.5	17.6	13.7 - 21.4	44	12.2	6.3	4.2 - 8.3		134	19.1	11.6	9.5 - 13.7	
N28 Avon, Somerset & Wiltshire	206	22.1	18.2	15.6 - 20.7	121	12.6	8.0	6.5 - 9.6		327	17.3	12.8	11.4 - 14.3	
N29 3 Counties	98	19.2	14.3	11.4 - 17.2	57	10.8	6.7	4.8 - 8.6		155	14.9	10.3	8.6 - 12.0	
N30 Thames Valley	214	18.4	17.2	14.9 - 19.6	83	7.0	5.4	4.2 - 6.6		297	12.7	11.0	9.7 - 12.3	
N31 Central South Coast	191	19.9	15.3	13.1 - 17.5	82	8.2	5.2	4.0 - 6.5		273	13.9	9.9	8.7 - 11.2	
N32 Surrey, West Sussex & Hampshire	105	17.8	15.4	12.4 - 18.4	34	5.5	4.0	2.6 - 5.4		139	11.6	9.3	7.7 - 10.9	
N33 Sussex	137	24.6	17.8	14.7 - 20.8	64	10.6	6.1	4.5 - 7.7		201	17.3	11.5	9.8 - 13.1	
N34 Kent & Medway	164	20.6	16.6	14.0 - 19.2	71	8.5	5.9	4.4 - 7.3		235	14.4	10.9	9.5 - 12.3	
N35 Greater Midlands	181	19.5	15.0	12.8 - 17.2	87	9.1	5.7	4.4 - 7.0		268	14.2	10.1	8.9 - 11.4	
N36 North of England	253	17.2	14.0	12.2 - 15.7	161	10.5	6.8	5.7 - 7.9		414	13.8	10.3	9.2 - 11.3	
N37 Anglia	211	15.9	12.0	10.3 - 13.6	144	10.6	7.2	5.9 - 8.4		355	13.2	9.4	8.4 - 10.5	
N38 Essex	126	18.5	14.8	12.1 - 17.4	53	7.4	4.9	3.5 - 6.4		179	12.8	9.5	8.0 - 10.9	
N39 East Midlands	413	21.1	17.5	15.8 - 19.2	172	8.6	5.9	5.0 - 6.8		585	14.8	11.4	10.4 - 12.3	
England ¹	4,652	18.7	16.0	15.5 - 16.5	2,307	8.9	6.3	6.0 - 6.6		6,959	13.7	10.9	10.6 - 11.1	
North of Scotland	163	25.7	19.7	16.7 - 22.8	73	11.1	7.0	5.3 - 8.7		236	18.2	12.9	11.2 - 14.6	
South East Scotland	166	24.3	20.5	17.4 - 23.7	90	12.3	8.1	6.3 - 9.8		256	18.1	13.9	12.1 - 15.6	
West of Scotland	275	23.9	20.5	18.1 - 23.0	162	12.9	8.6	7.2 - 10.0		437	18.2	13.9	12.6 - 15.3	
Scotland ¹	604	24.5	20.3	18.7 - 21.9	325	12.3	8.0	7.1 - 8.9		929	18.2	13.7	12.8 - 14.6	
Wales	344	23.8	18.3	16.3 - 20.2	167	11.0	7.2	6.0 - 8.4		511	17.2	12.4	11.3 - 13.5	
Northern Ireland	127	14.9	14.7	12.1 - 17.3	69	7.8	6.6	4.9 - 8.2		196	11.3	10.3	8.8 - 11.8	
United Kingdom	5,727	19.3	16.5	16.0 - 16.9	2,868	9.3	6.5	6.3 - 6.8		8,595	14.2	11.2	10.9 - 11.4	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C15: Oesophagus

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	175	23.5	18.8	16.0 - 21.6	86	11.1	7.1	5.5 - 8.7		261	17.2	12.5	10.9 - 14.0	
N02 Greater Manchester and Cheshire	364	24.3	22.1	19.8 - 24.4	179	11.6	8.7	7.4 - 10.1		543	17.9	15.0	13.7 - 16.3	
N03 Merseyside & Cheshire	249	25.6	21.1	18.4 - 23.8	143	13.8	9.6	8.0 - 11.3		392	19.5	15.0	13.4 - 16.5	
N06 Yorkshire Cancer Network	332	25.5	23.0	20.5 - 25.5	174	12.8	9.7	8.1 - 11.2		506	19.0	15.9	14.4 - 17.3	
N07 Humber & Yorkshire Coast	120	23.1	17.4	14.2 - 20.5	60	11.2	7.7	5.7 - 9.8		180	17.0	12.2	10.3 - 14.0	
N08 North Trent	205	23.4	19.3	16.7 - 22.0	93	10.3	7.6	6.0 - 9.2		298	16.8	13.1	11.5 - 14.6	
N11 Pan Birmingham	177	19.0	17.8	15.1 - 20.4	107	11.0	9.0	7.2 - 10.8		284	14.9	13.1	11.6 - 14.7	
N12 Arden	113	22.9	19.0	15.5 - 22.6	64	12.8	8.6	6.3 - 10.8		177	17.8	13.6	11.5 - 15.7	
N20 Mount Vernon	84	13.7	12.5	9.8 - 15.2	56	8.8	6.6	4.8 - 8.5		140	11.2	9.5	7.8 - 11.1	
N21 West London	138	15.0	17.0	14.2 - 19.9	80	8.7	7.5	5.8 - 9.2		218	11.8	12.0	10.4 - 13.7	
N22 North London	115	15.3	17.4	14.2 - 20.7	49	6.3	5.1	3.6 - 6.6		164	10.7	10.9	9.2 - 12.6	
N23 North East London	123	16.1	19.0	15.6 - 22.5	60	7.7	7.8	5.8 - 9.9		183	11.9	12.9	11.0 - 14.9	
N24 South East London	132	17.3	19.8	16.4 - 23.3	77	9.9	9.2	7.0 - 11.3		209	13.6	14.0	12.1 - 16.0	
N25 South West London	140	18.3	18.9	15.7 - 22.0	78	9.7	8.0	6.1 - 9.9		218	13.9	13.1	11.3 - 14.9	
N26 Peninsula	251	31.3	21.9	19.1 - 24.7	122	14.4	7.6	6.1 - 9.1		373	22.6	14.4	12.8 - 15.9	
N27 Dorset	116	34.2	22.7	18.4 - 27.0	50	13.8	7.2	5.0 - 9.3		166	23.7	14.4	12.1 - 16.8	
N28 Avon, Somerset & Wiltshire	255	27.4	22.4	19.6 - 25.2	152	15.8	10.3	8.5 - 12.0		407	21.5	16.0	14.4 - 17.6	
N29 3 Counties	115	22.6	16.7	13.6 - 19.9	73	13.8	8.5	6.4 - 10.6		188	18.1	12.4	10.6 - 14.3	
N30 Thames Valley	267	22.9	21.4	18.8 - 24.0	119	10.1	7.8	6.3 - 9.3		386	16.5	14.2	12.8 - 15.7	
N31 Central South Coast	253	26.4	20.2	17.7 - 22.7	112	11.2	7.2	5.8 - 8.6		365	18.6	13.2	11.8 - 14.7	
N32 Surrey, West Sussex & Hampshire	127	21.6	18.7	15.4 - 22.0	51	8.3	5.9	4.2 - 7.6		178	14.8	11.9	10.1 - 13.7	
N33 Sussex	160	28.7	20.9	17.5 - 24.2	75	12.4	7.3	5.5 - 9.1		235	20.3	13.5	11.7 - 15.4	
N34 Kent & Medway	189	23.8	19.0	16.3 - 21.8	95	11.3	8.0	6.3 - 9.6		284	17.4	13.1	11.5 - 14.7	
N35 Greater Midlands	207	22.3	17.1	14.8 - 19.5	115	12.0	7.6	6.2 - 9.1		322	17.1	12.1	10.8 - 13.5	
N36 North of England	310	21.1	17.0	15.1 - 18.9	200	13.0	8.4	7.2 - 9.6		510	17.0	12.5	11.4 - 13.7	
N37 Anglia	252	19.0	14.3	12.5 - 16.1	175	12.8	8.6	7.2 - 9.9		427	15.9	11.3	10.2 - 12.4	
N38 Essex	149	21.9	17.4	14.6 - 20.3	66	9.2	6.2	4.6 - 7.8		215	15.4	11.4	9.8 - 13.0	
N39 East Midlands	502	25.6	21.3	19.4 - 23.2	229	11.4	7.7	6.7 - 8.8		731	18.4	14.2	13.1 - 15.2	
England ¹	5,624	22.6	19.3	18.8 - 19.8	2,942	11.4	8.0	7.7 - 8.3		8,566	16.9	13.3	13.0 - 13.6	
North of Scotland	204	32.1	24.5	21.1 - 27.9	98	14.8	9.4	7.4 - 11.3		302	23.3	16.4	14.5 - 18.3	
South East Scotland	199	29.1	24.6	21.1 - 28.0	105	14.3	9.2	7.4 - 11.1		304	21.4	16.4	14.5 - 18.3	
West of Scotland	345	30.0	25.8	23.0 - 28.5	200	16.0	10.8	9.3 - 12.4		545	22.7	17.5	16.0 - 19.0	
Scotland ¹	749	30.3	25.1	23.3 - 26.9	403	15.2	10.0	9.0 - 11.1		1,152	22.5	16.9	15.9 - 17.9	
Wales	436	30.2	23.0	20.8 - 25.2	230	15.1	9.7	8.4 - 11.1		666	22.5	15.9	14.6 - 17.1	
Northern Ireland	169	19.8	19.3	16.3 - 22.2	99	11.1	8.9	7.0 - 10.7		268	15.4	13.7	12.0 - 15.4	
United Kingdom	6,978	23.5	20.0	19.5 - 20.5	3,674	11.9	8.3	8.0 - 8.6		10,652	17.6	13.8	13.5 - 14.0	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C16: Stomach

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	55	7.4	6.0	4.4 - 7.6	31	4.0	2.2	1.4 - 3.0		86	5.7	4.0	3.1 - 4.9	
N02 Greater Manchester and Cheshire	166	11.1	9.7	8.2 - 11.2	87	5.6	3.7	2.8 - 4.5		253	8.3	6.4	5.6 - 7.2	
N03 Merseyside & Cheshire	92	9.5	7.4	5.9 - 9.0	67	6.4	4.1	3.1 - 5.1		159	7.9	5.6	4.7 - 6.5	
N06 Yorkshire Cancer Network	104	8.0	6.7	5.4 - 8.0	65	4.8	3.2	2.3 - 4.0		169	6.4	4.8	4.0 - 5.5	
N07 Humber & Yorkshire Coast	49	9.4	7.0	5.0 - 9.0	25	4.7	2.4	1.4 - 3.4		74	7.0	4.5	3.5 - 5.6	
N08 North Trent	106	12.1	9.4	7.6 - 11.2	58	6.4	4.4	3.2 - 5.6		164	9.2	6.6	5.5 - 7.6	
N11 Pan Birmingham	105	11.2	9.8	7.9 - 11.7	52	5.3	3.7	2.6 - 4.8		157	8.2	6.4	5.4 - 7.5	
N12 Arden	36	7.3	6.3	4.2 - 8.4	13	2.6	2.1	0.9 - 3.3		49	4.9	4.1	2.9 - 5.3	
N20 Mount Vernon	49	8.0	6.7	4.8 - 8.6	28	4.4	3.0	1.8 - 4.2		77	6.2	4.6	3.5 - 5.6	
N21 West London	48	5.2	5.5	3.9 - 7.0	28	3.0	2.7	1.7 - 3.8		76	4.1	3.9	3.0 - 4.8	
N22 North London	40	5.3	5.6	3.9 - 7.4	21	2.7	2.3	1.3 - 3.4		61	4.0	3.8	2.8 - 4.8	
N23 North East London	57	7.4	8.2	6.1 - 10.4	32	4.1	3.8	2.4 - 5.2		89	5.8	5.8	4.5 - 7.0	
N24 South East London	47	6.2	6.5	4.6 - 8.4	20	2.6	2.0	1.1 - 3.0		67	4.4	4.0	3.0 - 5.0	
N25 South West London	39	5.1	5.1	3.5 - 6.8	20	2.5	2.1	1.1 - 3.1		59	3.8	3.5	2.6 - 4.4	
N26 Peninsula	81	10.1	6.4	5.0 - 7.9	33	3.9	2.2	1.4 - 3.1		114	6.9	4.1	3.3 - 4.9	
N27 Dorset	26	7.7	4.8	2.8 - 6.7	14	3.9	2.5	1.0 - 4.0		40	5.7	3.5	2.3 - 4.7	
N28 Avon, Somerset & Wiltshire	66	7.1	5.5	4.2 - 6.9	28	2.9	1.9	1.1 - 2.7		94	5.0	3.6	2.8 - 4.3	
N29 3 Counties	43	8.4	5.9	4.1 - 7.7	16	3.0	1.8	0.8 - 2.7		59	5.7	3.7	2.7 - 4.7	
N30 Thames Valley	77	6.6	6.0	4.6 - 7.3	27	2.3	1.6	1.0 - 2.3		104	4.4	3.7	2.9 - 4.4	
N31 Central South Coast	74	7.7	5.9	4.5 - 7.3	32	3.2	1.9	1.2 - 2.7		106	5.4	3.8	3.0 - 4.6	
N32 Surrey, West Sussex & Hampshire	35	5.9	4.9	3.2 - 6.5	17	2.8	1.9	1.0 - 2.9		52	4.3	3.2	2.3 - 4.2	
N33 Sussex	39	7.0	4.3	2.9 - 5.7	19	3.2	1.4	0.7 - 2.2		58	5.0	2.7	2.0 - 3.5	
N34 Kent & Medway	55	6.9	5.4	4.0 - 6.9	32	3.8	2.3	1.4 - 3.1		87	5.3	3.8	2.9 - 4.6	
N35 Greater Midlands	103	11.1	8.6	6.9 - 10.3	34	3.6	2.2	1.4 - 3.0		137	7.3	5.2	4.3 - 6.0	
N36 North of England	191	13.0	10.1	8.6 - 11.5	104	6.8	4.0	3.1 - 4.8		295	9.8	6.8	6.0 - 7.6	
N37 Anglia	152	11.5	8.3	7.0 - 9.7	55	4.0	2.6	1.9 - 3.3		207	7.7	5.2	4.5 - 5.9	
N38 Essex	50	7.3	5.8	4.2 - 7.4	25	3.5	2.2	1.3 - 3.1		75	5.4	3.8	2.9 - 4.7	
N39 East Midlands	166	8.5	6.7	5.6 - 7.7	89	4.4	3.0	2.3 - 3.7		255	6.4	4.7	4.1 - 5.3	
England ¹	2,151	8.6	7.0	6.7 - 7.3	1,072	4.1	2.7	2.6 - 2.9		3,223	6.3	4.7	4.5 - 4.9	
North of Scotland	56	8.8	6.6	4.9 - 8.4	31	4.7	2.9	1.8 - 4.0		87	6.7	4.6	3.6 - 5.6	
South East Scotland	55	8.0	6.3	4.6 - 8.0	35	4.8	2.9	1.8 - 3.9		90	6.3	4.3	3.4 - 5.2	
West of Scotland	122	10.6	8.9	7.3 - 10.5	72	5.8	4.1	3.1 - 5.1		194	8.1	6.2	5.3 - 7.0	
Scotland ¹	233	9.4	7.6	6.6 - 8.5	138	5.2	3.4	2.8 - 4.1		371	7.3	5.2	4.7 - 5.8	
Wales	157	10.9	8.2	6.9 - 9.5	80	5.3	3.0	2.3 - 3.8		237	8.0	5.4	4.7 - 6.1	
Northern Ireland	67	7.9	7.6	5.7 - 9.4	47	5.3	3.7	2.6 - 4.8		114	6.5	5.5	4.4 - 6.5	
United Kingdom	2,608	8.8	7.2	6.9 - 7.4	1,337	4.3	2.8	2.7 - 3.0		3,945	6.5	4.8	4.6 - 5.0	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C16: Stomach

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	143	19.2	15.4	12.8 - 17.9	89	11.5	6.9	5.4 - 8.5		232	15.3	10.9	9.4 - 12.3	
N02 Greater Manchester and Cheshire	360	24.0	21.2	19.0 - 23.4	188	12.2	8.1	6.9 - 9.4		548	18.0	14.1	12.9 - 15.4	
N03 Merseyside & Cheshire	240	24.7	19.7	17.2 - 22.2	142	13.7	8.5	7.0 - 10.0		382	19.0	13.6	12.2 - 15.0	
N06 Yorkshire Cancer Network	286	21.9	18.6	16.4 - 20.8	178	13.1	9.2	7.7 - 10.6		464	17.4	13.3	12.1 - 14.6	
N07 Humber & Yorkshire Coast	116	22.3	16.5	13.5 - 19.6	59	11.0	5.8	4.3 - 7.4		175	16.6	10.9	9.2 - 12.6	
N08 North Trent	234	26.7	20.9	18.2 - 23.6	117	13.0	8.7	7.0 - 10.4		351	19.7	14.2	12.7 - 15.7	
N11 Pan Birmingham	227	24.3	21.7	18.8 - 24.5	123	12.6	9.1	7.3 - 10.8		350	18.4	14.8	13.2 - 16.4	
N12 Arden	87	17.6	14.9	11.7 - 18.0	40	8.0	5.2	3.5 - 7.0		127	12.8	9.8	8.1 - 11.6	
N20 Mount Vernon	104	17.0	14.5	11.7 - 17.3	48	7.6	5.2	3.6 - 6.8		152	12.2	9.4	7.8 - 10.9	
N21 West London	129	14.1	15.0	12.4 - 17.7	83	9.0	7.8	6.1 - 9.6		212	11.5	11.1	9.6 - 12.6	
N22 North London	107	14.3	15.0	12.1 - 17.8	70	9.0	7.9	5.9 - 9.8		177	11.6	11.0	9.3 - 12.7	
N23 North East London	141	18.4	20.2	16.8 - 23.6	78	10.0	9.5	7.3 - 11.7		219	14.2	14.3	12.3 - 16.2	
N24 South East London	128	16.8	18.1	14.9 - 21.3	60	7.7	6.3	4.6 - 8.0		188	12.2	11.6	9.8 - 13.3	
N25 South West London	100	13.0	13.2	10.6 - 15.9	55	6.9	5.9	4.3 - 7.6		155	9.9	9.3	7.8 - 10.8	
N26 Peninsula	187	23.3	15.0	12.8 - 17.3	85	10.0	5.4	4.1 - 6.7		272	16.5	9.7	8.4 - 10.9	
N27 Dorset	76	22.4	13.7	10.5 - 17.0	35	9.7	5.0	3.1 - 7.0		111	15.8	9.0	7.2 - 10.8	
N28 Avon, Somerset & Wiltshire	150	16.1	12.7	10.6 - 14.7	66	6.9	4.6	3.4 - 5.8		216	11.4	8.3	7.2 - 9.5	
N29 3 Counties	77	15.1	10.7	8.3 - 13.1	42	7.9	4.5	3.0 - 6.0		119	11.4	7.4	6.0 - 8.8	
N30 Thames Valley	147	12.6	11.6	9.7 - 13.5	73	6.2	4.6	3.5 - 5.7		220	9.4	7.8	6.7 - 8.9	
N31 Central South Coast	195	20.4	15.6	13.3 - 17.8	83	8.3	5.1	3.9 - 6.3		278	14.2	10.0	8.8 - 11.2	
N32 Surrey, West Sussex & Hampshire	81	13.8	11.7	9.1 - 14.3	56	9.1	6.7	4.9 - 8.6		137	11.4	9.0	7.4 - 10.5	
N33 Sussex	68	12.2	7.8	5.8 - 9.7	38	6.3	2.8	1.8 - 3.8		106	9.1	5.1	4.0 - 6.1	
N34 Kent & Medway	113	14.2	11.2	9.1 - 13.3	60	7.1	4.3	3.1 - 5.5		173	10.6	7.5	6.4 - 8.7	
N35 Greater Midlands	225	24.2	18.5	16.0 - 20.9	94	9.8	6.2	4.8 - 7.5		319	16.9	11.9	10.5 - 13.2	
N36 North of England	490	33.4	25.6	23.3 - 27.9	250	16.3	10.1	8.8 - 11.5		740	24.6	17.1	15.9 - 18.4	
N37 Anglia	341	25.7	19.2	17.1 - 21.3	146	10.7	7.0	5.8 - 8.2		487	18.1	12.6	11.5 - 13.8	
N38 Essex	124	18.2	13.9	11.4 - 16.4	61	8.5	5.0	3.7 - 6.4		185	13.3	9.1	7.7 - 10.5	
N39 East Midlands	415	21.2	16.8	15.1 - 18.4	202	10.1	6.7	5.7 - 7.7		617	15.6	11.3	10.4 - 12.2	
England ¹	5,092	20.4	16.8	16.3 - 17.3	2,622	10.2	6.8	6.5 - 7.1		7,714	15.2	11.4	11.1 - 11.6	
North of Scotland	143	22.5	17.0	14.2 - 19.8	82	12.4	7.8	6.0 - 9.6		225	17.4	12.0	10.3 - 13.6	
South East Scotland	122	17.9	14.3	11.7 - 16.8	89	12.1	7.8	6.1 - 9.6		211	14.9	10.6	9.2 - 12.1	
West of Scotland	265	23.0	19.5	17.2 - 21.9	196	15.7	10.4	8.9 - 11.9		461	19.2	14.5	13.1 - 15.8	
Scotland ¹	530	21.5	17.4	15.9 - 18.9	367	13.9	9.0	8.0 - 10.0		897	17.5	12.8	11.9 - 13.6	
Wales	368	25.5	19.2	17.2 - 21.2	217	14.3	8.6	7.3 - 9.8		585	19.7	13.5	12.3 - 14.6	
Northern Ireland	170	19.9	18.7	15.9 - 21.6	116	13.1	9.6	7.8 - 11.5		286	16.4	13.7	12.1 - 15.3	
United Kingdom	6,160	20.7	17.0	16.6 - 17.5	3,322	10.8	7.2	6.9 - 7.4		9,482	15.7	11.7	11.4 - 11.9	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C16: Stomach

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	217	29.2	22.8	19.7 - 25.9	135	17.5	10.3	8.4 - 12.1		352	23.2	16.1	14.4 - 17.9	
N02 Greater Manchester and Cheshire	490	32.7	28.6	26.1 - 31.2	260	16.9	11.1	9.6 - 12.5		750	24.7	19.1	17.7 - 20.5	
N03 Merseyside & Cheshire	319	32.8	26.1	23.2 - 29.0	190	18.3	11.5	9.7 - 13.2		509	25.3	18.0	16.4 - 19.6	
N06 Yorkshire Cancer Network	429	32.9	28.0	25.3 - 30.7	277	20.4	14.1	12.4 - 15.9		706	26.5	20.3	18.7 - 21.8	
N07 Humber & Yorkshire Coast	172	33.1	24.2	20.5 - 27.9	92	17.1	9.3	7.3 - 11.4		264	25.0	16.4	14.3 - 18.4	
N08 North Trent	303	34.6	26.8	23.7 - 29.9	163	18.1	11.6	9.7 - 13.5		466	26.2	18.5	16.7 - 20.2	
N11 Pan Birmingham	315	33.8	29.7	26.4 - 33.1	164	16.8	11.7	9.8 - 13.6		479	25.1	19.8	18.0 - 21.7	
N12 Arden	129	26.1	21.5	17.7 - 25.2	62	12.4	7.8	5.8 - 9.9		191	19.2	14.2	12.1 - 16.3	
N20 Mount Vernon	145	23.7	19.9	16.6 - 23.2	60	9.5	6.2	4.5 - 8.0		205	16.5	12.4	10.6 - 14.2	
N21 West London	186	20.3	21.5	18.4 - 24.7	116	12.6	11.0	8.9 - 13.1		302	16.4	15.7	13.9 - 17.6	
N22 North London	167	22.3	23.0	19.4 - 26.5	92	11.8	10.2	8.0 - 12.4		259	17.0	15.9	13.9 - 17.9	
N23 North East London	205	26.8	29.9	25.8 - 34.1	110	14.1	13.3	10.7 - 15.9		315	20.4	20.7	18.3 - 23.1	
N24 South East London	189	24.8	26.6	22.7 - 30.4	91	11.7	9.9	7.7 - 12.0		280	18.2	17.2	15.1 - 19.3	
N25 South West London	142	18.5	18.6	15.5 - 21.7	83	10.4	8.8	6.8 - 10.8		225	14.3	13.2	11.5 - 15.0	
N26 Peninsula	256	31.9	20.4	17.8 - 22.9	129	15.2	8.1	6.6 - 9.7		385	23.4	13.6	12.1 - 15.0	
N27 Dorset	109	32.1	19.9	16.0 - 23.8	59	16.3	8.4	5.9 - 10.9		168	24.0	13.6	11.4 - 15.9	
N28 Avon, Somerset & Wiltshire	217	23.3	18.1	15.7 - 20.6	95	9.9	6.3	5.0 - 7.7		312	16.5	11.7	10.4 - 13.1	
N29 3 Counties	114	22.4	15.4	12.5 - 18.3	56	10.6	5.8	4.2 - 7.5		170	16.3	10.3	8.6 - 11.9	
N30 Thames Valley	207	17.8	16.2	14.0 - 18.4	108	9.1	6.9	5.5 - 8.3		315	13.4	11.2	9.9 - 12.5	
N31 Central South Coast	275	28.7	21.3	18.7 - 23.8	128	12.8	7.6	6.2 - 9.1		403	20.6	13.9	12.5 - 15.3	
N32 Surrey, West Sussex & Hampshire	115	19.5	16.2	13.2 - 19.3	77	12.5	8.9	6.8 - 11.1		192	16.0	12.2	10.4 - 14.0	
N33 Sussex	94	16.9	10.8	8.5 - 13.0	65	10.8	5.3	3.9 - 6.8		159	13.7	7.7	6.4 - 9.0	
N34 Kent & Medway	147	18.5	14.4	12.1 - 16.8	74	8.8	5.4	4.1 - 6.7		221	13.5	9.6	8.3 - 10.9	
N35 Greater Midlands	312	33.6	25.5	22.6 - 28.3	140	14.6	8.9	7.4 - 10.5		452	24.0	16.6	15.0 - 18.2	
N36 North of England	642	43.7	33.3	30.7 - 35.9	346	22.6	14.0	12.4 - 15.5		988	32.9	22.6	21.2 - 24.1	
N37 Anglia	434	32.7	24.3	22.0 - 26.7	200	14.7	9.4	8.0 - 10.8		634	23.6	16.3	15.0 - 17.6	
N38 Essex	164	24.1	18.2	15.3 - 21.0	88	12.3	7.5	5.8 - 9.1		252	18.1	12.3	10.7 - 13.9	
N39 East Midlands	549	28.0	22.1	20.2 - 24.0	282	14.1	9.1	7.9 - 10.2		831	21.0	15.1	14.0 - 16.2	
England ¹	7,048	28.3	23.0	22.5 - 23.6	3,745	14.5	9.6	9.2 - 9.9		10,793	21.3	15.7	15.4 - 16.0	
North of Scotland	199	31.3	23.5	20.2 - 26.8	131	19.8	12.0	9.8 - 14.2		330	25.5	17.2	15.2 - 19.1	
South East Scotland	180	26.3	20.6	17.6 - 23.7	133	18.1	11.5	9.4 - 13.6		313	22.1	15.4	13.6 - 17.2	
West of Scotland	366	31.8	26.7	24.0 - 29.5	284	22.7	15.0	13.2 - 16.8		650	27.1	20.2	18.6 - 21.8	
Scotland ¹	745	30.2	24.2	22.4 - 25.9	548	20.7	13.3	12.1 - 14.4		1,293	25.3	18.1	17.1 - 19.1	
Wales	551	38.1	28.3	25.9 - 30.7	306	20.1	11.8	10.4 - 13.2		857	28.9	19.3	18.0 - 20.7	
Northern Ireland	243	28.5	26.9	23.5 - 30.3	166	18.7	13.3	11.2 - 15.4		409	23.5	19.2	17.3 - 21.1	
United Kingdom	8,587	28.9	23.5	23.0 - 24.0	4,765	15.4	10.1	9.8 - 10.4		13,352	22.0	16.2	15.9 - 16.5	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C18-C20: Colorectum

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion
N01 Lancashire and South Cumbria	401	53.9	42.8	38.5 - 47.0	308	39.9	26.6	23.4 - 29.7	709	46.8	33.9	31.3 - 36.5	709	46.8
N02 Greater Manchester and Cheshire	778	51.9	45.2	42.0 - 48.4	509	33.0	25.0	22.7 - 27.3	1,287	42.4	33.9	32.0 - 35.9	1,287	42.4
N03 Merseyside & Cheshire	499	51.4	41.4	37.7 - 45.1	334	32.1	21.8	19.3 - 24.3	833	41.4	30.8	28.7 - 33.0	833	41.4
N06 Yorkshire Cancer Network	613	47.0	41.4	38.1 - 44.8	451	33.2	23.6	21.3 - 26.0	1,064	40.0	31.8	29.8 - 33.7	1,064	40.0
N07 Humber & Yorkshire Coast	299	57.5	42.5	37.6 - 47.4	208	38.8	24.3	20.8 - 27.9	507	48.0	32.7	29.7 - 35.6	507	48.0
N08 North Trent	398	45.4	36.1	32.5 - 39.7	317	35.1	24.1	21.3 - 26.9	715	40.2	29.4	27.1 - 31.6	715	40.2
N11 Pan Birmingham	411	44.0	39.0	35.2 - 42.9	283	29.1	21.5	18.8 - 24.1	694	36.4	29.5	27.2 - 31.7	694	36.4
N12 Arden	212	42.9	35.7	30.8 - 40.5	165	32.9	21.7	18.2 - 25.3	377	37.9	28.5	25.5 - 31.4	377	37.9
N20 Mount Vernon	253	41.3	35.7	31.3 - 40.2	233	36.8	26.8	23.1 - 30.5	486	39.0	30.9	28.0 - 33.7	486	39.0
N21 West London	276	30.1	32.7	28.8 - 36.6	226	24.5	22.5	19.4 - 25.5	502	27.2	27.1	24.7 - 29.5	502	27.2
N22 North London	248	33.1	35.2	30.8 - 39.7	196	25.2	21.7	18.5 - 25.0	444	29.1	27.9	25.3 - 30.6	444	29.1
N23 North East London	224	29.2	33.0	28.6 - 37.4	192	24.7	21.2	18.0 - 24.4	416	26.9	26.8	24.1 - 29.5	416	26.9
N24 South East London	251	33.0	36.0	31.4 - 40.5	198	25.4	22.4	19.1 - 25.7	449	29.2	28.3	25.5 - 31.0	449	29.2
N25 South West London	304	39.7	40.0	35.4 - 44.5	257	32.0	24.7	21.4 - 27.9	561	35.8	31.7	29.0 - 34.4	561	35.8
N26 Peninsula	469	58.5	39.2	35.5 - 42.8	415	49.0	27.9	24.9 - 30.8	884	53.6	33.0	30.6 - 35.3	884	53.6
N27 Dorset	218	64.3	39.1	33.5 - 44.6	199	55.0	29.0	24.5 - 33.5	417	59.5	33.5	30.0 - 37.0	417	59.5
N28 Avon, Somerset & Wiltshire	479	51.4	40.7	36.9 - 44.4	365	37.9	24.7	22.0 - 27.5	844	44.6	32.1	29.8 - 34.3	844	44.6
N29 3 Counties	283	55.5	40.1	35.3 - 44.9	208	39.2	23.1	19.7 - 26.5	491	47.2	31.1	28.2 - 34.0	491	47.2
N30 Thames Valley	522	44.8	40.6	37.1 - 44.1	427	36.1	27.6	24.9 - 30.4	949	40.4	33.7	31.5 - 35.9	949	40.4
N31 Central South Coast	514	53.6	40.8	37.2 - 44.4	383	38.3	24.8	22.2 - 27.5	897	45.8	32.1	29.9 - 34.3	897	45.8
N32 Surrey, West Sussex & Hampshire	249	42.3	35.4	30.9 - 39.9	230	37.4	26.2	22.6 - 29.8	479	39.8	30.3	27.4 - 33.1	479	39.8
N33 Sussex	282	50.6	33.7	29.6 - 37.9	236	39.1	21.2	18.1 - 24.3	518	44.7	26.8	24.3 - 29.3	518	44.7
N34 Kent & Medway	366	46.0	36.1	32.4 - 39.9	290	34.5	22.6	19.8 - 25.3	656	40.1	28.8	26.5 - 31.0	656	40.1
N35 Greater Midlands	474	51.1	39.7	36.1 - 43.4	360	37.6	25.3	22.5 - 28.0	834	44.2	31.9	29.7 - 34.2	834	44.2
N36 North of England	855	58.2	45.6	42.5 - 48.7	610	39.8	25.3	23.2 - 27.5	1,465	48.8	34.6	32.8 - 36.5	1,465	48.8
N37 Anglia	838	63.2	46.4	43.1 - 49.6	705	51.6	31.7	29.2 - 34.3	1,543	57.3	38.5	36.5 - 40.5	1,543	57.3
N38 Essex	370	54.4	42.1	37.8 - 46.5	308	43.1	28.0	24.7 - 31.4	678	48.6	34.5	31.8 - 37.2	678	48.6
N39 East Midlands	980	50.0	40.7	38.1 - 43.2	727	36.3	25.8	23.8 - 27.8	1,707	43.1	32.6	31.0 - 34.2	1,707	43.1
England ¹	12,066	48.4	40.1	39.4 - 40.8	9,340	36.2	25.0	24.4 - 25.5	21,406	42.2	31.9	31.4 - 32.3	21,406	42.2
North of Scotland	347	54.6	40.9	36.5 - 45.2	320	48.4	31.4	27.7 - 35.0	667	51.5	35.5	32.7 - 38.3	667	51.5
South East Scotland	358	52.4	43.0	38.5 - 47.5	278	37.8	25.8	22.6 - 29.0	636	44.8	33.3	30.7 - 36.0	636	44.8
West of Scotland	606	52.7	44.6	41.0 - 48.2	539	43.1	29.9	27.2 - 32.5	1,145	47.7	36.5	34.3 - 38.6	1,145	47.7
Scotland ¹	1,311	53.1	43.2	40.9 - 45.6	1,137	42.9	29.2	27.4 - 30.9	2,448	47.8	35.4	33.9 - 36.8	2,448	47.8
Wales	855	59.2	44.3	41.3 - 47.3	628	41.3	27.2	24.9 - 29.5	1,483	50.0	34.9	33.1 - 36.8	1,483	50.0
Northern Ireland	403	47.2	45.3	40.9 - 49.8	310	34.9	27.6	24.4 - 30.9	713	40.9	35.6	32.9 - 38.3	713	40.9
United Kingdom	14,635	49.3	40.7	40.1 - 41.4	11,415	37.0	25.5	25.0 - 26.0	26,050	43.0	32.4	32.0 - 32.9	26,050	43.0

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C18-C20: Colorectum

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	1,371	184.3	144.0	136.3 - 151.7
N02 Greater Manchester and Cheshire	2,484	165.8	144.6	138.9 - 150.4
N03 Merseyside & Cheshire	1,815	186.8	148.8	141.9 - 155.8
N06 Yorkshire Cancer Network	2,224	170.6	148.9	142.7 - 155.2
N07 Humber & Yorkshire Coast	1,001	192.3	141.4	132.5 - 150.3
N08 North Trent	1,532	174.8	138.4	131.4 - 145.4
N11 Pan Birmingham	1,487	159.3	141.3	134.0 - 148.6
N12 Arden	811	164.1	133.5	124.2 - 142.8
N20 Mount Vernon	882	144.1	123.9	115.6 - 132.2
N21 West London	937	102.1	110.5	103.3 - 117.6
N22 North London	838	111.7	117.3	109.2 - 125.3
N23 North East London	766	100.0	112.4	104.3 - 120.5
N24 South East London	896	117.6	128.5	120.0 - 137.1
N25 South West London	1,045	136.3	134.5	126.2 - 142.8
N26 Peninsula	1,658	206.8	136.5	129.7 - 143.2
N27 Dorset	807	237.9	143.8	133.3 - 154.3
N28 Avon, Somerset & Wiltshire	1,698	182.3	140.6	133.8 - 147.5
N29 3 Counties	1,008	197.7	140.2	131.3 - 149.0
N30 Thames Valley	1,840	158.0	144.2	137.5 - 150.8
N31 Central South Coast	1,763	184.0	135.3	128.8 - 141.7
N32 Surrey, West Sussex & Hampshire	836	141.9	118.5	110.3 - 126.7
N33 Sussex	972	174.5	116.0	108.4 - 123.6
N34 Kent & Medway	1,250	157.3	123.1	116.2 - 130.0
N35 Greater Midlands	1,808	194.8	149.1	142.1 - 156.0
N36 North of England	3,077	209.4	162.5	156.7 - 168.4
N37 Anglia	2,804	211.5	154.3	148.5 - 160.1
N38 Essex	1,192	175.2	133.4	125.7 - 141.1
N39 East Midlands	3,276	167.1	133.9	129.3 - 138.6
England ¹	42,086	168.8	138.6	137.2 - 139.9

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
1,034	133.9	86.0	80.4 - 91.7
1,810	117.5	85.7	81.5 - 89.9
1,242	119.4	79.5	74.8 - 84.2
1,671	123.2	86.6	82.1 - 91.0
756	140.9	87.7	81.0 - 94.4
1,120	124.1	84.4	79.1 - 89.6
1,088	111.7	81.3	76.1 - 86.5
591	117.9	79.9	73.0 - 86.8
728	114.9	84.0	77.5 - 90.4
844	91.3	81.1	75.4 - 86.9
672	86.5	74.3	68.4 - 80.2
665	85.5	75.4	69.3 - 81.5
737	94.7	83.4	77.0 - 89.7
924	115.2	92.2	85.8 - 98.5
1,437	169.7	95.1	89.7 - 100.4
741	204.8	102.7	94.3 - 111.0
1,390	144.4	91.1	85.9 - 96.3
772	145.6	85.5	78.9 - 92.1
1,491	126.1	96.1	91.0 - 101.2
1,484	148.2	92.0	86.9 - 97.1
762	124.0	86.2	79.7 - 92.7
929	154.1	84.8	78.7 - 91.0
992	118.1	78.1	72.9 - 83.2
1,300	135.8	88.3	83.2 - 93.4
2,239	145.9	93.6	89.4 - 97.7
2,306	168.9	102.7	98.2 - 107.2
1,021	142.9	89.7	83.8 - 95.6
2,460	122.8	84.6	81.0 - 88.1
33,214	128.6	87.6	86.6 - 88.6

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
2,405	158.6	112.4	107.7 - 117.1
4,294	141.3	112.2	108.7 - 115.7
3,057	151.9	110.9	106.8 - 115.0
3,895	146.4	115.1	111.4 - 118.8
1,757	166.2	112.2	106.7 - 117.6
2,652	149.1	108.6	104.4 - 112.9
2,575	135.0	108.6	104.2 - 112.9
1,402	140.9	104.2	98.6 - 109.9
1,610	129.3	101.8	96.6 - 106.9
1,781	96.7	94.5	90.0 - 99.0
1,510	98.9	93.6	88.7 - 98.4
1,431	92.7	92.1	87.2 - 97.1
1,633	106.0	103.0	97.8 - 108.2
1,969	125.5	111.0	105.9 - 116.1
3,095	187.8	113.6	109.3 - 117.8
1,548	220.8	121.4	114.8 - 128.0
3,088	163.0	113.8	109.5 - 118.0
1,780	171.1	110.8	105.4 - 116.2
3,331	142.0	118.3	114.2 - 122.4
3,247	165.7	111.4	107.4 - 115.5
1,598	132.8	100.7	95.5 - 105.8
1,901	163.9	98.3	93.5 - 103.1
2,242	137.2	98.6	94.4 - 102.9
3,108	164.8	116.1	111.9 - 120.3
5,316	177.0	124.7	121.2 - 128.1
5,110	189.9	126.5	122.9 - 130.1
2,213	158.6	109.4	104.7 - 114.2
5,736	144.7	107.2	104.4 - 110.1
75,300	148.3	110.7	109.9 - 111.6

North of Scotland	1,384	217.9	164.3	155.6 - 173.1
South East Scotland	1,324	193.7	158.3	149.7 - 166.9
West of Scotland	2,089	181.6	153.9	147.3 - 160.6
Scotland ¹	4,797	194.3	158.1	153.6 - 162.6

1,158	175.2	110.2	103.4 - 116.9
1,070	145.6	97.9	91.7 - 104.1
1,804	144.1	97.8	93.1 - 102.6
4,032	152.3	101.1	97.8 - 104.4

2,542	196.1	133.9	128.6 - 139.3
2,394	168.8	124.4	119.2 - 129.5
3,893	162.1	122.2	118.2 - 126.1
8,829	172.6	125.9	123.2 - 128.6

Wales	2,874	198.9	147.2	141.7 - 152.7
-------	-------	-------	-------	---------------

2,173	142.9	91.6	87.5 - 95.8
-------	-------	------	-------------

5,047	170.2	116.7	113.3 - 120.0
-------	-------	-------	---------------

Northern Ireland	1,426	167.1	159.4	151.1 - 167.7
------------------	-------	-------	-------	---------------

1,175	132.3	102.0	95.9 - 108.2
-------	-------	-------	--------------

2,601	149.3	127.4	122.4 - 132.4
-------	-------	-------	---------------

United Kingdom	51,183	172.4	141.2	140.0 - 142.4
----------------	--------	-------	-------	---------------

40,594	131.4	89.4	88.5 - 90.3
--------	-------	------	-------------

91,777	151.5	112.8	112.0 - 113.6
--------	-------	-------	---------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C18-C20: Colorectum

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	2,084	280.1	215.8	206.4 - 225.2	1,661	215.0	134.2	127.3 - 141.2		3,745	247.0	170.7	165.0 - 176.4	
N02 Greater Manchester and Cheshire	3,851	257.0	222.2	215.2 - 229.3	2,995	194.4	138.0	132.7 - 143.2		6,846	225.3	175.4	171.1 - 179.7	
N03 Merseyside & Cheshire	2,735	281.5	221.2	212.8 - 229.6	2,053	197.4	126.7	120.8 - 132.5		4,788	238.0	168.9	163.9 - 173.8	
N06 Yorkshire Cancer Network	3,516	269.7	232.3	224.5 - 240.0	2,755	203.0	138.8	133.3 - 144.4		6,271	235.7	180.7	176.1 - 185.4	
N07 Humber & Yorkshire Coast	1,474	283.2	205.3	194.6 - 215.9	1,197	223.0	134.8	126.6 - 143.0		2,671	252.7	166.2	159.7 - 172.8	
N08 North Trent	2,311	263.7	206.4	197.9 - 214.9	1,777	196.8	129.3	122.9 - 135.7		4,088	229.8	163.4	158.2 - 168.6	
N11 Pan Birmingham	2,299	246.3	214.9	206.0 - 223.8	1,776	182.3	129.6	123.1 - 136.1		4,075	213.6	167.6	162.2 - 172.9	
N12 Arden	1,306	264.3	213.5	201.8 - 225.2	991	197.7	129.8	121.2 - 138.5		2,297	230.8	167.9	160.8 - 175.0	
N20 Mount Vernon	1,348	220.3	187.7	177.5 - 197.8	1,165	183.9	131.8	123.7 - 139.8		2,513	201.8	156.4	150.1 - 162.8	
N21 West London	1,480	161.2	173.4	164.4 - 182.3	1,339	144.9	126.3	119.2 - 133.3		2,819	153.0	147.4	141.8 - 153.0	
N22 North London	1,274	169.8	176.7	166.9 - 186.5	1,095	140.9	119.7	112.2 - 127.1		2,369	155.1	144.7	138.7 - 150.8	
N23 North East London	1,211	158.1	177.8	167.7 - 188.0	1,061	136.4	119.8	112.1 - 127.5		2,272	147.2	146.1	139.8 - 152.3	
N24 South East London	1,371	180.0	193.7	183.2 - 204.1	1,149	147.6	125.9	118.2 - 133.6		2,520	163.6	155.4	149.1 - 161.7	
N25 South West London	1,642	214.2	210.2	199.8 - 220.5	1,475	183.9	141.4	133.7 - 149.2		3,117	198.7	172.2	165.9 - 178.5	
N26 Peninsula	2,496	311.3	199.4	191.3 - 207.4	2,270	268.1	144.5	138.0 - 151.1		4,766	289.1	168.4	163.3 - 173.5	
N27 Dorset	1,296	382.1	221.7	208.9 - 234.4	1,203	332.4	159.6	149.3 - 169.8		2,499	356.5	187.2	179.2 - 195.3	
N28 Avon, Somerset & Wiltshire	2,551	273.9	207.7	199.5 - 215.9	2,226	231.3	141.5	135.1 - 147.9		4,777	252.2	171.4	166.3 - 176.5	
N29 3 Counties	1,577	309.4	216.2	205.3 - 227.1	1,256	236.8	136.6	128.4 - 144.8		2,833	272.4	172.7	166.0 - 179.4	
N30 Thames Valley	2,795	240.1	217.7	209.6 - 225.8	2,336	197.6	147.0	140.7 - 153.3		5,131	218.7	179.1	174.1 - 184.2	
N31 Central South Coast	2,751	287.0	208.1	200.1 - 216.0	2,410	240.7	145.0	138.6 - 151.3		5,161	263.4	173.1	168.1 - 178.1	
N32 Surrey, West Sussex & Hampshire	1,355	230.0	188.8	178.6 - 199.0	1,227	199.7	133.5	125.5 - 141.6		2,582	214.5	158.0	151.6 - 164.4	
N33 Sussex	1,530	274.6	178.5	169.1 - 187.8	1,527	253.3	132.9	125.3 - 140.4		3,057	263.5	152.1	146.2 - 158.0	
N34 Kent & Medway	1,782	224.2	174.1	166.0 - 182.3	1,503	179.0	115.4	109.1 - 121.6		3,285	201.0	142.2	137.1 - 147.2	
N35 Greater Midlands	2,751	296.4	222.9	214.5 - 231.3	2,105	219.9	138.7	132.3 - 145.0		4,856	257.6	176.6	171.5 - 181.7	
N36 North of England	4,645	316.2	241.8	234.7 - 248.8	3,570	232.7	145.0	140.0 - 150.1		8,215	273.5	188.3	184.0 - 192.5	
N37 Anglia	4,175	314.9	226.6	219.6 - 233.7	3,558	260.6	155.8	150.3 - 161.3		7,733	287.3	188.1	183.7 - 192.5	
N38 Essex	1,751	257.3	193.9	184.7 - 203.1	1,552	217.2	133.4	126.3 - 140.6		3,303	236.8	160.4	154.7 - 166.1	
N39 East Midlands	4,929	251.5	199.1	193.5 - 204.7	3,867	193.0	128.8	124.5 - 133.1		8,796	221.9	160.9	157.4 - 164.4	
England ¹	64,311	258.0	209.0	207.3 - 210.6	53,123	205.6	136.2	135.0 - 137.4		117,434	231.3	168.8	167.8 - 169.8	
North of Scotland	2,233	351.5	263.6	252.6 - 274.6	1,886	285.4	173.9	165.6 - 182.3		4,119	317.8	213.2	206.5 - 219.9	
South East Scotland	2,050	299.9	242.1	231.6 - 252.7	1,769	240.7	156.2	148.5 - 164.0		3,819	269.2	193.7	187.3 - 200.0	
West of Scotland	3,250	282.5	237.6	229.4 - 245.8	2,888	230.7	152.9	147.0 - 158.8		6,138	255.5	188.4	183.6 - 193.3	
Scotland ¹	7,534	305.1	246.1	240.5 - 251.7	6,543	247.1	159.4	155.3 - 163.4		14,077	275.1	196.6	193.2 - 199.9	
Wales	4,469	309.3	225.9	219.2 - 232.7	3,448	226.7	139.7	134.7 - 144.7		7,917	266.9	178.1	174.0 - 182.2	
Northern Ireland	2,169	254.2	241.3	231.1 - 251.5	1,961	220.8	166.8	159.0 - 174.6		4,130	237.1	199.0	192.8 - 205.2	
United Kingdom	78,483	264.3	213.8	212.2 - 215.3	65,075	210.6	139.2	138.1 - 140.4		143,558	236.9	172.5	171.6 - 173.4	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C22: Liver

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	18	2.4	1.9	1.0 - 2.8
N02 Greater Manchester and Cheshire	42	2.8	2.6	1.8 - 3.4
N03 Merseyside & Cheshire	14	1.4	1.1	0.5 - 1.7
N06 Yorkshire Cancer Network	37	2.8	2.5	1.7 - 3.4
N07 Humber & Yorkshire Coast	6	1.2	0.8	0.2 - 1.5
N08 North Trent	16	1.8	1.5	0.7 - 2.2
N11 Pan Birmingham	23	2.5	2.3	1.4 - 3.3
N12 Arden	5	1.0	0.9	0.1 - 1.7
N20 Mount Vernon	12	2.0	1.7	0.7 - 2.7
N21 West London	26	2.8	3.2	2.0 - 4.5
N22 North London	22	2.9	3.2	1.8 - 4.5
N23 North East London	16	2.1	2.2	1.1 - 3.4
N24 South East London	19	2.5	2.7	1.5 - 4.0
N25 South West London	19	2.5	2.6	1.4 - 3.7
N26 Peninsula	13	1.6	1.2	0.5 - 1.9
N27 Dorset	6	1.8	1.2	0.2 - 2.2
N28 Avon, Somerset & Wiltshire	16	1.7	1.4	0.7 - 2.2
N29 3 Counties	12	2.4	1.7	0.7 - 2.6
N30 Thames Valley	11	0.9	0.9	0.4 - 1.5
N31 Central South Coast	19	2.0	1.5	0.8 - 2.2
N32 Surrey, West Sussex & Hampshire	14	2.4	2.0	1.0 - 3.1
N33 Sussex	10	1.8	1.5	0.6 - 2.4
N34 Kent & Medway	11	1.4	1.2	0.5 - 1.9
N35 Greater Midlands	18	1.9	1.7	0.9 - 2.5
N36 North of England	43	2.9	2.3	1.6 - 3.0
N37 Anglia	35	2.6	2.1	1.4 - 2.8
N38 Essex	12	1.8	1.5	0.6 - 2.4
N39 East Midlands	51	2.6	2.3	1.6 - 2.9
England ¹	546	2.2	1.9	1.7 - 2.1

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
10	1.3	1.0	0.4 - 1.7
32	2.1	1.6	1.0 - 2.2
11	1.1	0.8	0.3 - 1.3
26	1.9	1.6	1.0 - 2.3
6	1.1	0.7	0.1 - 1.3
5	0.6	0.3	0.0 - 0.6
11	1.1	0.9	0.4 - 1.5
3	0.6	0.5	-0.1 - 1.1
10	1.6	1.3	0.4 - 2.1
11	1.2	1.2	0.5 - 1.9
8	1.0	1.0	0.3 - 1.7
15	1.9	1.8	0.8 - 2.8
11	1.4	1.3	0.5 - 2.2
8	1.0	0.8	0.2 - 1.4
9	1.1	0.7	0.2 - 1.2
4	1.1	0.4	0.0 - 0.9
4	0.4	0.4	0.0 - 0.8
6	1.1	1.0	0.1 - 2.0
8	0.7	0.6	0.2 - 1.0
8	0.8	0.5	0.1 - 0.9
11	1.8	1.5	0.6 - 2.5
11	1.8	1.1	0.4 - 1.8
9	1.1	0.8	0.3 - 1.3
13	1.4	0.8	0.4 - 1.3
19	1.2	0.8	0.4 - 1.1
19	1.4	1.0	0.5 - 1.4
5	0.7	0.4	0.0 - 0.8
28	1.4	1.1	0.7 - 1.6
321	1.2	0.9	0.8 - 1.0

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
28	1.8	1.4	0.9 - 1.9
74	2.4	2.1	1.6 - 2.5
25	1.2	0.9	0.6 - 1.3
63	2.4	2.0	1.5 - 2.5
12	1.1	0.8	0.3 - 1.2
21	1.2	0.9	0.5 - 1.3
34	1.8	1.6	1.1 - 2.2
8	0.8	0.7	0.2 - 1.1
22	1.8	1.5	0.8 - 2.1
37	2.0	2.1	1.4 - 2.8
30	2.0	2.0	1.3 - 2.8
31	2.0	2.0	1.3 - 2.7
30	1.9	2.0	1.3 - 2.7
27	1.7	1.6	1.0 - 2.2
22	1.3	0.9	0.5 - 1.3
10	1.4	0.8	0.3 - 1.4
20	1.1	0.9	0.5 - 1.3
18	1.7	1.3	0.7 - 2.0
19	0.8	0.7	0.4 - 1.1
27	1.4	0.9	0.6 - 1.3
25	2.1	1.7	1.0 - 2.4
21	1.8	1.3	0.7 - 1.9
20	1.2	1.0	0.5 - 1.4
31	1.6	1.3	0.8 - 1.7
62	2.1	1.5	1.1 - 1.9
54	2.0	1.5	1.1 - 1.9
17	1.2	0.9	0.5 - 1.4
79	2.0	1.7	1.3 - 2.1
867	1.7	1.4	1.3 - 1.5

North of Scotland	19	3.0	2.2	1.2 - 3.2
South East Scotland	30	4.4	3.8	2.4 - 5.2
West of Scotland	58	5.0	4.4	3.2 - 5.5
Scotland ¹	107	4.3	3.6	2.9 - 4.3

13	2.0	1.4	0.6 - 2.3
12	1.6	1.4	0.6 - 2.2
13	1.0	0.8	0.4 - 1.3
38	1.4	1.1	0.7 - 1.5

32	2.5	1.7	1.1 - 2.4
42	3.0	2.4	1.7 - 3.2
71	3.0	2.4	1.8 - 3.0
145	2.8	2.2	1.9 - 2.6

Wales	35	2.4	1.8	1.2 - 2.4
-------	----	-----	-----	-----------

30	2.0	1.6	1.0 - 2.2
----	-----	-----	-----------

65	2.2	1.6	1.2 - 2.1
----	-----	-----	-----------

Northern Ireland	21	2.5	2.3	1.3 - 3.4
------------------	----	-----	-----	-----------

15	1.7	1.2	0.6 - 1.9
----	-----	-----	-----------

36	2.1	1.7	1.2 - 2.3
----	-----	-----	-----------

United Kingdom	709	2.4	2.1	1.9 - 2.2
----------------	-----	-----	-----	-----------

404	1.3	1.0	0.9 - 1.1
-----	-----	-----	-----------

1,113	1.8	1.5	1.4 - 1.6
-------	-----	-----	-----------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C22: Liver

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	30	4.0	3.3	2.1 - 4.5	23	3.0	2.3	1.3 - 3.3		53	3.5	2.7	2.0 - 3.5	
N02 Greater Manchester and Cheshire	75	5.0	4.5	3.5 - 5.5	46	3.0	2.4	1.6 - 3.1		121	4.0	3.4	2.8 - 4.0	
N03 Merseyside & Cheshire	32	3.3	2.8	1.8 - 3.8	19	1.8	1.5	0.8 - 2.2		51	2.5	2.1	1.5 - 2.7	
N06 Yorkshire Cancer Network	73	5.6	5.0	3.9 - 6.2	44	3.2	2.7	1.8 - 3.5		117	4.4	3.8	3.1 - 4.5	
N07 Humber & Yorkshire Coast	14	2.7	2.2	1.0 - 3.3	13	2.4	1.8	0.7 - 2.8		27	2.6	2.0	1.2 - 2.7	
N08 North Trent	29	3.3	2.7	1.7 - 3.8	18	2.0	1.3	0.7 - 2.0		47	2.6	2.0	1.4 - 2.6	
N11 Pan Birmingham	48	5.1	5.0	3.6 - 6.5	19	2.0	1.7	0.9 - 2.5		67	3.5	3.3	2.5 - 4.1	
N12 Arden	10	2.0	1.8	0.7 - 2.9	6	1.2	1.0	0.2 - 1.9		16	1.6	1.4	0.7 - 2.0	
N20 Mount Vernon	28	4.6	4.1	2.6 - 5.6	15	2.4	2.0	0.9 - 3.0		43	3.5	3.0	2.1 - 3.9	
N21 West London	66	7.2	8.5	6.4 - 10.5	20	2.2	2.1	1.2 - 3.1		86	4.7	5.1	4.0 - 6.2	
N22 North London	50	6.7	7.3	5.2 - 9.3	19	2.4	2.6	1.4 - 3.7		69	4.5	4.7	3.6 - 5.9	
N23 North East London	34	4.4	5.0	3.3 - 6.8	23	3.0	2.9	1.7 - 4.2		57	3.7	3.9	2.9 - 4.9	
N24 South East London	40	5.3	5.8	3.9 - 7.6	18	2.3	2.2	1.1 - 3.3		58	3.8	3.8	2.8 - 4.9	
N25 South West London	32	4.2	4.3	2.8 - 5.9	14	1.8	1.5	0.7 - 2.4		46	2.9	2.8	2.0 - 3.7	
N26 Peninsula	23	2.9	2.2	1.3 - 3.1	23	2.7	1.9	1.1 - 2.8		46	2.8	2.0	1.4 - 2.7	
N27 Dorset	22	6.5	4.4	2.5 - 6.3	6	1.7	0.9	0.1 - 1.6		28	4.0	2.5	1.5 - 3.5	
N28 Avon, Somerset & Wiltshire	42	4.5	3.9	2.7 - 5.1	11	1.1	1.0	0.3 - 1.6		53	2.8	2.3	1.7 - 3.0	
N29 3 Counties	19	3.7	2.8	1.5 - 4.1	11	2.1	1.7	0.6 - 2.9		30	2.9	2.2	1.4 - 3.1	
N30 Thames Valley	28	2.4	2.3	1.5 - 3.2	15	1.3	1.1	0.5 - 1.7		43	1.8	1.7	1.2 - 2.2	
N31 Central South Coast	41	4.3	3.3	2.3 - 4.4	22	2.2	1.8	1.0 - 2.6		63	3.2	2.5	1.8 - 3.1	
N32 Surrey, West Sussex & Hampshire	22	3.7	3.3	1.9 - 4.7	14	2.3	1.8	0.8 - 2.8		36	3.0	2.5	1.7 - 3.4	
N33 Sussex	17	3.1	2.4	1.2 - 3.6	16	2.7	1.6	0.7 - 2.4		33	2.8	2.0	1.3 - 2.7	
N34 Kent & Medway	20	2.5	2.2	1.2 - 3.2	15	1.8	1.6	0.7 - 2.4		35	2.1	1.8	1.2 - 2.5	
N35 Greater Midlands	26	2.8	2.4	1.5 - 3.4	23	2.4	1.7	1.0 - 2.5		49	2.6	2.1	1.5 - 2.7	
N36 North of England	76	5.2	4.3	3.3 - 5.3	35	2.3	1.6	1.1 - 2.2		111	3.7	2.9	2.3 - 3.4	
N37 Anglia	79	6.0	4.8	3.7 - 5.9	32	2.3	1.7	1.1 - 2.3		111	4.1	3.2	2.6 - 3.8	
N38 Essex	22	3.2	2.7	1.6 - 3.8	13	1.8	1.5	0.6 - 2.3		35	2.5	2.0	1.3 - 2.7	
N39 East Midlands	101	5.2	4.7	3.8 - 5.6	46	2.3	1.9	1.3 - 2.5		147	3.7	3.3	2.7 - 3.8	
England ¹	1,099	4.4	3.9	3.7 - 4.1	579	2.2	1.8	1.6 - 1.9		1,678	3.3	2.8	2.6 - 2.9	
North of Scotland	33	5.2	4.0	2.6 - 5.3	20	3.0	2.0	1.0 - 3.1		53	4.1	2.9	2.1 - 3.7	
South East Scotland	51	7.5	6.5	4.7 - 8.3	24	3.3	2.4	1.4 - 3.5		75	5.3	4.3	3.3 - 5.3	
West of Scotland	85	7.4	6.5	5.1 - 7.9	32	2.6	2.0	1.3 - 2.8		117	4.9	4.0	3.3 - 4.8	
Scotland ¹	170	6.9	5.8	4.9 - 6.7	76	2.9	2.2	1.6 - 2.7		246	4.8	3.8	3.3 - 4.3	
Wales	74	5.1	4.1	3.1 - 5.0	49	3.2	2.5	1.7 - 3.2		123	4.1	3.2	2.6 - 3.8	
Northern Ireland	37	4.3	4.2	2.8 - 5.5	24	2.7	2.2	1.3 - 3.1		61	3.5	3.1	2.3 - 3.9	
United Kingdom	1,380	4.7	4.1	3.9 - 4.3	728	2.4	1.9	1.7 - 2.0		2,108	3.5	2.9	2.8 - 3.0	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C22: Liver

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	40	5.4	4.4	3.0 - 5.8	25	3.2	2.4	1.4 - 3.5		65	4.3	3.3	2.5 - 4.1	
N02 Greater Manchester and Cheshire	90	6.0	5.4	4.3 - 6.5	58	3.8	3.1	2.3 - 3.9		148	4.9	4.2	3.5 - 4.9	
N03 Merseyside & Cheshire	44	4.5	4.0	2.8 - 5.2	27	2.6	2.1	1.3 - 3.0		71	3.5	3.0	2.3 - 3.7	
N06 Yorkshire Cancer Network	92	7.1	6.4	5.1 - 7.8	52	3.8	3.2	2.3 - 4.1		144	5.4	4.7	3.9 - 5.5	
N07 Humber & Yorkshire Coast	18	3.5	2.8	1.5 - 4.1	14	2.6	1.9	0.8 - 2.9		32	3.0	2.3	1.5 - 3.2	
N08 North Trent	33	3.8	3.1	2.0 - 4.2	24	2.7	1.9	1.1 - 2.6		57	3.2	2.5	1.8 - 3.1	
N11 Pan Birmingham	61	6.5	6.3	4.7 - 8.0	23	2.4	2.2	1.2 - 3.1		84	4.4	4.2	3.3 - 5.1	
N12 Arden	14	2.8	2.4	1.1 - 3.6	7	1.4	1.2	0.3 - 2.1		21	2.1	1.7	1.0 - 2.5	
N20 Mount Vernon	30	4.9	4.4	2.8 - 6.0	17	2.7	2.2	1.1 - 3.3		47	3.8	3.2	2.3 - 4.2	
N21 West London	92	10.0	11.6	9.2 - 14.1	24	2.6	2.4	1.4 - 3.4		116	6.3	6.8	5.6 - 8.1	
N22 North London	69	9.2	10.0	7.6 - 12.4	27	3.5	3.5	2.1 - 4.8		96	6.3	6.5	5.2 - 7.9	
N23 North East London	47	6.1	6.9	4.9 - 8.9	27	3.5	3.4	2.1 - 4.8		74	4.8	5.0	3.9 - 6.2	
N24 South East London	52	6.8	7.7	5.6 - 9.8	22	2.8	2.8	1.6 - 4.1		74	4.8	5.1	3.9 - 6.3	
N25 South West London	46	6.0	6.4	4.5 - 8.2	17	2.1	2.0	1.0 - 2.9		63	4.0	4.0	3.0 - 5.0	
N26 Peninsula	31	3.9	2.9	1.8 - 3.9	28	3.3	2.3	1.4 - 3.3		59	3.6	2.6	1.9 - 3.3	
N27 Dorset	29	8.6	5.5	3.4 - 7.6	12	3.3	2.4	0.9 - 3.9		41	5.9	3.8	2.6 - 5.1	
N28 Avon, Somerset & Wiltshire	52	5.6	4.9	3.5 - 6.2	16	1.7	1.4	0.6 - 2.1		68	3.6	3.0	2.3 - 3.8	
N29 3 Counties	26	5.1	4.0	2.4 - 5.6	13	2.5	2.0	0.7 - 3.2		39	3.8	2.9	2.0 - 3.9	
N30 Thames Valley	38	3.3	3.2	2.2 - 4.2	20	1.7	1.5	0.8 - 2.1		58	2.5	2.3	1.7 - 2.9	
N31 Central South Coast	54	5.6	4.5	3.2 - 5.7	28	2.8	2.4	1.4 - 3.3		82	4.2	3.3	2.6 - 4.1	
N32 Surrey, West Sussex & Hampshire	26	4.4	3.8	2.3 - 5.4	16	2.6	2.1	1.0 - 3.3		42	3.5	2.9	2.0 - 3.8	
N33 Sussex	22	4.0	3.2	1.8 - 4.5	18	3.0	1.9	0.9 - 2.9		40	3.5	2.5	1.7 - 3.4	
N34 Kent & Medway	26	3.3	2.9	1.8 - 4.1	16	1.9	1.7	0.8 - 2.6		42	2.6	2.2	1.5 - 3.0	
N35 Greater Midlands	39	4.2	3.6	2.5 - 4.8	27	2.8	2.1	1.2 - 2.9		66	3.5	2.9	2.1 - 3.6	
N36 North of England	90	6.1	5.1	4.0 - 6.2	44	2.9	2.2	1.5 - 2.9		134	4.5	3.5	2.9 - 4.1	
N37 Anglia	83	6.3	5.0	3.9 - 6.1	39	2.9	2.2	1.4 - 2.9		122	4.5	3.6	2.9 - 4.2	
N38 Essex	23	3.4	2.9	1.7 - 4.1	19	2.7	2.1	1.1 - 3.1		42	3.0	2.4	1.7 - 3.2	
N39 East Midlands	122	6.2	5.6	4.6 - 6.6	62	3.1	2.5	1.9 - 3.2		184	4.6	4.0	3.4 - 4.6	
England ¹	1,390	5.6	5.0	4.7 - 5.2	722	2.8	2.3	2.1 - 2.4		2,112	4.2	3.5	3.4 - 3.7	
North of Scotland	42	6.6	5.1	3.5 - 6.6	24	3.6	2.6	1.4 - 3.7		66	5.1	3.7	2.8 - 4.6	
South East Scotland	62	9.1	8.0	6.0 - 10.0	27	3.7	2.8	1.7 - 3.9		89	6.3	5.2	4.1 - 6.3	
West of Scotland	100	8.7	7.6	6.1 - 9.1	36	2.9	2.2	1.5 - 3.0		136	5.7	4.6	3.8 - 5.4	
Scotland ¹	205	8.3	7.1	6.1 - 8.1	87	3.3	2.5	1.9 - 3.0		292	5.7	4.5	4.0 - 5.1	
Wales	91	6.3	5.0	4.0 - 6.1	64	4.2	3.3	2.4 - 4.1		155	5.2	4.0	3.4 - 4.7	
Northern Ireland	41	4.8	4.6	3.2 - 6.0	26	2.9	2.3	1.4 - 3.2		67	3.8	3.4	2.6 - 4.2	
United Kingdom	1,727	5.8	5.1	4.9 - 5.4	899	2.9	2.3	2.2 - 2.5		2,626	4.3	3.6	3.5 - 3.8	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C25: Pancreas

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	30	4.0	3.2	2.0 - 4.4
N02 Greater Manchester and Cheshire	67	4.5	3.9	2.9 - 4.8
N03 Merseyside & Cheshire	29	3.0	2.3	1.5 - 3.2
N06 Yorkshire Cancer Network	47	3.6	3.3	2.4 - 4.3
N07 Humber & Yorkshire Coast	20	3.8	3.1	1.7 - 4.5
N08 North Trent	28	3.2	2.7	1.7 - 3.7
N11 Pan Birmingham	27	2.9	2.6	1.6 - 3.6
N12 Arden	10	2.0	1.6	0.6 - 2.7
N20 Mount Vernon	27	4.4	4.1	2.5 - 5.6
N21 West London	22	2.4	2.7	1.6 - 3.8
N22 North London	29	3.9	4.3	2.7 - 5.9
N23 North East London	26	3.4	3.9	2.4 - 5.5
N24 South East London	40	5.3	6.2	4.2 - 8.1
N25 South West London	26	3.4	3.5	2.1 - 4.8
N26 Peninsula	35	4.4	3.1	2.0 - 4.2
N27 Dorset	16	4.7	3.3	1.6 - 5.0
N28 Avon, Somerset & Wiltshire	28	3.0	2.5	1.5 - 3.4
N29 3 Counties	18	3.5	2.9	1.6 - 4.3
N30 Thames Valley	51	4.4	4.0	2.9 - 5.1
N31 Central South Coast	34	3.5	2.9	1.9 - 3.9
N32 Surrey, West Sussex & Hampshire	21	3.6	3.2	1.8 - 4.5
N33 Sussex	22	3.9	2.8	1.6 - 4.0
N34 Kent & Medway	44	5.5	4.4	3.1 - 5.7
N35 Greater Midlands	35	3.8	3.2	2.1 - 4.2
N36 North of England	58	3.9	3.3	2.4 - 4.2
N37 Anglia	64	4.8	3.7	2.8 - 4.6
N38 Essex	35	5.1	3.9	2.6 - 5.3
N39 East Midlands	79	4.0	3.4	2.7 - 4.2
England ¹	969	3.9	3.3	3.1 - 3.6

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
32	4.1	2.7	1.7 - 3.7
65	4.2	3.4	2.5 - 4.2
36	3.5	2.5	1.6 - 3.3
41	3.0	2.4	1.6 - 3.2
21	3.9	2.5	1.4 - 3.7
41	4.5	3.3	2.2 - 4.3
28	2.9	2.3	1.4 - 3.2
8	1.6	1.3	0.4 - 2.2
22	3.5	2.4	1.3 - 3.5
25	2.7	2.4	1.4 - 3.3
28	3.6	3.4	2.1 - 4.8
32	4.1	3.7	2.3 - 5.1
18	2.3	2.0	1.0 - 3.0
26	3.2	3.1	1.8 - 4.3
31	3.7	2.4	1.5 - 3.3
27	7.5	5.0	3.0 - 6.9
46	4.8	3.1	2.1 - 4.1
20	3.8	2.3	1.2 - 3.5
37	3.1	2.8	1.9 - 3.8
46	4.6	2.9	2.0 - 3.8
23	3.7	2.4	1.4 - 3.5
24	4.0	2.5	1.4 - 3.7
24	2.9	2.1	1.2 - 3.0
34	3.6	2.5	1.6 - 3.3
74	4.8	3.4	2.6 - 4.2
77	5.6	3.9	3.0 - 4.9
34	4.8	2.7	1.7 - 3.7
83	4.1	3.1	2.4 - 3.8
1,003	3.9	2.9	2.7 - 3.0

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
62	4.1	3.0	2.2 - 3.7
132	4.3	3.6	3.0 - 4.2
65	3.2	2.4	1.8 - 3.0
88	3.3	2.8	2.2 - 3.4
41	3.9	2.8	1.9 - 3.7
69	3.9	3.0	2.3 - 3.8
55	2.9	2.4	1.8 - 3.1
18	1.8	1.4	0.8 - 2.1
49	3.9	3.2	2.3 - 4.2
47	2.6	2.5	1.8 - 3.3
57	3.7	3.8	2.8 - 4.8
58	3.8	3.8	2.8 - 4.9
58	3.8	4.0	2.9 - 5.0
52	3.3	3.2	2.3 - 4.1
66	4.0	2.7	2.0 - 3.4
43	6.1	4.2	2.8 - 5.5
74	3.9	2.8	2.2 - 3.5
38	3.7	2.7	1.8 - 3.6
88	3.8	3.3	2.6 - 4.0
80	4.1	2.9	2.3 - 3.6
44	3.7	2.8	2.0 - 3.7
46	4.0	2.7	1.8 - 3.5
68	4.2	3.2	2.4 - 4.0
69	3.7	2.8	2.1 - 3.5
132	4.4	3.4	2.8 - 4.0
141	5.2	3.8	3.1 - 4.4
69	4.9	3.3	2.4 - 4.1
162	4.1	3.2	2.7 - 3.8
1,972	3.9	3.1	2.9 - 3.2

North of Scotland	37	5.8	4.5	3.0 - 5.9
South East Scotland	31	4.5	3.7	2.4 - 5.0
West of Scotland	39	3.4	2.9	2.0 - 3.8
Scotland ¹	107	4.3	3.5	2.9 - 4.2

30	4.5	3.3	2.1 - 4.5
33	4.5	3.2	2.0 - 4.3
58	4.6	3.3	2.4 - 4.2
121	4.6	3.3	2.7 - 3.9

67	5.2	3.8	2.9 - 4.7
64	4.5	3.4	2.5 - 4.3
97	4.0	3.1	2.4 - 3.7
228	4.5	3.4	2.9 - 3.8

Wales	74	5.1	4.0	3.1 - 4.9
-------	----	-----	-----	-----------

71	4.7	3.1	2.3 - 3.9
----	-----	-----	-----------

145	4.9	3.5	2.9 - 4.1
-----	-----	-----	-----------

Northern Ireland	36	4.2	4.1	2.7 - 5.4
------------------	----	-----	-----	-----------

26	2.9	2.4	1.4 - 3.3
----	-----	-----	-----------

62	3.6	3.2	2.4 - 4.0
----	-----	-----	-----------

United Kingdom	1,186	4.0	3.4	3.2 - 3.6
----------------	-------	-----	-----	-----------

1,221	4.0	2.9	2.7 - 3.1
-------	-----	-----	-----------

2,407	4.0	3.1	3.0 - 3.3
-------	-----	-----	-----------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C25: Pancreas

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	46	6.2	5.1	3.6 - 6.6	52	6.7	4.5	3.2 - 5.8		98	6.5	4.8	3.8 - 5.8	
N02 Greater Manchester and Cheshire	95	6.3	5.6	4.5 - 6.8	99	6.4	5.2	4.1 - 6.2		194	6.4	5.4	4.6 - 6.1	
N03 Merseyside & Cheshire	44	4.5	3.6	2.5 - 4.7	51	4.9	3.8	2.7 - 4.8		95	4.7	3.7	2.9 - 4.4	
N06 Yorkshire Cancer Network	76	5.8	5.4	4.2 - 6.6	65	4.8	3.8	2.8 - 4.8		141	5.3	4.5	3.8 - 5.3	
N07 Humber & Yorkshire Coast	32	6.2	4.8	3.1 - 6.6	32	6.0	4.2	2.6 - 5.7		64	6.1	4.5	3.4 - 5.7	
N08 North Trent	48	5.5	4.6	3.3 - 5.9	62	6.9	5.1	3.8 - 6.5		110	6.2	4.9	4.0 - 5.8	
N11 Pan Birmingham	40	4.3	3.9	2.6 - 5.1	46	4.7	3.7	2.6 - 4.8		86	4.5	3.8	3.0 - 4.6	
N12 Arden	15	3.0	2.4	1.2 - 3.6	15	3.0	2.6	1.3 - 3.9		30	3.0	2.4	1.5 - 3.3	
N20 Mount Vernon	36	5.9	5.4	3.6 - 7.2	35	5.5	4.2	2.7 - 5.6		71	5.7	4.8	3.6 - 5.9	
N21 West London	60	6.5	7.5	5.6 - 9.4	43	4.7	4.2	2.9 - 5.5		103	5.6	5.7	4.6 - 6.8	
N22 North London	53	7.1	7.8	5.7 - 10.0	48	6.2	6.1	4.3 - 7.9		101	6.6	6.8	5.5 - 8.2	
N23 North East London	50	6.5	7.5	5.3 - 9.6	51	6.6	6.1	4.4 - 7.9		101	6.5	6.8	5.4 - 8.2	
N24 South East London	63	8.3	9.8	7.3 - 12.3	32	4.1	3.8	2.4 - 5.2		95	6.2	6.6	5.3 - 8.0	
N25 South West London	52	6.8	6.9	5.0 - 8.8	44	5.5	5.3	3.7 - 6.9		96	6.1	6.0	4.8 - 7.2	
N26 Peninsula	63	7.9	5.5	4.1 - 6.9	44	5.2	3.4	2.3 - 4.4		107	6.5	4.4	3.5 - 5.2	
N27 Dorset	25	7.4	4.9	2.9 - 6.9	36	10.0	6.3	4.1 - 8.5		61	8.7	5.6	4.1 - 7.2	
N28 Avon, Somerset & Wiltshire	37	4.0	3.3	2.2 - 4.3	76	7.9	5.5	4.2 - 6.8		113	6.0	4.5	3.6 - 5.3	
N29 3 Counties	35	6.9	5.6	3.7 - 7.4	28	5.3	3.3	2.0 - 4.6		63	6.1	4.4	3.3 - 5.6	
N30 Thames Valley	80	6.9	6.4	5.0 - 7.8	61	5.2	4.7	3.5 - 5.9		141	6.0	5.5	4.5 - 6.4	
N31 Central South Coast	56	5.8	4.8	3.5 - 6.0	76	7.6	5.3	4.0 - 6.6		132	6.7	5.1	4.2 - 6.0	
N32 Surrey, West Sussex & Hampshire	38	6.5	5.7	3.9 - 7.6	41	6.7	5.0	3.4 - 6.6		79	6.6	5.4	4.2 - 6.6	
N33 Sussex	37	6.6	4.9	3.3 - 6.5	32	5.3	3.7	2.3 - 5.1		69	6.0	4.3	3.2 - 5.3	
N34 Kent & Medway	68	8.6	7.0	5.3 - 8.7	39	4.6	3.4	2.3 - 4.5		107	6.6	5.1	4.1 - 6.1	
N35 Greater Midlands	48	5.2	4.3	3.1 - 5.5	52	5.4	3.8	2.7 - 4.9		100	5.3	4.1	3.3 - 4.9	
N36 North of England	92	6.3	5.2	4.2 - 6.3	101	6.6	4.7	3.8 - 5.7		193	6.4	5.0	4.2 - 5.7	
N37 Anglia	101	7.6	5.9	4.7 - 7.1	107	7.8	5.6	4.5 - 6.7		208	7.7	5.7	4.9 - 6.5	
N38 Essex	45	6.6	5.2	3.6 - 6.7	51	7.1	4.7	3.3 - 6.0		96	6.9	4.9	3.9 - 5.9	
N39 East Midlands	129	6.6	5.6	4.6 - 6.6	121	6.0	4.6	3.7 - 5.4		250	6.3	5.1	4.4 - 5.7	
England ¹	1,565	6.3	5.4	5.2 - 5.7	1,540	6.0	4.5	4.3 - 4.8		3,105	6.1	5.0	4.8 - 5.1	
North of Scotland	59	9.3	7.3	5.4 - 9.2	42	6.4	4.6	3.1 - 6.0		101	7.8	5.9	4.7 - 7.0	
South East Scotland	44	6.4	5.4	3.7 - 7.0	56	7.6	5.5	4.0 - 7.0		100	7.1	5.4	4.3 - 6.5	
West of Scotland	63	5.5	4.7	3.5 - 5.9	89	7.1	5.0	3.9 - 6.1		152	6.3	4.9	4.1 - 5.7	
Scotland ¹	166	6.7	5.6	4.7 - 6.5	187	7.1	5.0	4.3 - 5.8		353	6.9	5.3	4.7 - 5.8	
Wales	111	7.7	6.0	4.9 - 7.2	121	8.0	5.5	4.4 - 6.5		232	7.8	5.7	5.0 - 6.5	
Northern Ireland	56	6.6	6.5	4.8 - 8.2	38	4.3	3.5	2.3 - 4.6		94	5.4	4.9	3.9 - 5.9	
United Kingdom	1,898	6.4	5.5	5.3 - 5.8	1,886	6.1	4.6	4.4 - 4.8		3,784	6.3	5.0	4.9 - 5.2	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C25: Pancreas

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	50	6.7	5.6	4.0 - 7.1	56	7.3	4.9	3.5 - 6.3		106	7.0	5.3	4.2 - 6.3	
N02 Greater Manchester and Cheshire	109	7.3	6.4	5.2 - 7.6	111	7.2	5.7	4.6 - 6.8		220	7.2	6.0	5.2 - 6.8	
N03 Merseyside & Cheshire	52	5.4	4.3	3.1 - 5.5	54	5.2	4.0	2.9 - 5.1		106	5.3	4.2	3.3 - 5.0	
N06 Yorkshire Cancer Network	84	6.4	6.0	4.7 - 7.3	84	6.2	5.0	3.9 - 6.1		168	6.3	5.5	4.6 - 6.3	
N07 Humber & Yorkshire Coast	36	6.9	5.5	3.7 - 7.4	36	6.7	4.7	3.1 - 6.3		72	6.8	5.1	3.9 - 6.3	
N08 North Trent	56	6.4	5.4	4.0 - 6.8	67	7.4	5.6	4.2 - 7.0		123	6.9	5.5	4.5 - 6.5	
N11 Pan Birmingham	54	5.8	5.2	3.8 - 6.7	54	5.5	4.4	3.1 - 5.6		108	5.7	4.8	3.8 - 5.7	
N12 Arden	17	3.4	2.7	1.4 - 4.0	19	3.8	3.1	1.7 - 4.5		36	3.6	2.9	1.9 - 3.9	
N20 Mount Vernon	41	6.7	6.3	4.3 - 8.2	38	6.0	4.5	3.0 - 6.0		79	6.3	5.4	4.2 - 6.6	
N21 West London	81	8.8	9.9	7.7 - 12.1	52	5.6	5.2	3.7 - 6.6		133	7.2	7.4	6.1 - 8.7	
N22 North London	67	8.9	10.0	7.6 - 12.4	58	7.5	7.3	5.4 - 9.3		125	8.2	8.5	7.0 - 10.0	
N23 North East London	53	6.9	7.9	5.7 - 10.0	58	7.5	7.1	5.1 - 9.0		111	7.2	7.5	6.1 - 8.9	
N24 South East London	70	9.2	10.9	8.3 - 13.4	38	4.9	4.5	3.0 - 5.9		108	7.0	7.5	6.0 - 8.9	
N25 South West London	67	8.7	9.0	6.8 - 11.2	50	6.2	5.9	4.2 - 7.6		117	7.5	7.3	5.9 - 8.6	
N26 Peninsula	74	9.2	6.4	4.9 - 7.9	53	6.3	3.9	2.7 - 5.0		127	7.7	5.1	4.1 - 6.0	
N27 Dorset	30	8.8	5.7	3.5 - 7.9	45	12.4	7.6	5.2 - 10.0		75	10.7	6.7	5.1 - 8.3	
N28 Avon, Somerset & Wiltshire	52	5.6	4.5	3.2 - 5.7	85	8.8	6.2	4.7 - 7.6		137	7.2	5.4	4.4 - 6.3	
N29 3 Counties	45	8.8	7.0	4.9 - 9.0	34	6.4	4.1	2.7 - 5.6		79	7.6	5.5	4.3 - 6.8	
N30 Thames Valley	97	8.3	7.9	6.3 - 9.4	71	6.0	5.4	4.1 - 6.7		168	7.2	6.5	5.5 - 7.5	
N31 Central South Coast	69	7.2	5.8	4.4 - 7.2	84	8.4	5.8	4.5 - 7.1		153	7.8	5.8	4.9 - 6.8	
N32 Surrey, West Sussex & Hampshire	42	7.1	6.3	4.3 - 8.2	46	7.5	5.4	3.8 - 7.1		88	7.3	5.9	4.6 - 7.1	
N33 Sussex	42	7.5	5.5	3.8 - 7.3	34	5.6	4.0	2.6 - 5.5		76	6.6	4.7	3.6 - 5.8	
N34 Kent & Medway	73	9.2	7.5	5.7 - 9.2	43	5.1	3.7	2.6 - 4.9		116	7.1	5.5	4.5 - 6.6	
N35 Greater Midlands	54	5.8	4.8	3.5 - 6.1	61	6.4	4.4	3.2 - 5.5		115	6.1	4.6	3.8 - 5.5	
N36 North of England	101	6.9	5.8	4.6 - 6.9	114	7.4	5.3	4.3 - 6.3		215	7.2	5.5	4.8 - 6.3	
N37 Anglia	110	8.3	6.5	5.3 - 7.7	116	8.5	6.0	4.9 - 7.2		226	8.4	6.2	5.4 - 7.1	
N38 Essex	52	7.6	6.0	4.3 - 7.6	53	7.4	5.0	3.5 - 6.4		105	7.5	5.4	4.3 - 6.5	
N39 East Midlands	143	7.3	6.3	5.2 - 7.3	135	6.7	5.0	4.1 - 5.9		278	7.0	5.6	4.9 - 6.3	
England ¹	1,824	7.3	6.3	6.1 - 6.6	1,750	6.8	5.1	4.9 - 5.4		3,574	7.0	5.7	5.5 - 5.9	
North of Scotland	68	10.7	8.3	6.3 - 10.3	52	7.9	5.7	4.0 - 7.3		120	9.3	6.9	5.6 - 8.2	
South East Scotland	48	7.0	5.8	4.1 - 7.5	60	8.2	5.8	4.3 - 7.4		108	7.6	5.8	4.6 - 6.9	
West of Scotland	69	6.0	5.2	4.0 - 6.4	98	7.8	5.5	4.4 - 6.7		167	7.0	5.4	4.5 - 6.2	
Scotland ¹	185	7.5	6.2	5.3 - 7.1	210	7.9	5.6	4.8 - 6.4		395	7.7	5.9	5.3 - 6.5	
Wales	137	9.5	7.4	6.1 - 8.7	143	9.4	6.4	5.3 - 7.5		280	9.4	6.9	6.0 - 7.7	
Northern Ireland	59	6.9	6.8	5.0 - 8.5	41	4.6	3.6	2.4 - 4.8		100	5.7	5.2	4.1 - 6.2	
United Kingdom	2,205	7.4	6.4	6.1 - 6.7	2,144	6.9	5.2	5.0 - 5.4		4,349	7.2	5.8	5.6 - 5.9	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C33-C34: Trachea, bronchus and lung

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	206	27.7	21.8	18.7 - 24.8
N02 Greater Manchester and Cheshire	513	34.2	29.9	27.3 - 32.5
N03 Merseyside & Cheshire	317	32.6	26.6	23.6 - 29.6
N06 Yorkshire Cancer Network	378	29.0	25.3	22.8 - 27.9
N07 Humber & Yorkshire Coast	182	35.0	26.3	22.4 - 30.1
N08 North Trent	301	34.3	27.0	23.9 - 30.1
N11 Pan Birmingham	279	29.9	27.0	23.7 - 30.2
N12 Arden	112	22.7	18.2	14.8 - 21.6
N20 Mount Vernon	129	21.1	18.0	14.9 - 21.2
N21 West London	186	20.3	22.4	19.2 - 25.7
N22 North London	163	21.7	23.8	20.1 - 27.5
N23 North East London	170	22.2	25.4	21.5 - 29.3
N24 South East London	224	29.4	32.3	27.9 - 36.6
N25 South West London	167	21.8	22.2	18.8 - 25.7
N26 Peninsula	233	29.1	19.7	17.1 - 22.3
N27 Dorset	116	34.2	22.3	18.0 - 26.5
N28 Avon, Somerset & Wiltshire	229	24.6	19.4	16.8 - 22.0
N29 3 Counties	131	25.7	18.3	15.1 - 21.5
N30 Thames Valley	285	24.5	22.7	20.0 - 25.3
N31 Central South Coast	220	23.0	17.4	15.0 - 19.7
N32 Surrey, West Sussex & Hampshire	159	27.0	22.8	19.2 - 26.4
N33 Sussex	147	26.4	17.3	14.4 - 20.2
N34 Kent & Medway	214	26.9	21.6	18.7 - 24.5
N35 Greater Midlands	261	28.1	21.3	18.7 - 23.9
N36 North of England	610	41.5	32.3	29.7 - 34.9
N37 Anglia	422	31.8	23.4	21.1 - 25.6
N38 Essex	215	31.6	24.5	21.2 - 27.9
N39 East Midlands	605	30.9	24.7	22.7 - 26.7
England ¹	7,174	28.8	23.9	23.3 - 24.5

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
180	23.3	16.6	14.0 - 19.1
434	28.2	21.8	19.6 - 23.9
261	25.1	18.0	15.8 - 20.3
348	25.6	19.2	17.1 - 21.3
132	24.6	17.1	14.1 - 20.2
237	26.3	19.0	16.5 - 21.6
169	17.3	13.6	11.5 - 15.8
69	13.8	10.8	8.1 - 13.4
108	17.1	12.8	10.3 - 15.4
137	14.8	13.7	11.3 - 16.1
119	15.3	14.2	11.6 - 16.9
132	17.0	17.3	14.2 - 20.4
145	18.6	16.9	14.0 - 19.8
159	19.8	17.5	14.7 - 20.4
134	15.8	10.6	8.7 - 12.5
77	21.3	12.6	9.5 - 15.6
141	14.6	10.1	8.4 - 11.9
87	16.4	11.4	8.9 - 13.9
192	16.2	13.9	11.9 - 15.9
171	17.1	11.6	9.7 - 13.4
104	16.9	13.2	10.5 - 15.8
115	19.1	11.9	9.5 - 14.3
130	15.5	10.5	8.6 - 12.5
192	20.1	13.8	11.8 - 15.9
458	29.8	21.0	19.0 - 23.0
299	21.9	14.4	12.7 - 16.1
167	23.4	15.7	13.2 - 18.2
437	21.8	16.3	14.7 - 17.9
5,334	20.6	15.4	14.9 - 15.8

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
386	25.5	18.8	16.9 - 20.8
947	31.2	25.3	23.6 - 27.0
578	28.7	22.0	20.1 - 23.8
726	27.3	21.9	20.2 - 23.5
314	29.7	21.5	19.0 - 23.9
538	30.2	22.4	20.5 - 24.4
448	23.5	19.8	17.9 - 21.7
181	18.2	14.0	11.9 - 16.1
237	19.0	15.2	13.2 - 17.2
323	17.5	17.7	15.7 - 19.7
282	18.5	18.4	16.2 - 20.7
302	19.6	20.8	18.4 - 23.3
369	24.0	23.6	21.1 - 26.1
326	20.8	19.5	17.3 - 21.7
367	22.3	14.8	13.2 - 16.3
193	27.5	17.0	14.4 - 19.6
370	19.5	14.4	12.9 - 16.0
218	21.0	14.4	12.4 - 16.4
477	20.3	17.8	16.2 - 19.4
391	20.0	14.2	12.8 - 15.7
263	21.8	17.5	15.3 - 19.7
262	22.6	14.1	12.3 - 16.0
344	21.0	15.7	13.9 - 17.4
453	24.0	17.1	15.5 - 18.8
1,068	35.6	26.0	24.4 - 27.6
721	26.8	18.5	17.1 - 19.9
382	27.4	19.7	17.7 - 21.8
1,042	26.3	20.1	18.8 - 21.3
12,508	24.6	19.2	18.8 - 19.5

North of Scotland	238	37.5	28.5	24.8 - 32.2
South East Scotland	283	41.4	34.1	30.1 - 38.2
West of Scotland	572	49.7	42.1	38.6 - 45.6
Scotland ¹	1,093	44.3	36.1	33.9 - 38.3

209	31.6	21.1	18.1 - 24.1
235	32.0	23.1	20.0 - 26.2
530	42.3	29.7	27.1 - 32.4
974	36.8	25.7	24.0 - 27.4

447	34.5	24.2	21.9 - 26.5
518	36.5	27.8	25.3 - 30.2
1,102	45.9	34.9	32.8 - 37.0
2,067	40.4	30.1	28.7 - 31.4

Wales	473	32.7	24.8	22.5 - 27.1
-------	-----	------	------	-------------

383	25.2	17.4	15.5 - 19.2
-----	------	------	-------------

856	28.9	20.8	19.3 - 22.2
-----	------	------	-------------

Northern Ireland	218	25.5	24.2	20.9 - 27.4
------------------	-----	------	------	-------------

153	17.2	14.8	12.4 - 17.2
-----	------	------	-------------

371	21.3	18.9	16.9 - 20.9
-----	------	------	-------------

United Kingdom	8,958	30.2	25.0	24.5 - 25.5
----------------	-------	------	------	-------------

6,844	22.2	16.4	16.0 - 16.8
-------	------	------	-------------

15,802	26.1	20.2	19.9 - 20.5
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C33-C34: Trachea, bronchus and lung

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	399	53.6	42.3	38.1 - 46.6
N02 Greater Manchester and Cheshire	949	63.3	55.9	52.3 - 59.5
N03 Merseyside & Cheshire	665	68.4	54.9	50.7 - 59.1
N06 Yorkshire Cancer Network	770	59.1	51.3	47.6 - 54.9
N07 Humber & Yorkshire Coast	334	64.2	47.8	42.6 - 53.0
N08 North Trent	583	66.5	52.7	48.3 - 57.0
N11 Pan Birmingham	526	56.4	50.7	46.3 - 55.1
N12 Arden	208	42.1	34.3	29.6 - 39.0
N20 Mount Vernon	237	38.7	33.5	29.1 - 37.8
N21 West London	395	43.0	47.8	43.0 - 52.6
N22 North London	340	45.3	49.1	43.8 - 54.4
N23 North East London	329	43.0	49.1	43.7 - 54.5
N24 South East London	402	52.8	57.4	51.7 - 63.2
N25 South West London	326	42.5	43.3	38.5 - 48.1
N26 Peninsula	450	56.1	38.6	35.0 - 42.3
N27 Dorset	221	65.2	41.9	36.1 - 47.6
N28 Avon, Somerset & Wiltshire	455	48.9	38.1	34.5 - 41.6
N29 3 Counties	237	46.5	33.2	28.9 - 37.5
N30 Thames Valley	492	42.3	38.9	35.4 - 42.4
N31 Central South Coast	431	45.0	34.3	31.0 - 37.6
N32 Surrey, West Sussex & Hampshire	286	48.6	41.4	36.5 - 46.3
N33 Sussex	286	51.3	34.3	30.1 - 38.4
N34 Kent & Medway	403	50.7	40.4	36.4 - 44.4
N35 Greater Midlands	472	50.9	38.4	34.9 - 41.9
N36 North of England	1,136	77.3	59.7	56.2 - 63.2
N37 Anglia	806	60.8	44.8	41.6 - 47.9
N38 Essex	399	58.6	45.4	40.8 - 49.9
N39 East Midlands	1,115	56.9	45.7	43.0 - 48.4
England ¹	13,656	54.8	45.5	44.7 - 46.2

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
330	42.7	30.7	27.2 - 34.2
795	51.6	39.6	36.7 - 42.5
630	60.6	43.3	39.8 - 46.9
739	54.5	41.6	38.4 - 44.7
286	53.3	37.2	32.7 - 41.7
449	49.7	35.5	32.0 - 39.0
365	37.5	30.4	27.1 - 33.7
150	29.9	22.4	18.6 - 26.2
195	30.8	23.7	20.2 - 27.2
327	35.4	33.6	29.8 - 37.4
267	34.4	31.7	27.7 - 35.6
246	31.6	31.5	27.4 - 35.6
307	39.4	36.7	32.4 - 41.0
329	41.0	36.5	32.4 - 40.7
310	36.6	24.1	21.2 - 26.9
167	46.2	26.9	22.5 - 31.4
324	33.7	23.4	20.7 - 26.1
157	29.6	20.2	16.9 - 23.5
340	28.8	24.4	21.7 - 27.1
330	33.0	23.1	20.5 - 25.7
187	30.4	24.1	20.5 - 27.8
208	34.5	22.2	18.9 - 25.5
264	31.4	22.4	19.5 - 25.3
387	40.4	27.9	25.0 - 30.8
915	59.6	42.2	39.3 - 45.0
569	41.7	28.0	25.5 - 30.4
294	41.1	28.7	25.2 - 32.2
802	40.0	30.0	27.8 - 32.2
10,669	41.3	31.0	30.3 - 31.6

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
729	48.1	35.7	33.0 - 38.3
1,744	57.4	46.9	44.6 - 49.1
1,295	64.4	48.4	45.7 - 51.1
1,509	56.7	45.6	43.2 - 48.0
620	58.7	42.0	38.6 - 45.4
1,032	58.0	43.1	40.3 - 45.8
891	46.7	39.7	37.0 - 42.4
358	36.0	27.7	24.7 - 30.6
432	34.7	28.1	25.4 - 30.9
722	39.2	40.1	37.1 - 43.1
607	39.7	39.4	36.2 - 42.6
575	37.2	39.4	36.1 - 42.7
709	46.0	45.6	42.1 - 49.1
655	41.8	39.3	36.2 - 42.5
760	46.1	30.8	28.5 - 33.1
388	55.3	33.8	30.2 - 37.4
779	41.1	30.2	27.9 - 32.4
394	37.9	26.0	23.3 - 28.6
832	35.5	30.9	28.8 - 33.1
761	38.8	28.2	26.1 - 30.3
473	39.3	31.9	28.9 - 34.8
494	42.6	27.3	24.8 - 29.9
667	40.8	30.6	28.2 - 33.0
859	45.6	32.5	30.2 - 34.7
2,051	68.3	49.8	47.6 - 52.1
1,375	51.1	35.6	33.6 - 37.6
693	49.7	36.2	33.4 - 39.0
1,917	48.4	37.1	35.4 - 38.8
24,325	47.9	37.4	37.0 - 37.9

North of Scotland	431	67.8	51.8	46.9 - 56.8
South East Scotland	550	80.5	65.8	60.2 - 71.3
West of Scotland	1,016	88.3	74.7	70.1 - 79.3
Scotland ¹	1,997	80.9	65.8	62.9 - 68.8

401	60.7	40.5	36.3 - 44.7
512	69.7	50.5	45.9 - 55.1
998	79.7	56.6	53.0 - 60.3
1,911	72.2	50.7	48.3 - 53.1

832	64.2	45.4	42.2 - 48.6
1,062	74.9	56.8	53.3 - 60.3
2,014	83.8	64.0	61.1 - 66.9
3,908	76.4	57.0	55.2 - 58.8

Wales	878	60.8	45.9	42.8 - 49.0
-------	-----	------	------	-------------

773	50.8	35.2	32.6 - 37.8
-----	------	------	-------------

1,651	55.7	40.0	38.0 - 42.0
-------	------	------	-------------

Northern Ireland	446	52.3	50.0	45.4 - 54.7
------------------	-----	------	------	-------------

339	38.2	31.6	28.1 - 35.1
-----	------	------	-------------

785	45.1	39.8	37.0 - 42.7
-----	------	------	-------------

United Kingdom	16,977	57.2	47.3	46.6 - 48.1
----------------	--------	------	------	-------------

13,692	44.3	33.0	32.4 - 33.6
--------	------	------	-------------

30,669	50.6	39.4	38.9 - 39.8
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C33-C34: Trachea, bronchus and lung

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	492	66.1	51.6	46.9 - 56.2
N02 Greater Manchester and Cheshire	1,157	77.2	67.8	63.9 - 71.7
N03 Merseyside & Cheshire	882	90.8	72.3	67.4 - 77.1
N06 Yorkshire Cancer Network	949	72.8	63.0	59.0 - 67.1
N07 Humber & Yorkshire Coast	424	81.5	60.6	54.7 - 66.4
N08 North Trent	722	82.4	65.4	60.5 - 70.2
N11 Pan Birmingham	662	70.9	63.5	58.5 - 68.4
N12 Arden	267	54.0	43.7	38.4 - 49.0
N20 Mount Vernon	310	50.7	43.7	38.7 - 48.6
N21 West London	523	57.0	62.5	57.1 - 67.9
N22 North London	456	60.8	64.9	58.8 - 70.9
N23 North East London	420	54.8	61.6	55.6 - 67.6
N24 South East London	499	65.5	72.0	65.6 - 78.5
N25 South West London	429	56.0	56.4	51.0 - 61.8
N26 Peninsula	558	69.6	47.3	43.2 - 51.3
N27 Dorset	278	82.0	52.9	46.4 - 59.4
N28 Avon, Somerset & Wiltshire	586	62.9	48.8	44.8 - 52.9
N29 3 Counties	287	56.3	40.3	35.5 - 45.0
N30 Thames Valley	606	52.1	47.8	43.9 - 51.6
N31 Central South Coast	554	57.8	43.5	39.7 - 47.2
N32 Surrey, West Sussex & Hampshire	356	60.4	51.0	45.6 - 56.4
N33 Sussex	340	61.0	40.9	36.4 - 45.4
N34 Kent & Medway	486	61.2	48.5	44.1 - 52.9
N35 Greater Midlands	601	64.8	48.8	44.9 - 52.8
N36 North of England	1,375	93.6	71.8	67.9 - 75.6
N37 Anglia	964	72.7	53.4	49.9 - 56.8
N38 Essex	459	67.5	52.0	47.1 - 56.8
N39 East Midlands	1,378	70.3	56.3	53.3 - 59.4
England ¹	17,035	68.3	56.4	55.5 - 57.3

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
406	52.6	37.2	33.4 - 41.0
987	64.1	48.9	45.7 - 52.1
802	77.1	54.1	50.2 - 58.0
909	67.0	50.9	47.4 - 54.4
350	65.2	45.1	40.2 - 50.1
551	61.0	43.6	39.8 - 47.4
461	47.3	38.2	34.5 - 41.9
180	35.9	26.4	22.4 - 30.5
232	36.6	28.8	24.9 - 32.6
419	45.3	42.8	38.5 - 47.0
336	43.2	40.2	35.8 - 44.7
313	40.2	40.0	35.4 - 44.6
380	48.8	44.8	40.1 - 49.5
425	53.0	46.7	42.1 - 51.4
406	48.0	31.3	28.1 - 34.6
206	56.9	32.0	27.1 - 36.8
402	41.8	29.3	26.2 - 32.3
206	38.8	26.4	22.6 - 30.2
415	35.1	29.3	26.4 - 32.2
403	40.3	28.6	25.6 - 31.6
235	38.2	29.9	25.9 - 33.9
246	40.8	26.1	22.6 - 29.7
308	36.7	26.3	23.2 - 29.4
486	50.8	35.1	31.8 - 38.3
1,111	72.4	50.9	47.8 - 54.0
687	50.3	33.7	31.1 - 36.4
346	48.4	33.9	30.2 - 37.7
1,002	50.0	36.9	34.5 - 39.3
13,224	51.2	38.2	37.5 - 38.8

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
898	59.2	43.3	40.4 - 46.2
2,144	70.6	57.2	54.8 - 59.7
1,684	83.7	62.0	59.0 - 65.1
1,858	69.8	55.9	53.3 - 58.5
774	73.2	52.2	48.4 - 55.9
1,273	71.5	53.3	50.3 - 56.3
1,123	58.9	49.5	46.5 - 52.5
447	44.9	34.1	30.9 - 37.4
542	43.5	35.4	32.3 - 38.5
942	51.1	51.7	48.3 - 55.1
792	51.9	50.9	47.3 - 54.5
733	47.5	49.5	45.8 - 53.2
879	57.1	56.7	52.8 - 60.6
854	54.4	50.7	47.2 - 54.2
964	58.5	38.6	36.0 - 41.1
484	69.0	41.6	37.6 - 45.6
988	52.2	38.2	35.7 - 40.7
493	47.4	32.4	29.4 - 35.3
1,021	43.5	37.6	35.2 - 40.0
957	48.8	35.2	32.9 - 37.5
591	49.1	39.3	36.0 - 42.6
586	50.5	32.4	29.6 - 35.2
794	48.6	36.4	33.8 - 39.0
1,087	57.7	41.0	38.4 - 43.5
2,486	82.8	59.9	57.5 - 62.3
1,651	61.4	42.6	40.5 - 44.8
805	57.7	42.0	38.9 - 45.0
2,380	60.0	45.7	43.8 - 47.5
30,259	59.6	46.2	45.7 - 46.8

North of Scotland	554	87.2	66.1	60.6 - 71.7
South East Scotland	684	100.1	81.4	75.2 - 87.5
West of Scotland	1,244	108.1	91.4	86.3 - 96.5
Scotland ¹	2,482	100.5	81.6	78.3 - 84.8

500	75.7	49.7	45.2 - 54.3
625	85.0	61.6	56.6 - 66.7
1,218	97.3	69.0	65.0 - 73.1
2,343	88.5	61.9	59.3 - 64.6

1,054	81.3	56.9	53.3 - 60.4
1,309	92.3	69.7	65.9 - 73.6
2,462	102.5	78.1	74.9 - 81.2
4,825	94.3	70.1	68.0 - 72.1

Wales	1,107	76.6	57.5	54.1 - 61.0
-------	-------	------	------	-------------

938	61.7	42.6	39.7 - 45.4
-----	------	------	-------------

2,045	69.0	49.2	47.0 - 51.4
-------	------	------	-------------

Northern Ireland	573	67.1	63.7	58.4 - 69.0
------------------	-----	------	------	-------------

439	49.4	40.5	36.6 - 44.5
-----	------	------	-------------

1,012	58.1	50.7	47.5 - 53.9
-------	------	------	-------------

United Kingdom	21,197	71.4	58.8	58.0 - 59.6
----------------	--------	------	------	-------------

16,944	54.9	40.6	39.9 - 41.2
--------	------	------	-------------

38,141	63.0	48.6	48.1 - 49.1
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C43: Malignant melanoma

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	101	13.6	11.5	9.2 - 13.8	151	19.5	17.2	14.3 - 20.0		252	16.6	14.3	12.5 - 16.1	
N02 Greater Manchester and Cheshire	182	12.1	11.4	9.8 - 13.1	283	18.4	16.7	14.7 - 18.7		465	15.3	14.1	12.8 - 15.4	
N03 Merseyside & Cheshire	128	13.2	11.3	9.3 - 13.2	177	17.0	14.8	12.5 - 17.0		305	15.2	12.9	11.4 - 14.4	
N06 Yorkshire Cancer Network	170	13.0	12.3	10.4 - 14.2	216	15.9	14.4	12.5 - 16.4		386	14.5	13.3	12.0 - 14.7	
N07 Humber & Yorkshire Coast	72	13.8	11.1	8.4 - 13.7	93	17.3	14.9	11.7 - 18.1		165	15.6	12.8	10.7 - 14.8	
N08 North Trent	119	13.6	11.8	9.7 - 14.0	183	20.3	17.4	14.8 - 20.1		302	17.0	14.6	12.9 - 16.3	
N11 Pan Birmingham	98	10.5	10.1	8.1 - 12.1	123	12.6	11.3	9.3 - 13.4		221	11.6	10.6	9.2 - 12.1	
N12 Arden	66	13.4	11.8	8.9 - 14.7	51	10.2	8.0	5.7 - 10.3		117	11.8	9.8	8.0 - 11.6	
N20 Mount Vernon	88	14.4	12.9	10.1 - 15.6	87	13.7	11.9	9.3 - 14.5		175	14.1	12.3	10.4 - 14.2	
N21 West London	55	6.0	5.9	4.3 - 7.5	69	7.5	7.3	5.5 - 9.1		124	6.7	6.5	5.3 - 7.7	
N22 North London	72	9.6	10.0	7.6 - 12.4	76	9.8	9.6	7.4 - 11.8		148	9.7	9.6	8.0 - 11.2	
N23 North East London	42	5.5	5.8	4.0 - 7.6	48	6.2	5.9	4.2 - 7.7		90	5.8	5.7	4.5 - 7.0	
N24 South East London	71	9.3	10.3	7.8 - 12.7	94	12.1	11.5	9.1 - 13.9		165	10.7	10.8	9.1 - 12.6	
N25 South West London	107	14.0	14.0	11.3 - 16.7	134	16.7	14.5	11.9 - 17.1		241	15.4	14.3	12.5 - 16.2	
N26 Peninsula	217	27.1	20.5	17.6 - 23.3	243	28.7	23.3	20.2 - 26.5		460	27.9	21.7	19.6 - 23.9	
N27 Dorset	77	22.7	17.1	13.1 - 21.1	86	23.8	19.1	14.7 - 23.5		163	23.3	18.0	15.0 - 21.0	
N28 Avon, Somerset & Wiltshire	164	17.6	14.9	12.6 - 17.3	190	19.7	16.2	13.8 - 18.7		354	18.7	15.5	13.8 - 17.2	
N29 3 Counties	91	17.9	14.3	11.3 - 17.3	92	17.3	13.8	10.8 - 16.8		183	17.6	14.0	11.9 - 16.1	
N30 Thames Valley	242	20.8	19.5	17.0 - 21.9	249	21.1	18.6	16.3 - 21.0		491	20.9	19.0	17.2 - 20.7	
N31 Central South Coast	198	20.7	17.5	15.0 - 20.0	251	25.1	20.9	18.1 - 23.6		449	22.9	19.1	17.3 - 21.0	
N32 Surrey, West Sussex & Hampshire	85	14.4	12.7	10.0 - 15.5	101	16.4	14.8	11.8 - 17.8		186	15.5	13.7	11.6 - 15.7	
N33 Sussex	89	16.0	12.2	9.5 - 14.9	130	21.6	18.0	14.6 - 21.3		219	18.9	15.0	12.9 - 17.2	
N34 Kent & Medway	118	14.8	12.7	10.4 - 15.0	140	16.7	13.9	11.5 - 16.3		258	15.8	13.3	11.6 - 14.9	
N35 Greater Midlands	113	12.2	9.9	8.1 - 11.8	134	14.0	11.7	9.6 - 13.8		247	13.1	10.6	9.3 - 12.0	
N36 North of England	206	14.0	12.0	10.3 - 13.7	206	13.4	11.9	10.2 - 13.6		412	13.7	11.7	10.6 - 12.9	
N37 Anglia	254	19.2	15.9	13.9 - 17.8	254	18.6	14.2	12.3 - 16.0		508	18.9	14.9	13.6 - 16.2	
N38 Essex	130	19.1	16.4	13.5 - 19.2	117	16.4	13.7	11.1 - 16.3		247	17.7	14.8	12.9 - 16.7	
N39 East Midlands	239	12.2	10.9	9.5 - 12.3	294	14.7	12.5	11.0 - 14.0		533	13.4	11.7	10.7 - 12.7	
England ¹	3,594	14.4	12.8	12.4 - 13.2	4,272	16.5	14.2	13.8 - 14.7		7,866	15.5	13.4	13.1 - 13.7	
North of Scotland	99	15.6	13.0	10.4 - 15.5	87	13.2	10.5	8.2 - 12.9		186	14.3	11.6	9.8 - 13.3	
South East Scotland	125	18.3	16.0	13.1 - 18.8	149	20.3	17.2	14.3 - 20.0		274	19.3	16.5	14.5 - 18.5	
West of Scotland	159	13.8	12.2	10.3 - 14.1	252	20.1	16.9	14.8 - 19.1		411	17.1	14.5	13.0 - 15.9	
Scotland ¹	383	15.5	13.4	12.1 - 14.8	488	18.4	15.4	14.0 - 16.8		871	17.0	14.3	13.3 - 15.3	
Wales	206	14.3	12.1	10.4 - 13.8	232	15.3	12.4	10.7 - 14.1		438	14.8	12.2	11.0 - 13.4	
Northern Ireland	95	11.1	11.1	8.8 - 13.3	140	15.8	14.2	11.8 - 16.6		235	13.5	12.7	11.0 - 14.3	
United Kingdom	4,278	14.4	12.8	12.4 - 13.2	5,132	16.6	14.3	13.8 - 14.7		9,410	15.5	13.4	13.1 - 13.7	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C43: Malignant melanoma

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	401	53.9	46.2	41.6 - 50.8	595	77.0	66.7	61.1 - 72.3		996	65.7	56.2	52.6 - 59.8	
N02 Greater Manchester and Cheshire	659	44.0	41.3	38.1 - 44.5	998	64.8	58.0	54.3 - 61.8		1,657	54.5	49.8	47.3 - 52.2	
N03 Merseyside & Cheshire	486	50.0	44.0	40.1 - 48.0	694	66.7	58.7	54.2 - 63.2		1,180	58.7	51.2	48.2 - 54.2	
N06 Yorkshire Cancer Network	712	54.6	51.4	47.6 - 55.2	1,008	74.3	67.7	63.4 - 72.0		1,720	64.7	59.4	56.5 - 62.2	
N07 Humber & Yorkshire Coast	254	48.8	40.9	35.8 - 46.1	377	70.3	59.6	53.3 - 65.9		631	59.7	50.0	46.0 - 54.1	
N08 North Trent	461	52.6	46.3	42.0 - 50.5	681	75.4	67.4	62.2 - 72.6		1,142	64.2	56.6	53.2 - 60.0	
N11 Pan Birmingham	356	38.1	36.7	32.9 - 40.6	516	53.0	49.2	44.8 - 53.6		872	45.7	42.9	39.9 - 45.8	
N12 Arden	309	62.5	55.2	48.9 - 61.4	349	69.6	58.4	52.0 - 64.8		658	66.1	56.4	52.0 - 60.8	
N20 Mount Vernon	298	48.7	44.5	39.4 - 49.6	347	54.8	47.7	42.5 - 52.8		645	51.8	45.9	42.3 - 49.5	
N21 West London	216	23.5	23.3	20.1 - 26.5	277	30.0	27.6	24.3 - 31.0		493	26.8	25.3	23.0 - 27.6	
N22 North London	235	31.3	32.3	28.1 - 36.5	287	36.9	34.9	30.7 - 39.1		522	34.2	33.3	30.4 - 36.3	
N23 North East London	162	21.2	23.8	20.1 - 27.6	209	26.9	26.1	22.4 - 29.7		371	24.0	24.7	22.1 - 27.3	
N24 South East London	182	23.9	25.4	21.6 - 29.2	253	32.5	30.2	26.4 - 34.1		435	28.2	27.7	25.0 - 30.4	
N25 South West London	382	49.8	49.4	44.4 - 54.5	508	63.3	55.3	50.3 - 60.3		890	56.7	52.2	48.7 - 55.8	
N26 Peninsula	823	102.6	79.6	73.9 - 85.2	983	116.1	89.9	83.8 - 96.0		1,806	109.6	84.4	80.2 - 88.5	
N27 Dorset	328	96.7	69.6	61.6 - 77.6	426	117.7	85.1	76.2 - 94.1		754	107.6	77.2	71.2 - 83.2	
N28 Avon, Somerset & Wiltshire	662	71.1	60.9	56.1 - 65.6	811	84.3	68.4	63.4 - 73.3		1,473	77.8	64.4	61.0 - 67.8	
N29 3 Counties	372	73.0	58.3	52.2 - 64.3	379	71.5	55.2	49.3 - 61.1		751	72.2	56.4	52.2 - 60.6	
N30 Thames Valley	836	71.8	67.1	62.6 - 71.7	1,048	88.6	78.7	73.8 - 83.6		1,884	80.3	72.6	69.3 - 76.0	
N31 Central South Coast	871	90.9	76.2	71.0 - 81.3	1,053	105.2	85.2	79.8 - 90.7		1,924	98.2	80.4	76.7 - 84.2	
N32 Surrey, West Sussex & Hampshire	342	58.1	52.6	46.9 - 58.2	407	66.2	57.4	51.6 - 63.2		749	62.2	54.8	50.8 - 58.9	
N33 Sussex	298	53.5	41.8	36.9 - 46.7	405	67.2	53.8	48.1 - 59.5		703	60.6	47.7	43.9 - 51.4	
N34 Kent & Medway	410	51.6	44.6	40.2 - 49.0	534	63.6	52.1	47.5 - 56.7		944	57.8	48.3	45.1 - 51.5	
N35 Greater Midlands	448	48.3	41.1	37.2 - 44.9	629	65.7	54.8	50.3 - 59.2		1,077	57.1	47.8	44.8 - 50.7	
N36 North of England	737	50.2	43.6	40.4 - 46.8	1,033	67.3	58.3	54.6 - 62.0		1,770	58.9	50.9	48.5 - 53.4	
N37 Anglia	880	66.4	55.1	51.4 - 58.9	1,047	76.7	60.9	57.1 - 64.8		1,927	71.6	57.9	55.2 - 60.6	
N38 Essex	428	62.9	54.3	49.0 - 59.5	485	67.9	57.3	52.0 - 62.6		913	65.4	55.5	51.8 - 59.2	
N39 East Midlands	946	48.3	42.5	39.8 - 45.3	1,219	60.8	52.0	48.9 - 55.0		2,165	54.6	47.2	45.1 - 49.2	
England ¹	13,497	54.2	48.3	47.5 - 49.1	17,561	68.0	58.4	57.5 - 59.3		31,058	61.2	53.2	52.5 - 53.8	
North of Scotland	383	60.3	50.0	44.9 - 55.0	451	68.2	53.9	48.6 - 59.1		834	64.3	51.6	47.9 - 55.2	
South East Scotland	441	64.5	56.5	51.2 - 61.8	624	84.9	72.5	66.7 - 78.4		1,065	75.1	64.3	60.4 - 68.3	
West of Scotland	649	56.4	50.5	46.6 - 54.4	946	75.6	64.5	60.3 - 68.8		1,595	66.4	57.2	54.3 - 60.1	
Scotland ¹	1,473	59.7	52.1	49.4 - 54.7	2,023	76.4	64.3	61.4 - 67.2		3,496	68.3	57.9	55.9 - 59.8	
Wales	758	52.5	43.8	40.6 - 47.0	1,008	66.3	54.4	50.9 - 58.0		1,766	59.5	49.1	46.7 - 51.5	
Northern Ireland	390	45.7	45.3	40.8 - 49.9	611	68.8	62.2	57.1 - 67.3		1,001	57.5	53.9	50.5 - 57.3	
United Kingdom	16,118	54.3	48.3	47.6 - 49.1	21,203	68.6	58.8	57.9 - 59.6		37,321	61.6	53.4	52.8 - 53.9	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C43: Malignant melanoma

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	609	81.9	70.1	64.4 - 75.7
N02 Greater Manchester and Cheshire	1,036	69.1	64.7	60.7 - 68.6
N03 Merseyside & Cheshire	724	74.5	65.7	60.8 - 70.6
N06 Yorkshire Cancer Network	1,087	83.4	78.4	73.7 - 83.1
N07 Humber & Yorkshire Coast	372	71.5	59.9	53.7 - 66.2
N08 North Trent	633	72.2	63.8	58.7 - 68.8
N11 Pan Birmingham	546	58.5	56.4	51.6 - 61.1
N12 Arden	467	94.5	83.3	75.7 - 91.0
N20 Mount Vernon	446	72.9	66.6	60.4 - 72.9
N21 West London	338	36.8	36.9	32.8 - 40.9
N22 North London	367	48.9	50.4	45.1 - 55.6
N23 North East London	247	32.3	36.6	31.9 - 41.2
N24 South East London	339	44.5	47.4	42.2 - 52.6
N25 South West London	574	74.9	74.8	68.5 - 81.0
N26 Peninsula	1,237	154.3	118.2	111.3 - 125.0
N27 Dorset	505	148.9	107.8	97.8 - 117.8
N28 Avon, Somerset & Wiltshire	1,029	110.5	94.6	88.7 - 100.5
N29 3 Counties	550	107.9	85.6	78.3 - 93.0
N30 Thames Valley	1,351	116.0	109.1	103.2 - 114.9
N31 Central South Coast	1,279	133.5	111.8	105.5 - 118.1
N32 Surrey, West Sussex & Hampshire	502	85.2	76.9	70.0 - 83.7
N33 Sussex	475	85.3	67.3	61.0 - 73.6
N34 Kent & Medway	615	77.4	67.0	61.6 - 72.4
N35 Greater Midlands	722	77.8	66.3	61.4 - 71.3
N36 North of England	1,118	76.1	66.1	62.2 - 70.1
N37 Anglia	1,346	101.5	84.3	79.7 - 88.9
N38 Essex	618	90.8	78.0	71.7 - 84.2
N39 East Midlands	1,411	72.0	63.1	59.8 - 66.4
England ¹	20,557	82.5	73.6	72.6 - 74.6

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
968	125.3	106.9	99.8 - 113.9
1,606	104.3	93.0	88.3 - 97.7
1,141	109.7	96.2	90.4 - 102.0
1,577	116.2	104.2	98.9 - 109.5
571	106.4	88.1	80.5 - 95.7
996	110.3	97.8	91.5 - 104.1
775	79.6	73.2	67.9 - 78.6
580	115.7	98.0	89.7 - 106.3
557	87.9	76.6	70.0 - 83.2
466	50.4	45.9	41.6 - 50.2
495	63.7	59.9	54.4 - 65.3
360	46.3	44.3	39.5 - 49.0
493	63.3	59.4	54.0 - 64.9
870	108.5	95.8	89.2 - 102.5
1,570	185.4	141.3	133.7 - 148.8
684	189.0	133.4	122.4 - 144.5
1,338	139.0	113.8	107.4 - 120.2
653	123.1	94.3	86.6 - 102.0
1,803	152.5	136.1	129.6 - 142.5
1,641	163.9	131.8	125.1 - 138.5
688	112.0	96.1	88.7 - 103.6
688	114.1	90.1	82.8 - 97.3
784	93.4	76.4	70.8 - 82.0
1,009	105.4	88.0	82.3 - 93.6
1,709	111.4	95.5	90.8 - 100.2
1,729	126.6	101.6	96.6 - 106.7
780	109.2	90.9	84.2 - 97.5
1,991	99.4	84.2	80.4 - 88.1
28,545	110.5	94.4	93.2 - 95.5

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
1,577	104.0	88.1	83.6 - 92.6
2,642	86.9	79.0	75.9 - 82.0
1,865	92.7	81.1	77.3 - 84.9
2,664	100.1	91.2	87.7 - 94.8
943	89.2	73.9	69.0 - 78.8
1,629	91.6	80.7	76.7 - 84.7
1,321	69.3	64.7	61.1 - 68.3
1,047	105.2	90.2	84.6 - 95.8
1,003	80.5	71.5	67.0 - 76.0
804	43.6	41.2	38.3 - 44.1
862	56.4	54.8	51.0 - 58.5
607	39.3	40.4	37.1 - 43.7
832	54.0	53.4	49.6 - 57.1
1,444	92.1	85.5	81.0 - 90.0
2,807	170.3	129.4	124.3 - 134.5
1,189	169.6	120.6	113.1 - 128.0
2,367	125.0	104.0	99.7 - 108.4
1,203	115.7	89.7	84.4 - 95.0
3,154	134.4	122.3	117.9 - 126.6
2,920	149.0	121.6	117.0 - 126.2
1,190	98.9	86.4	81.3 - 91.4
1,163	100.3	78.7	73.9 - 83.5
1,399	85.6	71.5	67.7 - 75.4
1,731	91.8	77.0	73.2 - 80.7
2,827	94.1	81.0	77.9 - 84.0
3,075	114.3	92.8	89.4 - 96.2
1,398	100.2	84.1	79.6 - 88.7
3,402	85.8	73.6	71.1 - 76.1
49,102	96.7	83.8	83.1 - 84.6

North of Scotland	599	94.3	78.7	72.3 - 85.1
South East Scotland	708	103.6	90.8	84.1 - 97.6
West of Scotland	1,027	89.3	79.9	75.0 - 84.9
Scotland ¹	2,334	94.5	82.7	79.3 - 86.1

781	118.2	93.8	86.9 - 100.7
1,099	149.5	127.0	119.2 - 134.7
1,515	121.0	102.8	97.4 - 108.1
3,397	128.3	107.5	103.7 - 111.2

1,380	106.5	86.0	81.3 - 90.7
1,807	127.4	109.1	104.0 - 114.3
2,542	105.8	91.1	87.5 - 94.7
5,731	112.0	95.0	92.4 - 97.5

Wales	1,116	77.2	64.6	60.7 - 68.5
-------	-------	------	------	-------------

1,551	102.0	82.6	78.3 - 87.0
-------	-------	------	-------------

2,667	89.9	73.7	70.8 - 76.7
-------	------	------	-------------

Northern Ireland	610	71.5	70.8	65.2 - 76.5
------------------	-----	------	------	-------------

1,037	116.8	105.1	98.5 - 111.7
-------	-------	-------	--------------

1,647	94.6	88.3	84.0 - 92.7
-------	------	------	-------------

United Kingdom	24,617	82.9	73.8	72.9 - 74.7
----------------	--------	------	------	-------------

34,530	111.8	95.2	94.1 - 96.2
--------	-------	------	-------------

59,147	97.6	84.4	83.7 - 85.1
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C45: Mesothelioma

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	26	3.5	2.7	1.6 - 3.7	3	0.4	0.3	-0.1 - 0.7		29	1.9	1.4	0.9 - 1.9	
N02 Greater Manchester and Cheshire	68	4.5	4.1	3.1 - 5.0	9	0.6	0.5	0.2 - 0.9		77	2.5	2.2	1.7 - 2.7	
N03 Merseyside & Cheshire	33	3.4	2.7	1.7 - 3.6	6	0.6	0.5	0.1 - 0.9		39	1.9	1.5	1.0 - 1.9	
N06 Yorkshire Cancer Network	38	2.9	2.6	1.7 - 3.4	17	1.3	0.9	0.4 - 1.3		55	2.1	1.7	1.2 - 2.1	
N07 Humber & Yorkshire Coast	21	4.0	2.9	1.6 - 4.2	3	0.6	0.3	-0.1 - 0.6		24	2.3	1.5	0.9 - 2.1	
N08 North Trent	23	2.6	2.1	1.2 - 3.0	7	0.8	0.6	0.2 - 1.1		30	1.7	1.3	0.8 - 1.8	
N11 Pan Birmingham	27	2.9	2.5	1.6 - 3.5	6	0.6	0.5	0.1 - 0.9		33	1.7	1.4	0.9 - 1.9	
N12 Arden	11	2.2	1.7	0.7 - 2.8	2	0.4	0.3	-0.1 - 0.7		13	1.3	1.0	0.4 - 1.5	
N20 Mount Vernon	20	3.3	3.0	1.7 - 4.3	6	0.9	0.6	0.1 - 1.2		26	2.1	1.8	1.1 - 2.5	
N21 West London	18	2.0	2.1	1.1 - 3.0	8	0.9	0.9	0.3 - 1.6		26	1.4	1.4	0.9 - 2.0	
N22 North London	17	2.3	2.3	1.2 - 3.4	3	0.4	0.3	-0.1 - 0.7		20	1.3	1.2	0.7 - 1.7	
N23 North East London	20	2.6	3.0	1.7 - 4.4	10	1.3	1.2	0.4 - 2.0		30	1.9	2.1	1.3 - 2.8	
N24 South East London	22	2.9	3.5	2.0 - 5.0	6	0.8	0.8	0.1 - 1.5		28	1.8	2.1	1.3 - 2.9	
N25 South West London	23	3.0	3.1	1.8 - 4.4	4	0.5	0.4	0.0 - 0.8		27	1.7	1.7	1.0 - 2.3	
N26 Peninsula	31	3.9	2.6	1.7 - 3.6	6	0.7	0.6	0.1 - 1.1		37	2.2	1.5	1.0 - 2.0	
N27 Dorset	17	5.0	2.9	1.5 - 4.3	3	0.8	0.5	-0.1 - 1.1		20	2.9	1.6	0.9 - 2.3	
N28 Avon, Somerset & Wiltshire	23	2.5	2.0	1.2 - 2.8	6	0.6	0.5	0.1 - 0.9		29	1.5	1.2	0.8 - 1.6	
N29 3 Counties	19	3.7	2.9	1.6 - 4.2	4	0.8	0.6	0.0 - 1.2		23	2.2	1.6	0.9 - 2.3	
N30 Thames Valley	32	2.7	2.6	1.7 - 3.5	11	0.9	0.9	0.3 - 1.4		43	1.8	1.6	1.1 - 2.1	
N31 Central South Coast	44	4.6	3.4	2.4 - 4.5	10	1.0	0.8	0.3 - 1.3		54	2.8	2.0	1.5 - 2.6	
N32 Surrey, West Sussex & Hampshire	19	3.2	2.9	1.6 - 4.2	5	0.8	0.6	0.0 - 1.1		24	2.0	1.7	1.0 - 2.3	
N33 Sussex	22	3.9	2.9	1.7 - 4.2	8	1.3	0.8	0.2 - 1.4		30	2.6	1.8	1.1 - 2.5	
N34 Kent & Medway	39	4.9	3.9	2.6 - 5.1	4	0.5	0.2	0.0 - 0.5		43	2.6	1.9	1.3 - 2.5	
N35 Greater Midlands	15	1.6	1.2	0.6 - 1.8	2	0.2	0.2	-0.1 - 0.5		17	0.9	0.7	0.3 - 1.0	
N36 North of England	71	4.8	3.8	2.9 - 4.7	11	0.7	0.5	0.2 - 0.8		82	2.7	2.0	1.6 - 2.4	
N37 Anglia	55	4.1	3.1	2.3 - 3.9	12	0.9	0.6	0.2 - 0.9		67	2.5	1.8	1.3 - 2.2	
N38 Essex	41	6.0	4.6	3.2 - 6.0	15	2.1	1.4	0.7 - 2.2		56	4.0	2.9	2.1 - 3.7	
N39 East Midlands	61	3.1	2.5	1.9 - 3.2	12	0.6	0.5	0.2 - 0.7		73	1.8	1.4	1.1 - 1.8	
England ¹	856	3.4	2.9	2.7 - 3.1	199	0.8	0.6	0.5 - 0.7		1,055	2.1	1.6	1.5 - 1.7	
North of Scotland	13	2.0	1.5	0.7 - 2.3	0	0.0	0.0	0.0 - 0.0		13	1.0	0.7	0.3 - 1.0	
South East Scotland	33	4.8	4.1	2.7 - 5.4	2	0.3	0.2	-0.1 - 0.6		35	2.5	2.0	1.3 - 2.6	
West of Scotland	37	3.2	2.7	1.8 - 3.6	9	0.7	0.6	0.2 - 1.0		46	1.9	1.5	1.1 - 1.9	
Scotland ¹	83	3.4	2.7	2.1 - 3.3	11	0.4	0.3	0.1 - 0.5		94	1.8	1.4	1.1 - 1.7	
Wales	38	2.6	2.0	1.3 - 2.6	5	0.3	0.2	0.0 - 0.5		43	1.5	1.0	0.7 - 1.4	
Northern Ireland	15	1.8	1.6	0.8 - 2.4	3	0.3	0.3	0.0 - 0.6		18	1.0	0.9	0.5 - 1.3	
United Kingdom	992	3.3	2.8	2.6 - 2.9	218	0.7	0.5	0.5 - 0.6		1,210	2.0	1.6	1.5 - 1.7	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C45: Mesothelioma

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	41	5.5	4.2	2.9 - 5.6	6	0.8	0.6	0.1 - 1.1		47	3.1	2.2	1.6 - 2.9	
N02 Greater Manchester and Cheshire	97	6.5	5.8	4.7 - 7.0	17	1.1	1.0	0.5 - 1.4		114	3.8	3.2	2.6 - 3.8	
N03 Merseyside & Cheshire	47	4.8	3.8	2.7 - 4.9	10	1.0	0.8	0.3 - 1.2		57	2.8	2.1	1.6 - 2.7	
N06 Yorkshire Cancer Network	65	5.0	4.4	3.3 - 5.5	25	1.8	1.3	0.8 - 1.8		90	3.4	2.8	2.2 - 3.3	
N07 Humber & Yorkshire Coast	34	6.5	4.7	3.1 - 6.3	8	1.5	0.9	0.2 - 1.6		42	4.0	2.7	1.8 - 3.5	
N08 North Trent	38	4.3	3.5	2.4 - 4.6	9	1.0	0.8	0.3 - 1.3		47	2.6	2.0	1.4 - 2.6	
N11 Pan Birmingham	37	4.0	3.5	2.3 - 4.6	9	0.9	0.8	0.3 - 1.4		46	2.4	2.0	1.4 - 2.6	
N12 Arden	13	2.6	2.0	0.9 - 3.1	2	0.4	0.3	-0.1 - 0.7		15	1.5	1.1	0.5 - 1.7	
N20 Mount Vernon	28	4.6	4.1	2.5 - 5.6	9	1.4	0.9	0.3 - 1.5		37	3.0	2.4	1.6 - 3.2	
N21 West London	29	3.2	3.4	2.2 - 4.7	12	1.3	1.4	0.6 - 2.1		41	2.2	2.3	1.6 - 3.0	
N22 North London	32	4.3	4.6	3.0 - 6.2	5	0.6	0.6	0.1 - 1.2		37	2.4	2.4	1.6 - 3.2	
N23 North East London	37	4.8	5.7	3.8 - 7.5	11	1.4	1.4	0.5 - 2.2		48	3.1	3.4	2.4 - 4.4	
N24 South East London	38	5.0	6.0	4.1 - 8.0	13	1.7	1.5	0.7 - 2.4		51	3.3	3.6	2.6 - 4.7	
N25 South West London	37	4.8	4.9	3.3 - 6.5	5	0.6	0.6	0.1 - 1.1		42	2.7	2.5	1.8 - 3.3	
N26 Peninsula	49	6.1	4.3	3.0 - 5.5	12	1.4	1.0	0.4 - 1.7		61	3.7	2.5	1.9 - 3.2	
N27 Dorset	24	7.1	4.1	2.4 - 5.8	3	0.8	0.5	-0.1 - 1.1		27	3.9	2.2	1.3 - 3.0	
N28 Avon, Somerset & Wiltshire	34	3.7	3.0	2.0 - 4.1	9	0.9	0.8	0.3 - 1.3		43	2.3	1.8	1.3 - 2.4	
N29 3 Counties	33	6.5	5.0	3.3 - 6.8	7	1.3	0.9	0.2 - 1.6		40	3.9	2.9	1.9 - 3.8	
N30 Thames Valley	57	4.9	4.6	3.4 - 5.8	17	1.4	1.3	0.7 - 1.9		74	3.2	2.8	2.2 - 3.5	
N31 Central South Coast	67	7.0	5.2	3.9 - 6.5	16	1.6	1.2	0.6 - 1.8		83	4.2	3.0	2.4 - 3.7	
N32 Surrey, West Sussex & Hampshire	40	6.8	6.0	4.1 - 7.9	12	2.0	1.3	0.5 - 2.1		52	4.3	3.5	2.6 - 4.5	
N33 Sussex	30	5.4	4.1	2.6 - 5.5	10	1.7	1.1	0.4 - 1.8		40	3.5	2.5	1.7 - 3.3	
N34 Kent & Medway	54	6.8	5.4	3.9 - 6.8	9	1.1	0.7	0.2 - 1.2		63	3.9	2.9	2.1 - 3.6	
N35 Greater Midlands	28	3.0	2.3	1.4 - 3.2	5	0.5	0.4	0.0 - 0.8		33	1.8	1.3	0.8 - 1.7	
N36 North of England	113	7.7	6.1	4.9 - 7.2	22	1.4	1.0	0.6 - 1.4		135	4.5	3.3	2.7 - 3.9	
N37 Anglia	78	5.9	4.5	3.5 - 5.5	24	1.8	1.2	0.7 - 1.8		102	3.8	2.8	2.2 - 3.3	
N38 Essex	59	8.7	6.6	4.9 - 8.3	17	2.4	1.6	0.8 - 2.4		76	5.5	3.9	3.0 - 4.8	
N39 East Midlands	91	4.6	3.8	3.0 - 4.5	15	0.8	0.6	0.3 - 0.9		106	2.7	2.1	1.7 - 2.5	
England ¹	1,330	5.3	4.5	4.2 - 4.7	320	1.2	0.9	0.8 - 1.1		1,650	3.3	2.6	2.5 - 2.7	
North of Scotland	19	3.0	2.2	1.2 - 3.2	2	0.3	0.2	-0.1 - 0.5		21	1.6	1.1	0.7 - 1.6	
South East Scotland	52	7.6	6.4	4.6 - 8.1	4	0.5	0.5	0.0 - 1.0		56	4.0	3.1	2.3 - 4.0	
West of Scotland	58	5.0	4.2	3.1 - 5.3	19	1.5	1.2	0.6 - 1.7		77	3.2	2.5	1.9 - 3.0	
Scotland ¹	129	5.2	4.3	3.5 - 5.0	25	0.9	0.7	0.4 - 1.0		154	3.0	2.3	1.9 - 2.7	
Wales	62	4.3	3.3	2.4 - 4.1	14	0.9	0.7	0.3 - 1.1		76	2.6	1.9	1.4 - 2.3	
Northern Ireland	26	3.0	2.9	1.8 - 4.0	7	0.8	0.6	0.1 - 1.1		33	1.9	1.6	1.1 - 2.2	
United Kingdom	1,547	5.2	4.4	4.1 - 4.6	366	1.2	0.9	0.8 - 1.0		1,913	3.2	2.5	2.4 - 2.6	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C45: Mesothelioma

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	45	6.1	4.6	3.3 - 6.0
N02 Greater Manchester and Cheshire	101	6.7	6.0	4.9 - 7.2
N03 Merseyside & Cheshire	49	5.0	3.9	2.8 - 5.0
N06 Yorkshire Cancer Network	73	5.6	4.9	3.8 - 6.1
N07 Humber & Yorkshire Coast	34	6.5	4.7	3.1 - 6.3
N08 North Trent	42	4.8	3.9	2.7 - 5.0
N11 Pan Birmingham	39	4.2	3.7	2.5 - 4.9
N12 Arden	13	2.6	2.0	0.9 - 3.1
N20 Mount Vernon	31	5.1	4.5	2.9 - 6.1
N21 West London	34	3.7	4.0	2.6 - 5.4
N22 North London	34	4.5	4.9	3.2 - 6.5
N23 North East London	39	5.1	6.0	4.1 - 7.9
N24 South East London	39	5.1	6.2	4.2 - 8.2
N25 South West London	40	5.2	5.3	3.6 - 6.9
N26 Peninsula	51	6.4	4.5	3.2 - 5.7
N27 Dorset	29	8.6	5.0	3.1 - 6.9
N28 Avon, Somerset & Wiltshire	36	3.9	3.2	2.2 - 4.3
N29 3 Counties	33	6.5	5.0	3.3 - 6.8
N30 Thames Valley	64	5.5	5.2	3.9 - 6.5
N31 Central South Coast	70	7.3	5.5	4.2 - 6.8
N32 Surrey, West Sussex & Hampshire	41	7.0	6.1	4.2 - 8.0
N33 Sussex	32	5.7	4.4	2.8 - 5.9
N34 Kent & Medway	58	7.3	5.8	4.3 - 7.3
N35 Greater Midlands	33	3.6	2.8	1.8 - 3.7
N36 North of England	116	7.9	6.2	5.1 - 7.4
N37 Anglia	82	6.2	4.7	3.6 - 5.7
N38 Essex	61	9.0	6.8	5.1 - 8.6
N39 East Midlands	97	5.0	4.0	3.2 - 4.8
England ¹	1,416	5.7	4.8	4.5 - 5.0

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
6	0.8	0.6	0.1 - 1.1
19	1.2	1.1	0.6 - 1.6
10	1.0	0.8	0.3 - 1.2
28	2.1	1.5	0.9 - 2.0
8	1.5	0.9	0.2 - 1.6
9	1.0	0.8	0.3 - 1.3
9	0.9	0.8	0.3 - 1.4
2	0.4	0.3	-0.1 - 0.7
11	1.7	1.2	0.5 - 1.9
16	1.7	1.8	0.9 - 2.8
5	0.6	0.6	0.1 - 1.2
11	1.4	1.4	0.5 - 2.2
14	1.8	1.7	0.8 - 2.6
9	1.1	1.0	0.3 - 1.7
12	1.4	1.0	0.4 - 1.7
3	0.8	0.5	-0.1 - 1.1
11	1.1	0.9	0.4 - 1.5
7	1.3	0.9	0.2 - 1.6
18	1.5	1.4	0.7 - 2.0
16	1.6	1.2	0.6 - 1.8
12	2.0	1.3	0.5 - 2.1
12	2.0	1.4	0.6 - 2.2
11	1.3	0.9	0.3 - 1.5
5	0.5	0.4	0.0 - 0.8
24	1.6	1.1	0.6 - 1.5
27	2.0	1.4	0.8 - 1.9
17	2.4	1.6	0.8 - 2.4
16	0.8	0.6	0.3 - 1.0
349	1.4	1.0	0.9 - 1.2

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
51	3.4	2.4	1.7 - 3.1
120	4.0	3.4	2.8 - 4.0
59	2.9	2.2	1.6 - 2.7
101	3.8	3.1	2.4 - 3.7
42	4.0	2.7	1.8 - 3.5
51	2.9	2.2	1.6 - 2.8
48	2.5	2.1	1.5 - 2.7
15	1.5	1.1	0.5 - 1.7
42	3.4	2.7	1.9 - 3.6
50	2.7	2.8	2.0 - 3.6
39	2.6	2.6	1.7 - 3.4
50	3.2	3.5	2.5 - 4.5
53	3.4	3.8	2.8 - 4.9
49	3.1	2.9	2.1 - 3.8
63	3.8	2.6	1.9 - 3.3
32	4.6	2.5	1.6 - 3.5
47	2.5	2.0	1.4 - 2.6
40	3.9	2.9	1.9 - 3.8
82	3.5	3.2	2.5 - 3.9
86	4.4	3.2	2.5 - 3.9
53	4.4	3.6	2.6 - 4.6
44	3.8	2.8	1.9 - 3.6
69	4.2	3.2	2.4 - 3.9
38	2.0	1.5	1.0 - 2.0
140	4.7	3.4	2.9 - 4.0
109	4.1	2.9	2.4 - 3.5
78	5.6	4.0	3.1 - 4.9
113	2.9	2.2	1.8 - 2.6
1,765	3.5	2.8	2.6 - 2.9

North of Scotland	21	3.3	2.5	1.4 - 3.6
South East Scotland	53	7.8	6.5	4.7 - 8.2
West of Scotland	61	5.3	4.4	3.3 - 5.6
Scotland ¹	135	5.5	4.5	3.7 - 5.2

3	0.5	0.4	-0.1 - 0.8
5	0.7	0.6	0.1 - 1.2
21	1.7	1.3	0.7 - 1.9
29	1.1	0.9	0.6 - 1.2

24	1.9	1.3	0.8 - 1.9
58	4.1	3.2	2.4 - 4.1
82	3.4	2.6	2.1 - 3.2
164	3.2	2.5	2.1 - 2.8

Wales	70	4.8	3.7	2.8 - 4.6
-------	----	-----	-----	-----------

17	1.1	0.9	0.4 - 1.3
----	-----	-----	-----------

87	2.9	2.2	1.7 - 2.6
----	-----	-----	-----------

Northern Ireland	30	3.5	3.3	2.1 - 4.5
------------------	----	-----	-----	-----------

9	1.0	0.8	0.3 - 1.4
---	-----	-----	-----------

39	2.2	2.0	1.3 - 2.6
----	-----	-----	-----------

United Kingdom	1,651	5.6	4.6	4.4 - 4.9
----------------	-------	-----	-----	-----------

404	1.3	1.0	0.9 - 1.1
-----	-----	-----	-----------

2,055	3.4	2.7	2.6 - 2.8
-------	-----	-----	-----------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C50: Breast

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion
N01 Lancashire and South Cumbria	1	0.1	0.1	-0.1 - 0.3	1,019	131.9	105.7	98.9 - 112.5	1,020	67.3	54.9	51.5 - 58.4	1,020	67.3
N02 Greater Manchester and Cheshire	20	1.3	1.2	0.7 - 1.8	2,022	131.3	113.7	108.6 - 118.9	2,042	67.2	59.7	57.0 - 62.3	2,042	67.2
N03 Merseyside & Cheshire	5	0.5	0.4	0.0 - 0.7	1,354	130.2	106.2	100.3 - 112.1	1,359	67.5	56.5	53.4 - 59.5	1,359	67.5
N06 Yorkshire Cancer Network	11	0.8	0.7	0.3 - 1.2	1,619	119.3	104.1	98.8 - 109.3	1,630	61.3	54.7	51.9 - 57.4	1,630	61.3
N07 Humber & Yorkshire Coast	1	0.2	0.2	-0.2 - 0.5	694	129.3	102.0	94.0 - 109.9	695	65.7	52.8	48.7 - 56.9	695	65.7
N08 North Trent	7	0.8	0.7	0.2 - 1.2	1,257	139.2	112.2	105.7 - 118.6	1,264	71.0	58.6	55.3 - 62.0	1,264	71.0
N11 Pan Birmingham	8	0.9	0.9	0.3 - 1.5	1,118	114.8	103.4	97.0 - 109.7	1,126	59.0	54.5	51.2 - 57.8	1,126	59.0
N12 Arden	7	1.4	1.3	0.3 - 2.3	610	121.7	100.5	92.2 - 108.7	617	62.0	52.4	48.2 - 56.7	617	62.0
N20 Mount Vernon	7	1.1	0.9	0.2 - 1.6	792	125.0	108.1	100.3 - 115.9	799	64.2	56.6	52.5 - 60.6	799	64.2
N21 West London	8	0.9	0.9	0.3 - 1.5	900	97.4	99.5	92.8 - 106.1	908	49.3	52.2	48.7 - 55.7	908	49.3
N22 North London	3	0.4	0.4	-0.1 - 0.9	696	89.6	89.2	82.4 - 96.0	699	45.8	47.2	43.6 - 50.8	699	45.8
N23 North East London	7	0.9	1.1	0.3 - 1.9	675	86.7	92.8	85.6 - 100.0	682	44.2	48.9	45.2 - 52.7	682	44.2
N24 South East London	7	0.9	1.1	0.3 - 1.9	829	106.5	107.6	100.0 - 115.2	836	54.3	57.0	53.1 - 61.0	836	54.3
N25 South West London	7	0.9	1.0	0.2 - 1.7	880	109.7	106.6	99.3 - 113.9	887	56.5	56.5	52.6 - 60.3	887	56.5
N26 Peninsula	11	1.4	1.0	0.4 - 1.6	1,306	154.3	112.5	106.0 - 119.0	1,317	79.9	59.5	56.1 - 62.8	1,317	79.9
N27 Dorset	2	0.6	0.3	-0.1 - 0.7	621	171.6	125.2	114.6 - 135.8	623	88.9	65.7	60.1 - 71.2	623	88.9
N28 Avon, Somerset & Wiltshire	10	1.1	0.8	0.3 - 1.3	1,393	144.7	117.9	111.5 - 124.4	1,403	74.1	61.7	58.3 - 65.0	1,403	74.1
N29 3 Counties	5	1.0	0.7	0.1 - 1.3	763	143.9	112.7	104.3 - 121.0	768	73.8	58.4	54.2 - 62.7	768	73.8
N30 Thames Valley	5	0.4	0.4	0.0 - 0.7	1,598	135.2	121.1	115.0 - 127.2	1,603	68.3	62.6	59.5 - 65.7	1,603	68.3
N31 Central South Coast	5	0.5	0.4	0.0 - 0.8	1,460	145.8	115.7	109.5 - 121.9	1,465	74.8	60.5	57.3 - 63.8	1,465	74.8
N32 Surrey, West Sussex & Hampshire	5	0.8	0.8	0.1 - 1.5	769	125.1	106.1	98.3 - 113.9	774	64.3	55.5	51.5 - 59.5	774	64.3
N33 Sussex	7	1.3	0.7	0.2 - 1.3	843	139.8	105.4	97.8 - 113.1	850	73.3	55.9	51.9 - 59.9	850	73.3
N34 Kent & Medway	6	0.8	0.6	0.1 - 1.1	1,151	137.1	110.5	103.9 - 117.2	1,157	70.8	58.1	54.7 - 61.6	1,157	70.8
N35 Greater Midlands	9	1.0	0.7	0.3 - 1.2	1,349	140.9	110.3	104.2 - 116.5	1,358	72.0	57.6	54.5 - 60.8	1,358	72.0
N36 North of England	16	1.1	0.9	0.4 - 1.3	2,032	132.4	106.7	101.8 - 111.5	2,048	68.2	56.0	53.5 - 58.5	2,048	68.2
N37 Anglia	16	1.2	0.8	0.4 - 1.3	2,069	151.5	120.5	115.1 - 126.0	2,085	77.5	62.8	60.0 - 65.6	2,085	77.5
N38 Essex	11	1.6	1.4	0.5 - 2.2	1,077	150.7	117.5	110.2 - 124.9	1,088	78.0	62.5	58.6 - 66.3	1,088	78.0
N39 East Midlands	14	0.7	0.6	0.3 - 0.9	2,743	136.9	113.1	108.7 - 117.5	2,757	69.5	58.7	56.5 - 61.0	2,757	69.5
England ¹	221	0.9	0.7	0.6 - 0.8	33,640	130.2	109.6	108.4 - 110.8	33,861	66.7	57.4	56.8 - 58.1	33,861	66.7
North of Scotland	7	1.1	0.8	0.2 - 1.3	925	140.0	107.5	100.3 - 114.6	932	71.9	56.6	52.8 - 60.3	932	71.9
South East Scotland	5	0.7	0.6	0.1 - 1.1	1,063	144.6	119.4	112.0 - 126.9	1,068	75.3	63.5	59.6 - 67.4	1,068	75.3
West of Scotland	8	0.7	0.7	0.2 - 1.1	1,517	121.2	97.4	92.3 - 102.5	1,525	63.5	53.0	50.3 - 55.7	1,525	63.5
Scotland ¹	20	0.8	0.7	0.4 - 1.0	3,505	132.4	106.1	102.4 - 109.7	3,525	68.9	56.8	54.9 - 58.7	3,525	68.9
Wales	14	1.0	0.7	0.3 - 1.1	2,107	138.5	110.0	105.1 - 114.9	2,121	71.5	57.8	55.3 - 60.4	2,121	71.5
Northern Ireland	1	0.1	0.1	-0.1 - 0.2	885	99.6	91.1	84.9 - 97.3	886	50.9	47.9	44.7 - 51.2	886	50.9
United Kingdom	256	0.9	0.7	0.6 - 0.8	40,137	129.9	108.8	107.7 - 109.9	40,393	66.7	57.2	56.6 - 57.7	40,393	66.7

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C50: Breast

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	30	4.0	3.2	2.1 - 4.4	4,403	570.0	452.4	438.4 - 466.3		4,433	292.3	236.8	229.6 - 244.0	
N02 Greater Manchester and Cheshire	55	3.7	3.2	2.3 - 4.0	8,527	553.5	480.4	469.9 - 490.9		8,582	282.4	251.2	245.7 - 256.6	
N03 Merseyside & Cheshire	28	2.9	2.4	1.5 - 3.2	6,155	591.7	482.8	470.3 - 495.2		6,183	307.3	256.9	250.3 - 263.4	
N06 Yorkshire Cancer Network	50	3.8	3.3	2.3 - 4.2	7,346	541.4	473.0	461.8 - 484.2		7,396	278.0	248.5	242.7 - 254.3	
N07 Humber & Yorkshire Coast	16	3.1	2.3	1.2 - 3.5	3,212	598.5	465.7	448.9 - 482.5		3,228	305.4	242.2	233.5 - 250.8	
N08 North Trent	27	3.1	2.6	1.6 - 3.5	5,267	583.4	472.0	458.8 - 485.3		5,294	297.5	246.4	239.6 - 253.2	
N11 Pan Birmingham	32	3.4	3.1	2.0 - 4.2	4,947	507.8	460.8	447.5 - 474.2		4,979	261.0	242.3	235.4 - 249.3	
N12 Arden	19	3.8	3.3	1.8 - 4.8	2,858	570.3	470.6	452.8 - 488.5		2,877	289.1	244.1	235.0 - 253.3	
N20 Mount Vernon	28	4.6	4.1	2.6 - 5.6	3,394	535.8	468.9	452.6 - 485.2		3,422	274.8	245.1	236.7 - 253.5	
N21 West London	36	3.9	4.0	2.7 - 5.4	4,178	452.0	459.2	445.0 - 473.4		4,214	228.7	242.1	234.7 - 249.6	
N22 North London	18	2.4	2.5	1.3 - 3.7	3,409	438.7	443.9	428.7 - 459.2		3,427	224.4	234.8	226.8 - 242.8	
N23 North East London	22	2.9	3.2	1.9 - 4.6	2,966	381.2	403.4	388.4 - 418.4		2,988	193.5	212.9	205.1 - 220.7	
N24 South East London	23	3.0	3.3	1.9 - 4.7	3,762	483.2	490.9	474.8 - 507.1		3,785	245.8	260.5	252.0 - 269.0	
N25 South West London	25	3.3	3.3	2.0 - 4.6	4,070	507.5	488.2	472.7 - 503.6		4,095	261.1	258.6	250.5 - 266.7	
N26 Peninsula	45	5.6	3.6	2.5 - 4.8	5,747	678.8	487.9	474.5 - 501.3		5,792	351.4	257.9	250.9 - 264.9	
N27 Dorset	14	4.1	2.2	1.0 - 3.4	2,659	734.8	514.8	493.6 - 535.9		2,673	381.3	271.5	260.5 - 282.5	
N28 Avon, Somerset & Wiltshire	39	4.2	3.2	2.2 - 4.3	6,087	632.4	509.4	496.0 - 522.7		6,126	323.5	266.7	259.8 - 273.6	
N29 3 Counties	26	5.1	4.0	2.4 - 5.6	3,470	654.3	499.1	481.8 - 516.4		3,496	336.1	260.1	251.2 - 269.0	
N30 Thames Valley	35	3.0	2.7	1.8 - 3.6	7,219	610.6	548.7	535.8 - 561.6		7,254	309.1	284.3	277.7 - 290.9	
N31 Central South Coast	44	4.6	3.3	2.3 - 4.4	6,142	613.5	483.4	470.8 - 496.1		6,186	315.7	253.8	247.3 - 260.4	
N32 Surrey, West Sussex & Hampshire	18	3.1	2.4	1.3 - 3.6	3,516	572.1	490.6	473.9 - 507.3		3,534	293.6	256.0	247.3 - 264.6	
N33 Sussex	27	4.9	3.3	2.0 - 4.7	3,717	616.6	453.8	438.1 - 469.4		3,744	322.8	241.3	233.2 - 249.5	
N34 Kent & Medway	22	2.8	2.2	1.2 - 3.1	4,825	574.5	466.4	452.8 - 480.0		4,847	296.5	245.0	237.9 - 252.1	
N35 Greater Midlands	37	4.0	2.9	2.0 - 3.9	5,888	615.0	478.3	465.6 - 491.0		5,925	314.3	249.8	243.3 - 256.4	
N36 North of England	64	4.4	3.5	2.7 - 4.4	9,124	594.6	473.4	463.3 - 483.4		9,188	305.9	248.9	243.7 - 254.1	
N37 Anglia	50	3.8	2.8	2.0 - 3.6	9,036	661.8	516.4	505.3 - 527.5		9,086	337.6	269.1	263.3 - 274.8	
N38 Essex	36	5.3	4.0	2.6 - 5.3	4,398	615.5	483.4	468.5 - 498.3		4,434	317.8	255.7	248.0 - 263.5	
N39 East Midlands	71	3.6	2.8	2.1 - 3.4	11,458	571.7	472.6	463.7 - 481.6		11,529	290.8	245.4	240.8 - 250.0	
England ¹	937	3.8	3.1	2.9 - 3.3	147,807	572.1	480.1	477.6 - 482.6		148,744	293.0	251.7	250.4 - 253.0	
North of Scotland	22	3.5	2.7	1.5 - 3.8	3,816	577.4	442.6	428.1 - 457.1		3,838	296.1	232.5	225.0 - 240.1	
South East Scotland	28	4.1	3.4	2.2 - 4.7	4,352	592.2	486.2	471.3 - 501.1		4,380	308.8	259.3	251.4 - 267.1	
West of Scotland	31	2.7	2.3	1.5 - 3.1	6,597	527.1	426.7	416.1 - 437.3		6,628	275.9	231.3	225.7 - 237.0	
Scotland ¹	81	3.3	2.7	2.1 - 3.3	14,768	557.8	447.0	439.6 - 454.4		14,849	290.2	239.3	235.3 - 243.2	
Wales	53	3.7	2.6	1.9 - 3.3	9,158	602.1	472.2	462.1 - 482.3		9,211	310.6	248.2	243.0 - 253.4	
Northern Ireland	18	2.1	2.0	1.1 - 3.0	4,241	477.5	435.7	422.2 - 449.1		4,259	244.5	230.6	223.5 - 237.6	
United Kingdom	1,089	3.7	3.0	2.8 - 3.2	175,974	569.6	475.6	473.2 - 477.9		177,063	292.2	249.9	248.7 - 251.1	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C50: Breast

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion
N01 Lancashire and South Cumbria	40	5.4	4.2	2.9 - 5.5	7,363	953.2	749.0	731.2 - 766.8	7,403	488.2	391.9	382.7 - 401.0	14,494	477.0
N02 Greater Manchester and Cheshire	79	5.3	4.6	3.6 - 5.7	14,415	935.7	803.8	790.3 - 817.3	14,494	477.0	420.8	413.8 - 427.8	10,155	504.7
N03 Merseyside & Cheshire	54	5.6	4.4	3.2 - 5.5	10,101	971.0	785.3	769.5 - 801.0	10,155	504.7	418.4	410.1 - 426.7	12,553	471.8
N06 Yorkshire Cancer Network	82	6.3	5.4	4.2 - 6.5	12,471	919.1	793.1	778.8 - 807.5	12,553	471.8	417.5	410.0 - 425.0	5,362	507.2
N07 Humber & Yorkshire Coast	26	5.0	3.6	2.2 - 5.1	5,336	994.3	763.3	742.0 - 784.5	5,362	507.2	397.4	386.4 - 408.3	8,594	483.0
N08 North Trent	43	4.9	4.0	2.8 - 5.2	8,551	947.1	761.2	744.6 - 777.9	8,594	483.0	397.5	388.9 - 406.2	8,594	450.5
N11 Pan Birmingham	53	5.7	5.2	3.8 - 6.6	8,541	876.8	785.7	768.5 - 803.0	8,594	450.5	414.0	405.0 - 423.0	4,919	494.2
N12 Arden	28	5.7	4.6	2.9 - 6.4	4,891	975.9	794.8	771.9 - 817.8	4,919	494.2	412.7	400.9 - 424.5	5,959	478.5
N20 Mount Vernon	49	8.0	6.9	5.0 - 8.9	5,910	933.1	814.6	793.3 - 836.0	5,959	478.5	426.2	415.1 - 437.2	7,307	396.6
N21 West London	60	6.5	6.9	5.1 - 8.7	7,247	784.0	794.6	776.0 - 813.2	7,307	396.6	420.7	410.9 - 430.5	5,935	388.6
N22 North London	32	4.3	4.5	2.9 - 6.0	5,903	759.6	763.5	743.7 - 783.4	5,935	388.6	405.5	395.0 - 416.0	5,207	337.2
N23 North East London	38	5.0	5.5	3.7 - 7.3	5,169	664.3	706.0	686.3 - 725.8	5,207	337.2	373.6	363.2 - 384.0	6,290	408.4
N24 South East London	34	4.5	5.0	3.3 - 6.7	6,256	803.6	812.7	792.0 - 833.4	6,290	408.4	432.7	421.8 - 443.6	7,256	462.6
N25 South West London	40	5.2	5.2	3.6 - 6.9	7,216	899.7	864.6	844.2 - 885.1	7,256	462.6	459.0	448.3 - 469.8	9,658	585.9
N26 Peninsula	63	7.9	5.1	3.8 - 6.4	9,595	1133.3	794.8	778.0 - 811.6	9,658	585.9	420.5	411.7 - 429.3	4,635	661.1
N27 Dorset	30	8.8	4.8	3.0 - 6.7	4,605	1272.6	857.4	830.7 - 884.1	4,635	661.1	454.3	440.3 - 468.3	10,178	537.4
N28 Avon, Somerset & Wiltshire	60	6.4	5.0	3.7 - 6.3	10,118	1051.2	833.2	816.4 - 850.1	10,178	537.4	437.1	428.3 - 445.9	5,842	561.7
N29 3 Counties	44	8.6	6.5	4.5 - 8.4	5,798	1093.3	818.2	796.3 - 840.1	5,842	561.7	427.3	416.0 - 438.6	12,061	514.0
N30 Thames Valley	54	4.6	4.2	3.0 - 5.3	12,007	1015.5	909.0	892.5 - 925.5	12,061	514.0	471.6	463.1 - 480.1	10,594	540.6
N31 Central South Coast	72	7.5	5.6	4.3 - 6.9	10,522	1051.0	813.6	797.4 - 829.9	10,594	540.6	428.0	419.6 - 436.5	6,252	519.4
N32 Surrey, West Sussex & Hampshire	31	5.3	4.3	2.7 - 5.8	6,221	1012.3	855.4	833.6 - 877.2	6,252	519.4	447.7	436.4 - 459.1	6,469	557.7
N33 Sussex	45	8.1	5.7	4.0 - 7.4	6,424	1065.6	764.2	744.2 - 784.2	6,469	557.7	407.9	397.4 - 418.4	8,232	503.6
N34 Kent & Medway	42	5.3	3.9	2.7 - 5.1	8,190	975.2	781.3	763.8 - 798.7	8,232	503.6	411.1	402.0 - 420.2	9,850	522.4
N35 Greater Midlands	65	7.0	5.2	3.9 - 6.4	9,785	1022.1	785.4	769.3 - 801.5	9,850	522.4	410.9	402.6 - 419.3	15,131	503.7
N36 North of England	96	6.5	5.2	4.1 - 6.2	15,035	979.8	774.1	761.4 - 786.9	15,131	503.7	407.0	400.4 - 413.6	14,958	555.8
N37 Anglia	83	6.3	4.5	3.5 - 5.5	14,875	1089.5	836.6	822.6 - 850.5	14,958	555.8	436.7	429.4 - 443.9	7,419	531.8
N38 Essex	48	7.1	5.3	3.8 - 6.9	7,371	1031.5	801.4	782.4 - 820.4	7,419	531.8	424.2	414.3 - 434.2	18,881	476.3
N39 East Midlands	106	5.4	4.2	3.3 - 5.0	18,775	936.8	766.0	754.8 - 777.3	18,881	476.3	398.0	392.2 - 403.8	250,297	493.1
England ¹	1,498	6.0	4.9	4.7 - 5.2	248,799	963.0	798.8	795.6 - 802.1	250,297	493.1	419.5	417.8 - 421.2		
North of Scotland	26	4.1	3.2	1.9 - 4.4	6,407	969.4	733.7	715.2 - 752.2	6,433	496.3	385.3	375.7 - 394.9		
South East Scotland	34	5.0	4.1	2.7 - 5.5	7,142	971.8	786.7	767.9 - 805.4	7,176	505.9	419.8	409.9 - 429.7		
West of Scotland	42	3.7	3.1	2.2 - 4.1	11,382	909.4	731.5	717.7 - 745.3	11,424	475.6	396.9	389.5 - 404.3		
Scotland ¹	102	4.1	3.4	2.7 - 4.1	24,940	942.0	747.2	737.7 - 756.7	25,042	489.4	400.1	395.1 - 405.1		
Wales	92	6.4	4.6	3.6 - 5.6	15,173	997.5	770.3	757.5 - 783.0	15,265	514.7	405.5	398.9 - 412.1		
Northern Ireland	40	4.7	4.4	3.1 - 5.8	7,125	802.2	727.0	709.8 - 744.3	7,165	411.4	386.2	377.1 - 395.3		
United Kingdom	1,732	5.8	4.7	4.5 - 5.0	296,037	958.3	790.8	787.9 - 793.8	297,769	491.5	416.2	414.7 - 417.7		

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C53: Cervix uteri

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					72	9.3	8.8	6.7 - 10.9						
N02 Greater Manchester and Cheshire					136	8.8	8.4	7.0 - 9.9						
N03 Merseyside & Cheshire					96	9.2	9.1	7.2 - 11.0						
N06 Yorkshire Cancer Network					127	9.4	8.8	7.2 - 10.3						
N07 Humber & Yorkshire Coast					69	12.9	12.4	9.4 - 15.5						
N08 North Trent					80	8.9	8.4	6.5 - 10.3						
N11 Pan Birmingham					81	8.3	7.9	6.1 - 9.7						
N12 Arden					31	6.2	5.8	3.7 - 7.8						
N20 Mount Vernon					41	6.5	6.1	4.2 - 8.0						
N21 West London					54	5.8	5.5	4.0 - 7.0						
N22 North London					39	5.0	4.7	3.2 - 6.2						
N23 North East London					28	3.6	3.6	2.2 - 5.0						
N24 South East London					60	7.7	7.7	5.7 - 9.7						
N25 South West London					50	6.2	5.5	3.9 - 7.0						
N26 Peninsula					67	7.9	7.8	5.8 - 9.7						
N27 Dorset					40	11.1	10.1	6.7 - 13.4						
N28 Avon, Somerset & Wiltshire					89	9.2	8.9	7.0 - 10.8						
N29 3 Counties					27	5.1	4.8	2.9 - 6.6						
N30 Thames Valley					85	7.2	6.7	5.2 - 8.1						
N31 Central South Coast					61	6.1	6.1	4.5 - 7.7						
N32 Surrey, West Sussex & Hampshire					31	5.0	4.8	3.0 - 6.5						
N33 Sussex					24	4.0	3.5	2.0 - 5.0						
N34 Kent & Medway					63	7.5	7.4	5.5 - 9.2						
N35 Greater Midlands					92	9.6	9.6	7.6 - 11.6						
N36 North of England					156	10.2	9.8	8.2 - 11.4						
N37 Anglia					87	6.4	5.9	4.6 - 7.2						
N38 Essex					43	6.0	5.4	3.8 - 7.1						
N39 East Midlands					203	10.1	9.8	8.4 - 11.2						
England ¹					2,032	7.9	7.4	7.0 - 7.7						
North of Scotland					62	9.4	9.0	6.7 - 11.3						
South East Scotland					71	9.7	8.6	6.5 - 10.6						
West of Scotland					125	10.0	9.1	7.5 - 10.7						
Scotland ¹					258	9.7	8.9	7.8 - 10.0						
Wales					137	9.0	8.6	7.1 - 10.1						
Northern Ireland					90	10.1	10.2	8.1 - 12.3						
United Kingdom					2,517	8.1	7.6	7.3 - 8.0						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C53: Cervix uteri

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					243	31.5	30.1	26.2 - 33.9						
N02 Greater Manchester and Cheshire					551	35.8	34.1	31.2 - 37.0						
N03 Merseyside & Cheshire					347	33.4	32.1	28.6 - 35.5						
N06 Yorkshire Cancer Network					536	39.5	37.8	34.5 - 41.0						
N07 Humber & Yorkshire Coast					316	58.9	57.6	51.1 - 64.1						
N08 North Trent					295	32.7	31.1	27.5 - 34.7						
N11 Pan Birmingham					322	33.1	32.6	28.9 - 36.2						
N12 Arden					177	35.3	34.2	29.1 - 39.3						
N20 Mount Vernon					134	21.2	19.8	16.4 - 23.2						
N21 West London					224	24.2	23.5	20.4 - 26.7						
N22 North London					183	23.6	22.3	19.0 - 25.6						
N23 North East London					180	23.1	23.3	19.8 - 26.9						
N24 South East London					241	31.0	30.9	26.9 - 34.9						
N25 South West London					219	27.3	24.6	21.3 - 28.0						
N26 Peninsula					299	35.3	34.6	30.5 - 38.6						
N27 Dorset					98	27.1	26.0	20.5 - 31.4						
N28 Avon, Somerset & Wiltshire					395	41.0	39.2	35.2 - 43.1						
N29 3 Counties					125	23.6	22.1	18.1 - 26.1						
N30 Thames Valley					371	31.4	29.0	26.0 - 32.0						
N31 Central South Coast					288	28.8	28.3	25.0 - 31.7						
N32 Surrey, West Sussex & Hampshire					113	18.4	16.6	13.5 - 19.8						
N33 Sussex					139	23.1	20.9	17.3 - 24.6						
N34 Kent & Medway					242	28.8	27.9	24.3 - 31.5						
N35 Greater Midlands					349	36.5	35.5	31.7 - 39.3						
N36 North of England					564	36.8	35.4	32.4 - 38.4						
N37 Anglia					333	24.4	22.9	20.4 - 25.4						
N38 Essex					159	22.3	20.3	17.1 - 23.6						
N39 East Midlands					780	38.9	37.7	35.0 - 40.4						
England ¹					8,223	31.8	30.0	29.4 - 30.7						
North of Scotland					257	38.9	36.9	32.3 - 41.6						
South East Scotland					270	36.7	34.1	29.9 - 38.2						
West of Scotland					509	40.7	38.3	34.9 - 41.7						
Scotland ¹					1,036	39.1	36.8	34.5 - 39.1						
Wales					544	35.8	34.1	31.1 - 37.0						
Northern Ireland					322	36.3	36.1	32.1 - 40.1						
United Kingdom					10,125	32.8	31.0	30.4 - 31.6						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C53: Cervix uteri

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					508	65.8	61.9	56.3 - 67.4						
N02 Greater Manchester and Cheshire					1,031	66.9	63.9	59.9 - 67.9						
N03 Merseyside & Cheshire					665	63.9	59.8	55.2 - 64.5						
N06 Yorkshire Cancer Network					1,026	75.6	73.1	68.6 - 77.7						
N07 Humber & Yorkshire Coast					546	101.7	97.0	88.7 - 105.4						
N08 North Trent					565	62.6	59.0	54.1 - 64.0						
N11 Pan Birmingham					662	68.0	68.1	62.8 - 73.3						
N12 Arden					354	70.6	67.7	60.6 - 74.9						
N20 Mount Vernon					276	43.6	41.2	36.3 - 46.2						
N21 West London					426	46.1	45.5	41.1 - 49.9						
N22 North London					353	45.4	44.0	39.3 - 48.7						
N23 North East London					362	46.5	48.0	42.9 - 53.1						
N24 South East London					414	53.2	52.1	46.9 - 57.3						
N25 South West London					383	47.8	45.0	40.4 - 49.6						
N26 Peninsula					527	62.3	58.7	53.5 - 63.9						
N27 Dorset					201	55.5	51.0	43.6 - 58.4						
N28 Avon, Somerset & Wiltshire					787	81.8	78.0	72.5 - 83.6						
N29 3 Counties					272	51.3	47.0	41.3 - 52.8						
N30 Thames Valley					649	54.9	51.0	47.1 - 55.0						
N31 Central South Coast					535	53.4	51.2	46.8 - 55.6						
N32 Surrey, West Sussex & Hampshire					234	38.1	35.2	30.6 - 39.9						
N33 Sussex					261	43.3	39.3	34.3 - 44.2						
N34 Kent & Medway					429	51.1	48.5	43.8 - 53.2						
N35 Greater Midlands					654	68.3	64.5	59.4 - 69.5						
N36 North of England					1,117	72.8	68.4	64.3 - 72.5						
N37 Anglia					621	45.5	42.6	39.2 - 46.1						
N38 Essex					267	37.4	34.3	30.1 - 38.6						
N39 East Midlands					1,365	68.1	65.3	61.8 - 68.8						
England ¹					15,497	60.0	56.5	55.6 - 57.4						
North of Scotland					472	71.4	66.4	60.3 - 72.5						
South East Scotland					512	69.7	64.3	58.7 - 70.0						
West of Scotland					1,001	80.0	73.9	69.3 - 78.6						
Scotland ¹					1,985	75.0	69.3	66.2 - 72.4						
Wales					987	64.9	61.5	57.6 - 65.4						
Northern Ireland					577	65.0	64.1	58.9 - 69.4						
United Kingdom					19,046	61.7	58.1	57.2 - 58.9						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C54-C55: Uterus

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					154	19.9	15.5	13.0 - 18.1						
N02 Greater Manchester and Cheshire					300	19.5	16.5	14.5 - 18.4						
N03 Merseyside & Cheshire					142	13.7	10.2	8.4 - 11.9						
N06 Yorkshire Cancer Network					229	16.9	14.6	12.7 - 16.6						
N07 Humber & Yorkshire Coast					125	23.3	17.7	14.5 - 20.9						
N08 North Trent					185	20.5	15.9	13.5 - 18.3						
N11 Pan Birmingham					191	19.6	18.3	15.6 - 21.0						
N12 Arden					99	19.8	15.9	12.6 - 19.2						
N20 Mount Vernon					129	20.4	16.7	13.7 - 19.7						
N21 West London					126	13.6	14.0	11.5 - 16.5						
N22 North London					112	14.4	14.4	11.6 - 17.1						
N23 North East London					116	14.9	16.6	13.5 - 19.7						
N24 South East London					128	16.4	16.9	13.9 - 19.9						
N25 South West London					130	16.2	15.5	12.7 - 18.2						
N26 Peninsula					228	26.9	19.1	16.5 - 21.7						
N27 Dorset					99	27.4	18.6	14.6 - 22.5						
N28 Avon, Somerset & Wiltshire					193	20.1	15.4	13.2 - 17.7						
N29 3 Counties					125	23.6	16.6	13.6 - 19.7						
N30 Thames Valley					218	18.4	16.6	14.4 - 18.9						
N31 Central South Coast					187	18.7	14.3	12.2 - 16.4						
N32 Surrey, West Sussex & Hampshire					100	16.3	13.4	10.6 - 16.1						
N33 Sussex					117	19.4	13.7	11.0 - 16.3						
N34 Kent & Medway					158	18.8	14.2	11.9 - 16.6						
N35 Greater Midlands					201	21.0	15.8	13.6 - 18.1						
N36 North of England					282	18.4	14.1	12.4 - 15.8						
N37 Anglia					353	25.9	19.1	17.0 - 21.2						
N38 Essex					170	23.8	17.5	14.7 - 20.3						
N39 East Midlands					399	19.9	16.4	14.7 - 18.1						
England ¹					4,996	19.3	15.8	15.4 - 16.3						
North of Scotland					118	17.9	13.4	10.9 - 15.9						
South East Scotland					111	15.1	12.4	10.0 - 14.8						
West of Scotland					202	16.1	12.7	10.9 - 14.5						
Scotland ¹					431	16.3	12.8	11.5 - 14.0						
Wales					340	22.4	17.2	15.3 - 19.1						
Northern Ireland					153	17.2	15.6	13.0 - 18.1						
United Kingdom					5,920	19.2	15.6	15.2 - 16.0						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C54-C55: Uterus

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					610	79.0	59.8	54.8 - 64.7						
N02 Greater Manchester and Cheshire					1,033	67.1	56.6	53.1 - 60.2						
N03 Merseyside & Cheshire					719	69.1	53.6	49.6 - 57.7						
N06 Yorkshire Cancer Network					994	73.3	61.7	57.8 - 65.7						
N07 Humber & Yorkshire Coast					460	85.7	62.5	56.5 - 68.4						
N08 North Trent					699	77.4	59.7	55.1 - 64.3						
N11 Pan Birmingham					758	77.8	68.3	63.2 - 73.3						
N12 Arden					395	78.8	62.1	55.8 - 68.4						
N20 Mount Vernon					412	65.1	54.9	49.4 - 60.4						
N21 West London					458	49.6	49.1	44.5 - 53.7						
N22 North London					453	58.3	57.1	51.7 - 62.5						
N23 North East London					443	56.9	62.3	56.3 - 68.3						
N24 South East London					465	59.7	62.1	56.2 - 67.9						
N25 South West London					505	63.0	60.9	55.4 - 66.4						
N26 Peninsula					878	103.7	70.2	65.3 - 75.0						
N27 Dorset					345	95.3	61.8	54.8 - 68.8						
N28 Avon, Somerset & Wiltshire					792	82.3	62.5	58.0 - 67.1						
N29 3 Counties					484	91.3	64.3	58.3 - 70.3						
N30 Thames Valley					839	71.0	62.7	58.3 - 67.0						
N31 Central South Coast					734	73.3	55.3	51.1 - 59.5						
N32 Surrey, West Sussex & Hampshire					395	64.3	52.1	46.7 - 57.4						
N33 Sussex					459	76.1	53.3	48.1 - 58.5						
N34 Kent & Medway					639	76.1	58.0	53.3 - 62.7						
N35 Greater Midlands					829	86.6	64.4	59.9 - 69.0						
N36 North of England					1,145	74.6	56.4	53.0 - 59.8						
N37 Anglia					1,402	102.7	75.7	71.5 - 79.8						
N38 Essex					598	83.7	60.3	55.3 - 65.4						
N39 East Midlands					1,623	81.0	64.3	61.1 - 67.6						
England ¹					19,569	75.7	60.9	60.1 - 61.8						
North of Scotland					500	75.7	56.1	51.0 - 61.2						
South East Scotland					504	68.6	55.2	50.2 - 60.2						
West of Scotland					858	68.6	54.5	50.8 - 58.3						
Scotland ¹					1,863	70.4	55.1	52.5 - 57.7						
Wales					1,303	85.7	63.4	59.8 - 66.9						
Northern Ireland					629	70.8	64.8	59.6 - 70.0						
United Kingdom					23,364	75.6	60.7	59.8 - 61.5						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C54-C55: Uterus

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					1,013	131.1	97.0	90.8 - 103.3						
N02 Greater Manchester and Cheshire					1,735	112.6	92.7	88.2 - 97.2						
N03 Merseyside & Cheshire					1,221	117.4	88.9	83.7 - 94.0						
N06 Yorkshire Cancer Network					1,651	121.7	99.1	94.1 - 104.1						
N07 Humber & Yorkshire Coast					741	138.1	98.2	90.8 - 105.5						
N08 North Trent					1,132	125.4	93.9	88.2 - 99.6						
N11 Pan Birmingham					1,270	130.4	111.6	105.2 - 118.0						
N12 Arden					663	132.3	102.1	94.0 - 110.1						
N20 Mount Vernon					670	105.8	87.4	80.5 - 94.3						
N21 West London					766	82.9	80.6	74.7 - 86.4						
N22 North London					737	94.8	92.1	85.2 - 99.0						
N23 North East London					732	94.1	100.2	92.7 - 107.7						
N24 South East London					795	102.1	103.1	95.7 - 110.6						
N25 South West London					792	98.8	93.8	87.0 - 100.6						
N26 Peninsula					1,409	166.4	108.4	102.5 - 114.4						
N27 Dorset					590	163.0	100.6	91.8 - 109.4						
N28 Avon, Somerset & Wiltshire					1,357	141.0	103.7	97.9 - 109.5						
N29 3 Counties					789	148.8	102.0	94.5 - 109.5						
N30 Thames Valley					1,387	117.3	101.7	96.2 - 107.2						
N31 Central South Coast					1,241	124.0	89.8	84.5 - 95.0						
N32 Surrey, West Sussex & Hampshire					643	104.6	82.9	76.2 - 89.5						
N33 Sussex					773	128.2	84.4	78.0 - 90.8						
N34 Kent & Medway					1,005	119.7	88.5	82.8 - 94.2						
N35 Greater Midlands					1,393	145.5	105.7	99.9 - 111.4						
N36 North of England					1,855	120.9	89.3	85.1 - 93.6						
N37 Anglia					2,215	162.2	116.3	111.3 - 121.4						
N38 Essex					959	134.2	94.4	88.1 - 100.7						
N39 East Midlands					2,688	134.1	104.3	100.2 - 108.4						
England ¹					32,229	124.7	97.7	96.6 - 98.8						
North of Scotland					880	133.2	96.0	89.4 - 102.6						
South East Scotland					897	122.1	94.4	88.0 - 100.7						
West of Scotland					1,443	115.3	89.0	84.3 - 93.8						
Scotland ¹					3,221	121.7	92.3	89.0 - 95.6						
Wales					2,222	146.1	104.3	99.8 - 108.9						
Northern Ireland					995	112.0	99.7	93.3 - 106.1						
United Kingdom					38,667	125.2	97.6	96.6 - 98.7						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C56: Ovary

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					126	16.3	13.4	10.9 - 15.8						
N02 Greater Manchester and Cheshire					264	17.1	15.3	13.4 - 17.2						
N03 Merseyside & Cheshire					135	13.0	11.1	9.2 - 13.0						
N06 Yorkshire Cancer Network					151	11.1	9.7	8.1 - 11.3						
N07 Humber & Yorkshire Coast					67	12.5	10.5	7.9 - 13.1						
N08 North Trent					146	16.2	13.3	11.0 - 15.5						
N11 Pan Birmingham					121	12.4	11.2	9.1 - 13.3						
N12 Arden					73	14.6	12.7	9.7 - 15.7						
N20 Mount Vernon					97	15.3	13.3	10.6 - 16.1						
N21 West London					89	9.6	9.6	7.6 - 11.7						
N22 North London					79	10.2	10.3	7.9 - 12.6						
N23 North East London					74	9.5	10.1	7.7 - 12.5						
N24 South East London					81	10.4	10.5	8.1 - 12.8						
N25 South West London					106	13.2	11.9	9.5 - 14.3						
N26 Peninsula					183	21.6	16.2	13.7 - 18.7						
N27 Dorset					80	22.1	15.7	11.9 - 19.5						
N28 Avon, Somerset & Wiltshire					158	16.4	13.3	11.1 - 15.5						
N29 3 Counties					74	14.0	10.4	7.9 - 12.9						
N30 Thames Valley					196	16.6	14.6	12.5 - 16.8						
N31 Central South Coast					122	12.2	9.9	8.1 - 11.7						
N32 Surrey, West Sussex & Hampshire					75	12.2	10.6	8.1 - 13.0						
N33 Sussex					69	11.4	8.9	6.7 - 11.2						
N34 Kent & Medway					102	12.1	9.9	7.9 - 11.9						
N35 Greater Midlands					184	19.2	16.1	13.7 - 18.5						
N36 North of England					217	14.1	11.6	10.0 - 13.2						
N37 Anglia					241	17.7	14.3	12.4 - 16.2						
N38 Essex					144	20.2	16.8	13.9 - 19.6						
N39 East Midlands					301	15.0	13.2	11.7 - 14.8						
England ¹					3,755	14.5	12.4	12.0 - 12.8						
North of Scotland					132	20.0	14.9	12.2 - 17.6						
South East Scotland					107	14.6	12.5	10.1 - 14.9						
West of Scotland					149	11.9	9.5	7.9 - 11.1						
Scotland ¹					388	14.7	11.7	10.5 - 12.9						
Wales					237	15.6	12.6	10.9 - 14.2						
Northern Ireland					136	15.3	14.4	11.9 - 16.9						
United Kingdom					4,516	14.6	12.4	12.1 - 12.8						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C56: Ovary

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					439	56.8	48.2	43.6 - 52.9						
N02 Greater Manchester and Cheshire					782	50.8	46.0	42.7 - 49.3						
N03 Merseyside & Cheshire					440	42.3	36.4	32.9 - 39.9						
N06 Yorkshire Cancer Network					596	43.9	39.1	35.8 - 42.3						
N07 Humber & Yorkshire Coast					265	49.4	40.8	35.7 - 45.9						
N08 North Trent					503	55.7	46.6	42.4 - 50.8						
N11 Pan Birmingham					466	47.8	43.9	39.7 - 48.0						
N12 Arden					270	53.9	47.3	41.5 - 53.0						
N20 Mount Vernon					259	40.9	36.9	32.3 - 41.5						
N21 West London					303	32.8	33.1	29.3 - 36.9						
N22 North London					292	37.6	37.9	33.4 - 42.3						
N23 North East London					237	30.5	32.3	28.1 - 36.5						
N24 South East London					312	40.1	40.7	36.1 - 45.4						
N25 South West London					334	41.7	39.5	35.1 - 43.9						
N26 Peninsula					634	74.9	57.5	52.8 - 62.2						
N27 Dorset					256	70.7	50.8	43.9 - 57.6						
N28 Avon, Somerset & Wiltshire					584	60.7	50.3	46.0 - 54.5						
N29 3 Counties					287	54.1	41.9	36.8 - 47.0						
N30 Thames Valley					628	53.1	48.2	44.4 - 52.1						
N31 Central South Coast					513	51.2	42.0	38.2 - 45.8						
N32 Surrey, West Sussex & Hampshire					263	42.8	36.1	31.5 - 40.6						
N33 Sussex					251	41.6	33.4	29.0 - 37.8						
N34 Kent & Medway					347	41.3	34.0	30.3 - 37.7						
N35 Greater Midlands					561	58.6	49.1	44.9 - 53.3						
N36 North of England					909	59.2	49.5	46.2 - 52.9						
N37 Anglia					747	54.7	43.8	40.5 - 47.1						
N38 Essex					409	57.2	46.9	42.2 - 51.6						
N39 East Midlands					1,114	55.6	48.5	45.6 - 51.5						
England ¹					13,005	50.3	43.6	42.8 - 44.3						
North of Scotland					442	66.9	52.3	47.2 - 57.4						
South East Scotland					394	53.6	45.3	40.7 - 49.9						
West of Scotland					597	47.7	40.7	37.4 - 44.1						
Scotland ¹					1,434	54.2	45.0	42.6 - 47.4						
Wales					882	58.0	47.6	44.3 - 50.8						
Northern Ireland					473	53.3	50.3	45.6 - 54.9						
United Kingdom					15,794	51.1	44.1	43.4 - 44.8						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C56: Ovary

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria					690	89.3	74.4	68.6 - 80.1						
N02 Greater Manchester and Cheshire					1,340	87.0	77.8	73.5 - 82.1						
N03 Merseyside & Cheshire					679	65.3	55.2	51.0 - 59.5						
N06 Yorkshire Cancer Network					993	73.2	64.8	60.7 - 69.0						
N07 Humber & Yorkshire Coast					459	85.5	70.1	63.4 - 76.7						
N08 North Trent					790	87.5	73.1	67.8 - 78.4						
N11 Pan Birmingham					824	84.6	77.7	72.2 - 83.2						
N12 Arden					446	89.0	77.2	69.9 - 84.6						
N20 Mount Vernon					399	63.0	56.0	50.4 - 61.7						
N21 West London					519	56.2	55.9	51.0 - 60.9						
N22 North London					477	61.4	61.3	55.7 - 67.0						
N23 North East London					419	53.9	57.2	51.6 - 62.9						
N24 South East London					493	63.3	64.2	58.4 - 70.1						
N25 South West London					512	63.8	60.3	54.9 - 65.7						
N26 Peninsula					896	105.8	80.5	74.9 - 86.1						
N27 Dorset					386	106.7	76.4	68.1 - 84.8						
N28 Avon, Somerset & Wiltshire					860	89.4	74.0	68.8 - 79.2						
N29 3 Counties					446	84.1	65.3	59.0 - 71.7						
N30 Thames Valley					998	84.4	76.7	71.8 - 81.5						
N31 Central South Coast					867	86.6	70.7	65.8 - 75.7						
N32 Surrey, West Sussex & Hampshire					399	64.9	54.7	49.1 - 60.3						
N33 Sussex					410	68.0	52.7	47.3 - 58.1						
N34 Kent & Medway					571	68.0	56.6	51.8 - 61.4						
N35 Greater Midlands					857	89.5	74.1	69.0 - 79.3						
N36 North of England					1,386	90.3	74.5	70.5 - 78.6						
N37 Anglia					1,197	87.7	69.7	65.6 - 73.8						
N38 Essex					607	84.9	69.6	63.8 - 75.4						
N39 East Midlands					1,700	84.8	73.0	69.4 - 76.6						
England ¹					20,631	79.9	68.6	67.7 - 69.6						
North of Scotland					683	103.3	81.4	75.1 - 87.8						
South East Scotland					628	85.5	73.1	67.2 - 79.0						
West of Scotland					972	77.7	64.8	60.6 - 69.1						
Scotland ¹					2,285	86.3	71.5	68.5 - 74.5						
Wales					1,376	90.5	73.1	69.1 - 77.2						
Northern Ireland					774	87.1	81.4	75.5 - 87.3						
United Kingdom				-	25,066	81.1	69.5	68.6 - 70.3						

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C61: Prostate

Males

Females

Persons

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	930	125.0	95.3	89.1 - 101.5								
N02 Greater Manchester and Cheshire	1,642	109.6	95.1	90.5 - 99.8								
N03 Merseyside & Cheshire	1,017	104.7	81.7	76.6 - 86.8								
N06 Yorkshire Cancer Network	1,426	109.4	95.4	90.4 - 100.4								
N07 Humber & Yorkshire Coast	630	121.1	88.5	81.5 - 95.5								
N08 North Trent	794	90.6	69.8	64.9 - 74.7								
N11 Pan Birmingham	1,030	110.3	96.9	90.9 - 102.9								
N12 Arden	521	105.4	87.9	80.3 - 95.5								
N20 Mount Vernon	533	87.1	75.8	69.3 - 82.4								
N21 West London	598	65.1	71.9	66.1 - 77.8								
N22 North London	675	90.0	97.0	89.6 - 104.4								
N23 North East London	549	71.7	84.3	77.1 - 91.4								
N24 South East London	622	81.7	94.0	86.5 - 101.4								
N25 South West London	665	86.7	91.1	84.1 - 98.1								
N26 Peninsula	1,008	125.7	79.5	74.5 - 84.5								
N27 Dorset	636	187.5	114.8	105.5 - 124.0								
N28 Avon, Somerset & Wiltshire	1,115	119.7	93.5	87.9 - 99.1								
N29 3 Counties	646	126.7	88.4	81.4 - 95.3								
N30 Thames Valley	1,226	105.3	97.5	92.0 - 102.9								
N31 Central South Coast	1,108	115.6	86.7	81.5 - 91.8								
N32 Surrey, West Sussex & Hampshire	558	94.7	80.5	73.7 - 87.3								
N33 Sussex	634	113.8	79.2	72.9 - 85.6								
N34 Kent & Medway	860	108.2	85.1	79.4 - 90.9								
N35 Greater Midlands	1,063	114.5	84.6	79.4 - 89.7								
N36 North of England	1,423	96.9	73.8	69.9 - 77.7								
N37 Anglia	1,772	133.6	96.2	91.6 - 100.7								
N38 Essex	778	114.3	85.6	79.5 - 91.7								
N39 East Midlands	2,175	111.0	87.4	83.6 - 91.1								
England ¹	26,634	106.9	87.4	86.4 - 88.5								
North of Scotland	605	95.2	71.2	65.4 - 76.9								
South East Scotland	716	104.8	86.3	79.9 - 92.6								
West of Scotland	956	83.1	69.4	65.0 - 73.8								
Scotland ¹	2,277	92.2	74.4	71.4 - 77.5								
Wales	1,791	124.0	90.1	85.9 - 94.4								
Northern Ireland	750	87.9	84.4	78.3 - 90.4								
United Kingdom	31,452	105.9	86.4	85.4 - 87.3								

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C61: Prostate

Males

Females

Persons

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	3,729	501.2	373.9	361.9 - 386.0								
N02 Greater Manchester and Cheshire	6,392	426.6	364.1	355.2 - 373.0								
N03 Merseyside & Cheshire	4,133	425.4	328.1	318.1 - 338.2								
N06 Yorkshire Cancer Network	5,689	436.4	372.2	362.5 - 381.9								
N07 Humber & Yorkshire Coast	2,440	468.9	332.1	318.8 - 345.3								
N08 North Trent	3,012	343.7	264.5	255.0 - 274.0								
N11 Pan Birmingham	4,519	484.1	417.0	404.8 - 429.3								
N12 Arden	2,330	471.5	375.0	359.8 - 390.3								
N20 Mount Vernon	2,091	341.7	293.5	280.8 - 306.2								
N21 West London	2,735	298.0	324.8	312.5 - 337.0								
N22 North London	2,821	376.1	396.4	381.7 - 411.0								
N23 North East London	2,276	297.2	336.4	322.4 - 350.3								
N24 South East London	2,335	306.6	343.1	329.1 - 357.2								
N25 South West London	3,020	393.9	398.2	383.9 - 412.5								
N26 Peninsula	4,191	522.7	324.0	314.1 - 334.0								
N27 Dorset	2,895	853.4	498.6	479.9 - 517.3								
N28 Avon, Somerset & Wiltshire	4,564	490.0	372.9	362.0 - 383.8								
N29 3 Counties	2,578	505.7	342.9	329.6 - 356.3								
N30 Thames Valley	5,429	466.3	425.2	413.9 - 436.4								
N31 Central South Coast	4,676	487.9	351.2	341.1 - 361.4								
N32 Surrey, West Sussex & Hampshire	2,126	360.9	302.4	289.4 - 315.3								
N33 Sussex	2,485	446.0	299.7	287.6 - 311.8								
N34 Kent & Medway	3,402	428.0	329.6	318.5 - 340.7								
N35 Greater Midlands	4,117	443.6	321.9	312.0 - 331.7								
N36 North of England	6,087	414.3	310.0	302.2 - 317.9								
N37 Anglia	7,187	542.0	382.6	373.7 - 391.5								
N38 Essex	3,042	447.0	331.1	319.2 - 343.0								
N39 East Midlands	7,905	403.3	313.9	307.0 - 320.9								
England ¹	108,243	434.3	347.8	345.8 - 349.9								
North of Scotland	2,383	375.1	274.7	263.7 - 285.8								
South East Scotland	2,858	418.2	333.0	320.8 - 345.3								
West of Scotland	3,943	342.7	283.5	274.6 - 292.4								
Scotland ¹	9,189	372.1	294.8	288.7 - 300.8								
Wales	7,263	502.7	359.0	350.7 - 367.3								
Northern Ireland	2,935	343.9	325.8	314.0 - 337.6								
United Kingdom	127,630	429.8	343.4	341.5 - 345.3								

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Males

Females

Persons

--	--

One-year cancer prevalence, UK, 31st December 2006

C62: Testis

Males					Females				Persons			
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	61	8.2	8.5	6.4 - 10.7								
N02 Greater Manchester and Cheshire	99	6.6	6.5	5.2 - 7.7								
N03 Merseyside & Cheshire	60	6.2	6.5	4.9 - 8.2								
N06 Yorkshire Cancer Network	79	6.1	5.9	4.6 - 7.2								
N07 Humber & Yorkshire Coast	26	5.0	5.3	3.2 - 7.3								
N08 North Trent	54	6.2	6.3	4.6 - 8.0								
N11 Pan Birmingham	65	7.0	6.9	5.2 - 8.6								
N12 Arden	45	9.1	9.0	6.4 - 11.7								
N20 Mount Vernon	38	6.2	6.1	4.2 - 8.1								
N21 West London	33	3.6	3.0	1.9 - 4.0								
N22 North London	51	6.8	6.0	4.3 - 7.7								
N23 North East London	27	3.5	3.1	1.9 - 4.3								
N24 South East London	37	4.9	4.2	2.8 - 5.7								
N25 South West London	47	6.1	5.3	3.8 - 6.9								
N26 Peninsula	56	7.0	7.7	5.6 - 9.7								
N27 Dorset	31	9.1	10.6	6.8 - 14.4								
N28 Avon, Somerset & Wiltshire	77	8.3	8.4	6.5 - 10.2								
N29 3 Counties	40	7.8	8.5	5.8 - 11.2								
N30 Thames Valley	96	8.2	8.0	6.4 - 9.7								
N31 Central South Coast	62	6.5	6.8	5.1 - 8.5								
N32 Surrey, West Sussex & Hampshire	46	7.8	7.8	5.6 - 10.1								
N33 Sussex	19	3.4	3.7	2.0 - 5.3								
N34 Kent & Medway	53	6.7	7.0	5.1 - 8.9								
N35 Greater Midlands	52	5.6	5.8	4.2 - 7.3								
N36 North of England	102	6.9	7.1	5.7 - 8.5								
N37 Anglia	88	6.6	6.8	5.4 - 8.3								
N38 Essex	45	6.6	6.8	4.8 - 8.7								
N39 East Midlands	142	7.2	7.3	6.1 - 8.5								
England ¹	1,631	6.5	6.5	6.1 - 6.8								
North of Scotland	44	6.9	6.9	4.9 - 9.0								
South East Scotland	62	9.1	9.1	6.8 - 11.3								
West of Scotland	89	7.7	7.7	6.1 - 9.2								
Scotland ¹	195	7.9	7.9	6.8 - 9.0								
Wales	108	7.5	7.9	6.4 - 9.4								
Northern Ireland	48	5.6	5.7	4.1 - 7.3								
United Kingdom	1,982	6.7	6.6	6.3 - 6.9								

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C62: Testis

Males

Females

Persons

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	254	34.1	35.3	30.9 - 39.6								
N02 Greater Manchester and Cheshire	448	29.9	29.3	26.6 - 32.0								
N03 Merseyside & Cheshire	327	33.7	34.9	31.1 - 38.7								
N06 Yorkshire Cancer Network	397	30.5	29.8	26.9 - 32.8								
N07 Humber & Yorkshire Coast	148	28.4	29.2	24.5 - 34.0								
N08 North Trent	270	30.8	31.5	27.8 - 35.3								
N11 Pan Birmingham	266	28.5	28.9	25.5 - 32.4								
N12 Arden	171	34.6	33.9	28.8 - 39.0								
N20 Mount Vernon	155	25.3	24.6	20.7 - 28.5								
N21 West London	203	22.1	18.3	15.7 - 20.9								
N22 North London	208	27.7	23.6	20.3 - 26.9								
N23 North East London	132	17.2	15.6	12.9 - 18.4								
N24 South East London	186	24.4	20.8	17.7 - 23.9								
N25 South West London	252	32.9	28.0	24.5 - 31.6								
N26 Peninsula	258	32.2	34.8	30.5 - 39.1								
N27 Dorset	130	38.3	42.4	35.0 - 49.8								
N28 Avon, Somerset & Wiltshire	358	38.4	38.7	34.6 - 42.7								
N29 3 Counties	176	34.5	36.6	31.1 - 42.1								
N30 Thames Valley	440	37.8	36.2	32.8 - 39.6								
N31 Central South Coast	361	37.7	39.1	35.1 - 43.2								
N32 Surrey, West Sussex & Hampshire	225	38.2	37.9	32.9 - 42.9								
N33 Sussex	172	30.9	32.1	27.2 - 37.0								
N34 Kent & Medway	244	30.7	31.6	27.6 - 35.6								
N35 Greater Midlands	279	30.1	31.1	27.4 - 34.8								
N36 North of England	463	31.5	32.2	29.3 - 35.2								
N37 Anglia	438	33.0	33.6	30.4 - 36.7								
N38 Essex	210	30.9	31.4	27.1 - 35.6								
N39 East Midlands	576	29.4	29.5	27.1 - 32.0								
England ¹	7,751	31.1	30.6	29.9 - 31.3								
North of Scotland	258	40.6	41.2	36.2 - 46.3								
South East Scotland	256	37.5	36.5	32.0 - 41.0								
West of Scotland	444	38.6	37.6	34.1 - 41.2								
Scotland ¹	959	38.8	38.2	35.8 - 40.6								
Wales	476	32.9	34.8	31.7 - 38.0								
Northern Ireland	287	33.6	33.9	30.0 - 37.9								
United Kingdom	9,473	31.9	31.5	30.8 - 32.1								

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C62: Testis

Males						Females				Persons					
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	481	64.7	65.9	60.0 - 71.8											
N02 Greater Manchester and Cheshire	908	60.6	59.2	55.4 - 63.1											
N03 Merseyside & Cheshire	615	63.3	64.6	59.5 - 69.8											
N06 Yorkshire Cancer Network	827	63.4	62.8	58.5 - 67.1											
N07 Humber & Yorkshire Coast	294	56.5	57.5	50.9 - 64.2											
N08 North Trent	518	59.1	59.7	54.5 - 64.8											
N11 Pan Birmingham	496	53.1	54.4	49.6 - 59.2											
N12 Arden	338	68.4	66.9	59.8 - 74.1											
N20 Mount Vernon	347	56.7	54.1	48.4 - 59.8											
N21 West London	450	49.0	42.6	38.5 - 46.7											
N22 North London	395	52.7	45.8	41.1 - 50.4											
N23 North East London	287	37.5	35.5	31.2 - 39.7											
N24 South East London	410	53.8	47.4	42.7 - 52.2											
N25 South West London	477	62.2	54.4	49.4 - 59.4											
N26 Peninsula	515	64.2	68.6	62.6 - 74.6											
N27 Dorset	255	75.2	81.2	71.1 - 91.4											
N28 Avon, Somerset & Wiltshire	707	75.9	76.0	70.4 - 81.6											
N29 3 Counties	324	63.6	65.4	58.2 - 72.7											
N30 Thames Valley	885	76.0	72.0	67.2 - 76.8											
N31 Central South Coast	689	71.9	73.3	67.8 - 78.8											
N32 Surrey, West Sussex & Hampshire	457	77.6	75.4	68.4 - 82.3											
N33 Sussex	323	58.0	59.0	52.4 - 65.5											
N34 Kent & Medway	522	65.7	66.6	60.8 - 72.4											
N35 Greater Midlands	533	57.4	58.0	53.1 - 63.0											
N36 North of England	904	61.5	62.2	58.2 - 66.3											
N37 Anglia	838	63.2	63.2	58.9 - 67.5											
N38 Essex	406	59.7	59.8	53.9 - 65.6											
N39 East Midlands	1,081	55.2	54.9	51.7 - 58.2											
England ¹	15,292	61.4	59.9	59.0 - 60.9											
North of Scotland	504	79.3	78.5	71.6 - 85.4											
South East Scotland	525	76.8	73.9	67.6 - 80.3											
West of Scotland	863	75.0	72.9	68.0 - 77.8											
Scotland ¹	1,894	76.7	74.6	71.2 - 78.0											
Wales	838	58.0	60.8	56.7 - 65.0											
Northern Ireland	538	63.0	63.7	58.3 - 69.1											
United Kingdom	18,562	62.5	61.3	60.4 - 62.2											

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C64-C66 & C68: Kidney and unspecified urinary organs

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	60	8.1	6.9	5.1 - 8.6
N02 Greater Manchester and Cheshire	134	8.9	8.2	6.8 - 9.6
N03 Merseyside & Cheshire	104	10.7	9.0	7.3 - 10.8
N06 Yorkshire Cancer Network	154	11.8	10.8	9.1 - 12.5
N07 Humber & Yorkshire Coast	70	13.5	10.6	8.1 - 13.2
N08 North Trent	107	12.2	10.4	8.4 - 12.4
N11 Pan Birmingham	79	8.5	8.0	6.2 - 9.7
N12 Arden	31	6.3	5.3	3.4 - 7.2
N20 Mount Vernon	63	10.3	9.1	6.8 - 11.4
N21 West London	62	6.8	7.6	5.7 - 9.5
N22 North London	57	7.6	8.2	6.1 - 10.4
N23 North East London	50	6.5	7.5	5.4 - 9.6
N24 South East London	69	9.1	10.0	7.6 - 12.5
N25 South West London	67	8.7	8.7	6.6 - 10.8
N26 Peninsula	124	15.5	11.6	9.5 - 13.7
N27 Dorset	59	17.4	11.9	8.7 - 15.1
N28 Avon, Somerset & Wiltshire	112	12.0	9.7	7.9 - 11.5
N29 3 Counties	54	10.6	8.3	6.1 - 10.6
N30 Thames Valley	120	10.3	9.8	8.0 - 11.6
N31 Central South Coast	105	11.0	8.8	7.0 - 10.5
N32 Surrey, West Sussex & Hampshire	53	9.0	7.9	5.8 - 10.1
N33 Sussex	57	10.2	7.3	5.3 - 9.2
N34 Kent & Medway	76	9.6	7.8	6.0 - 9.6
N35 Greater Midlands	78	8.4	7.0	5.4 - 8.5
N36 North of England	180	12.3	10.2	8.7 - 11.8
N37 Anglia	174	13.1	10.4	8.8 - 12.0
N38 Essex	79	11.6	8.9	6.9 - 11.0
N39 East Midlands	217	11.1	9.2	8.0 - 10.5
England ¹	2,595	10.4	9.0	8.7 - 9.4

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
37	4.8	3.6	2.4 - 4.9
97	6.3	5.6	4.5 - 6.8
58	5.6	4.4	3.3 - 5.6
100	7.4	6.0	4.7 - 7.2
26	4.8	3.2	1.9 - 4.5
70	7.8	5.9	4.4 - 7.4
44	4.5	3.8	2.6 - 4.9
17	3.4	2.7	1.3 - 4.0
41	6.5	5.1	3.4 - 6.8
21	2.3	2.4	1.3 - 3.4
28	3.6	3.3	2.0 - 4.5
32	4.1	4.3	2.7 - 5.8
23	3.0	2.6	1.5 - 3.8
37	4.6	3.9	2.5 - 5.2
80	9.4	6.4	4.9 - 8.0
34	9.4	6.6	4.2 - 9.0
55	5.7	4.6	3.3 - 5.8
41	7.7	5.6	3.7 - 7.4
70	5.9	5.2	3.9 - 6.5
61	6.1	4.4	3.2 - 5.6
28	4.6	3.7	2.2 - 5.1
37	6.1	4.2	2.7 - 5.6
41	4.9	3.7	2.5 - 5.0
56	5.8	4.6	3.3 - 5.8
134	8.7	6.6	5.4 - 7.8
111	8.1	5.8	4.6 - 6.9
43	6.0	4.5	3.1 - 5.9
119	5.9	4.6	3.8 - 5.5
1,541	6.0	4.7	4.5 - 5.0

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
97	6.4	5.2	4.1 - 6.3
231	7.6	6.8	5.9 - 7.6
162	8.1	6.5	5.5 - 7.5
254	9.5	8.2	7.2 - 9.3
96	9.1	6.7	5.3 - 8.1
177	9.9	8.1	6.8 - 9.3
123	6.4	5.8	4.7 - 6.8
48	4.8	3.9	2.8 - 5.0
104	8.4	6.9	5.5 - 8.3
83	4.5	4.8	3.8 - 5.9
85	5.6	5.6	4.3 - 6.8
82	5.3	5.8	4.5 - 7.0
92	6.0	6.1	4.8 - 7.4
104	6.6	6.1	4.8 - 7.3
204	12.4	8.8	7.5 - 10.1
93	13.3	8.9	7.0 - 10.9
167	8.8	6.9	5.8 - 8.0
95	9.1	6.9	5.4 - 8.3
190	8.1	7.4	6.3 - 8.5
166	8.5	6.4	5.4 - 7.4
81	6.7	5.7	4.4 - 7.0
94	8.1	5.6	4.3 - 6.8
117	7.2	5.6	4.6 - 6.7
134	7.1	5.7	4.7 - 6.7
314	10.5	8.3	7.3 - 9.2
285	10.6	8.0	7.0 - 8.9
122	8.7	6.4	5.2 - 7.6
336	8.5	6.8	6.0 - 7.5
4,136	8.1	6.7	6.5 - 6.9

North of Scotland	93	14.6	11.4	9.0 - 13.7
South East Scotland	73	10.7	9.3	7.2 - 11.5
West of Scotland	154	13.4	11.7	9.9 - 13.6
Scotland ¹	320	13.0	11.0	9.8 - 12.2

45	6.8	4.5	3.1 - 5.9
47	6.4	4.7	3.3 - 6.2
85	6.8	5.2	4.0 - 6.3
177	6.7	4.9	4.1 - 5.7

138	10.6	7.7	6.4 - 9.0
120	8.5	6.9	5.6 - 8.1
239	9.9	8.0	7.0 - 9.1
497	9.7	7.6	7.0 - 8.3

Wales	185	12.8	10.2	8.7 - 11.8
-------	-----	------	------	------------

118	7.8	5.6	4.6 - 6.7
-----	-----	-----	-----------

303	10.2	7.8	6.9 - 8.7
-----	------	-----	-----------

Northern Ireland	86	10.1	10.1	8.0 - 12.3
------------------	----	------	------	------------

58	6.5	5.6	4.1 - 7.1
----	-----	-----	-----------

144	8.3	7.7	6.4 - 9.0
-----	-----	-----	-----------

United Kingdom	3,186	10.7	9.3	9.0 - 9.6
----------------	-------	------	-----	-----------

1,894	6.1	4.8	4.6 - 5.1
-------	-----	-----	-----------

5,080	8.4	6.9	6.7 - 7.1
-------	-----	-----	-----------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C64-C66 & C68: Kidney and unspecified urinary organs

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	255	34.3	28.5	24.9 - 32.1
N02 Greater Manchester and Cheshire	474	31.6	28.9	26.3 - 31.6
N03 Merseyside & Cheshire	318	32.7	28.0	24.9 - 31.2
N06 Yorkshire Cancer Network	533	40.9	37.1	33.9 - 40.3
N07 Humber & Yorkshire Coast	226	43.4	34.8	30.2 - 39.5
N08 North Trent	362	41.3	34.8	31.1 - 38.4
N11 Pan Birmingham	273	29.3	27.5	24.2 - 30.9
N12 Arden	121	24.5	21.1	17.3 - 24.9
N20 Mount Vernon	176	28.8	26.5	22.5 - 30.4
N21 West London	233	25.4	28.5	24.8 - 32.2
N22 North London	224	29.9	31.9	27.6 - 36.1
N23 North East London	172	22.5	25.8	21.9 - 29.8
N24 South East London	220	28.9	32.5	28.1 - 36.9
N25 South West London	219	28.6	29.6	25.6 - 33.6
N26 Peninsula	403	50.3	36.6	32.9 - 40.3
N27 Dorset	226	66.6	44.8	38.6 - 51.0
N28 Avon, Somerset & Wiltshire	391	42.0	35.4	31.9 - 39.0
N29 3 Counties	183	35.9	27.6	23.5 - 31.7
N30 Thames Valley	432	37.1	35.1	31.8 - 38.4
N31 Central South Coast	367	38.3	30.6	27.4 - 33.8
N32 Surrey, West Sussex & Hampshire	153	26.0	22.4	18.8 - 26.0
N33 Sussex	196	35.2	25.9	22.1 - 29.7
N34 Kent & Medway	236	29.7	24.8	21.6 - 28.0
N35 Greater Midlands	302	32.5	26.5	23.4 - 29.5
N36 North of England	637	43.4	35.7	32.9 - 38.5
N37 Anglia	571	43.1	33.6	30.8 - 36.5
N38 Essex	252	37.0	30.0	26.2 - 33.8
N39 East Midlands	706	36.0	30.5	28.2 - 32.8
England ¹	8,867	35.6	31.0	30.3 - 31.6

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
152	19.7	14.8	12.4 - 17.3
301	19.5	17.1	15.1 - 19.1
201	19.3	15.1	12.9 - 17.3
351	25.9	20.9	18.6 - 23.2
121	22.6	15.2	12.3 - 18.1
218	24.2	18.9	16.2 - 21.5
161	16.5	14.6	12.2 - 16.9
78	15.6	12.6	9.7 - 15.5
116	18.3	15.2	12.3 - 18.0
88	9.5	9.2	7.2 - 11.2
122	15.7	14.9	12.2 - 17.7
112	14.4	14.2	11.5 - 17.0
107	13.7	14.1	11.3 - 16.9
117	14.6	12.7	10.3 - 15.2
234	27.6	18.4	15.8 - 20.9
106	29.3	19.4	15.3 - 23.6
218	22.7	17.2	14.7 - 19.6
108	20.4	15.1	12.1 - 18.1
231	19.5	17.1	14.8 - 19.4
218	21.8	16.1	13.8 - 18.4
91	14.8	11.7	9.2 - 14.3
123	20.4	13.4	10.8 - 16.1
152	18.1	14.6	12.2 - 17.0
214	22.4	16.6	14.2 - 18.9
458	29.9	22.1	20.0 - 24.3
313	22.9	17.3	15.3 - 19.4
151	21.1	15.7	13.0 - 18.4
389	19.4	15.2	13.6 - 16.8
5,253	20.3	16.2	15.7 - 16.7

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
407	26.8	21.3	19.2 - 23.4
775	25.5	22.5	20.9 - 24.1
519	25.8	21.1	19.2 - 23.0
884	33.2	28.4	26.5 - 30.3
347	32.8	24.5	21.8 - 27.2
580	32.6	26.3	24.1 - 28.5
434	22.8	20.6	18.6 - 22.6
199	20.0	16.6	14.2 - 19.0
292	23.5	20.4	18.0 - 22.9
321	17.4	18.2	16.2 - 20.2
346	22.7	22.6	20.2 - 25.1
284	18.4	19.6	17.3 - 22.0
327	21.2	22.6	20.1 - 25.2
336	21.4	20.7	18.4 - 22.9
637	38.6	26.8	24.6 - 29.0
332	47.4	31.2	27.5 - 34.8
609	32.2	25.8	23.6 - 27.9
291	28.0	21.0	18.5 - 23.5
663	28.3	25.6	23.6 - 27.6
585	29.9	22.8	20.9 - 24.8
244	20.3	16.7	14.6 - 18.9
319	27.5	19.2	16.9 - 21.4
388	23.7	19.3	17.3 - 21.3
516	27.4	21.2	19.3 - 23.1
1,095	36.5	28.5	26.8 - 30.3
884	32.9	24.8	23.1 - 26.6
403	28.9	22.3	20.0 - 24.5
1,095	27.6	22.4	21.1 - 23.8
14,120	27.8	23.1	22.7 - 23.5

North of Scotland	309	48.6	38.2	33.9 - 42.6
South East Scotland	255	37.3	31.8	27.9 - 35.8
West of Scotland	450	39.1	34.9	31.7 - 38.2
Scotland ¹	1,014	41.1	35.0	32.8 - 37.2

163	24.7	17.6	14.8 - 20.5
165	22.5	16.7	14.0 - 19.3
273	21.8	16.1	14.1 - 18.1
601	22.7	16.7	15.3 - 18.1

472	36.4	27.1	24.6 - 29.6
420	29.6	23.6	21.3 - 25.9
723	30.1	24.6	22.8 - 26.5
1,615	31.6	25.0	23.8 - 26.3

Wales	618	42.8	33.8	31.0 - 36.5
-------	-----	------	------	-------------

412	27.1	20.0	17.9 - 22.0
-----	------	------	-------------

1,030	34.7	26.3	24.6 - 27.9
-------	------	------	-------------

Northern Ireland	272	31.9	31.5	27.7 - 35.2
------------------	-----	------	------	-------------

200	22.5	19.5	16.7 - 22.3
-----	------	------	-------------

472	27.1	24.9	22.6 - 27.2
-----	------	------	-------------

United Kingdom	10,771	36.3	31.5	30.9 - 32.1
----------------	--------	------	------	-------------

6,466	20.9	16.5	16.1 - 17.0
-------	------	------	-------------

17,237	28.5	23.5	23.1 - 23.8
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C64-C66 & C68: Kidney and unspecified urinary organs

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	371	49.9	41.2	36.9 - 45.5	248	32.1	23.7	20.6 - 26.9		619	40.8	31.8	29.2 - 34.4	
N02 Greater Manchester and Cheshire	766	51.1	46.1	42.8 - 49.4	456	29.6	24.9	22.5 - 27.2		1,222	40.2	34.6	32.6 - 36.5	
N03 Merseyside & Cheshire	492	50.6	42.8	39.0 - 46.7	324	31.1	24.1	21.3 - 26.8		816	40.6	32.6	30.3 - 35.0	
N06 Yorkshire Cancer Network	786	60.3	54.6	50.7 - 58.4	577	42.5	33.9	30.9 - 36.8		1,363	51.2	43.4	41.0 - 45.8	
N07 Humber & Yorkshire Coast	343	65.9	52.2	46.6 - 57.9	198	36.9	26.0	22.2 - 29.8		541	51.2	38.3	34.9 - 41.6	
N08 North Trent	527	60.1	50.5	46.2 - 54.9	344	38.1	29.3	26.1 - 32.6		871	49.0	39.2	36.5 - 41.9	
N11 Pan Birmingham	447	47.9	44.6	40.4 - 48.8	256	26.3	22.5	19.6 - 25.4		703	36.9	32.7	30.2 - 35.2	
N12 Arden	197	39.9	33.8	29.0 - 38.6	123	24.5	19.6	15.9 - 23.2		320	32.2	26.2	23.3 - 29.2	
N20 Mount Vernon	255	41.7	38.2	33.5 - 43.0	178	28.1	23.4	19.8 - 27.0		433	34.8	30.3	27.4 - 33.3	
N21 West London	353	38.5	42.7	38.2 - 47.2	150	16.2	16.0	13.4 - 18.7		503	27.3	28.4	25.8 - 30.9	
N22 North London	330	44.0	46.7	41.6 - 51.8	183	23.6	22.6	19.2 - 26.0		513	33.6	33.5	30.5 - 36.5	
N23 North East London	272	35.5	41.4	36.4 - 46.4	161	20.7	20.6	17.3 - 24.0		433	28.0	30.3	27.3 - 33.2	
N24 South East London	338	44.4	49.8	44.4 - 55.2	166	21.3	21.5	18.1 - 24.9		504	32.7	34.5	31.4 - 37.5	
N25 South West London	345	45.0	46.3	41.3 - 51.2	180	22.4	20.2	17.1 - 23.4		525	33.5	32.3	29.5 - 35.2	
N26 Peninsula	632	78.8	56.5	51.9 - 61.0	352	41.6	28.1	24.9 - 31.3		984	59.7	41.1	38.4 - 43.8	
N27 Dorset	333	98.2	64.7	57.4 - 72.0	174	48.1	28.9	24.0 - 33.8		507	72.3	45.5	41.2 - 49.8	
N28 Avon, Somerset & Wiltshire	629	67.5	55.8	51.3 - 60.3	371	38.5	28.0	25.0 - 31.1		1,000	52.8	41.1	38.4 - 43.7	
N29 3 Counties	311	61.0	46.0	40.8 - 51.3	179	33.8	24.3	20.6 - 28.1		490	47.1	34.3	31.2 - 37.5	
N30 Thames Valley	653	56.1	52.9	48.8 - 57.0	364	30.8	26.4	23.6 - 29.2		1,017	43.3	39.0	36.5 - 41.4	
N31 Central South Coast	565	59.0	47.0	43.0 - 50.9	340	34.0	25.3	22.4 - 28.2		905	46.2	35.3	32.9 - 37.7	
N32 Surrey, West Sussex & Hampshire	253	42.9	37.2	32.6 - 41.9	147	23.9	18.6	15.4 - 21.9		400	33.2	27.4	24.6 - 30.2	
N33 Sussex	309	55.5	40.3	35.6 - 45.0	184	30.5	19.7	16.5 - 22.9		493	42.5	29.1	26.4 - 31.9	
N34 Kent & Medway	341	42.9	35.5	31.7 - 39.4	210	25.0	19.7	16.9 - 22.4		551	33.7	27.0	24.7 - 29.3	
N35 Greater Midlands	499	53.8	43.3	39.4 - 47.1	317	33.1	24.4	21.6 - 27.3		816	43.3	33.1	30.8 - 35.5	
N36 North of England	950	64.7	52.8	49.4 - 56.3	655	42.7	31.5	28.9 - 34.1		1,605	53.4	41.4	39.3 - 43.5	
N37 Anglia	795	60.0	46.4	43.1 - 49.7	445	32.6	23.8	21.5 - 26.2		1,240	46.1	34.2	32.2 - 36.2	
N38 Essex	369	54.2	43.4	38.9 - 47.9	209	29.3	21.8	18.6 - 24.9		578	41.4	31.6	28.9 - 34.3	
N39 East Midlands	1,033	52.7	44.4	41.6 - 47.1	611	30.5	23.6	21.6 - 25.5		1,644	41.5	33.4	31.7 - 35.0	
England ¹	13,507	54.2	46.8	46.0 - 47.6	8,106	31.4	24.7	24.1 - 25.2		21,613	42.6	34.9	34.5 - 35.4	
North of Scotland	457	71.9	56.1	50.9 - 61.4	271	41.0	28.4	24.8 - 32.0		728	56.2	41.1	38.0 - 44.2	
South East Scotland	410	60.0	50.8	45.8 - 55.8	274	37.3	27.4	24.0 - 30.9		684	48.2	38.1	35.1 - 41.0	
West of Scotland	682	59.3	52.6	48.6 - 56.6	425	34.0	24.8	22.3 - 27.3		1,107	46.1	37.3	35.1 - 39.6	
Scotland ¹	1,549	62.7	53.1	50.4 - 55.8	970	36.6	26.5	24.7 - 28.2		2,519	49.2	38.6	37.0 - 40.1	
Wales	967	66.9	52.6	49.2 - 56.0	638	41.9	30.7	28.2 - 33.3		1,605	54.1	40.8	38.7 - 42.8	
Northern Ireland	445	52.1	50.9	46.1 - 55.6	321	36.1	31.1	27.6 - 34.7		766	44.0	39.8	37.0 - 42.7	
United Kingdom	16,468	55.5	47.8	47.0 - 48.5	10,035	32.5	25.3	24.8 - 25.8		26,503	43.7	35.7	35.2 - 36.1	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C67: Bladder

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	174	23.4	17.0	14.4 - 19.6
N02 Greater Manchester and Cheshire	275	18.4	15.9	14.0 - 17.7
N03 Merseyside & Cheshire	184	18.9	14.7	12.5 - 16.8
N06 Yorkshire Cancer Network	226	17.3	14.6	12.7 - 16.6
N07 Humber & Yorkshire Coast	114	21.9	15.5	12.6 - 18.4
N08 North Trent	179	20.4	15.6	13.3 - 17.9
N11 Pan Birmingham	124	13.3	11.6	9.5 - 13.7
N12 Arden	65	13.2	10.4	7.8 - 12.9
N20 Mount Vernon	123	20.1	17.1	14.0 - 20.1
N21 West London	115	12.5	13.3	10.9 - 15.8
N22 North London	100	13.3	14.0	11.2 - 16.8
N23 North East London	87	11.4	13.0	10.2 - 15.7
N24 South East London	81	10.6	11.5	8.9 - 14.0
N25 South West London	109	14.2	13.7	11.1 - 16.4
N26 Peninsula	182	22.7	14.5	12.3 - 16.7
N27 Dorset	89	26.2	14.8	11.5 - 18.1
N28 Avon, Somerset & Wiltshire	200	21.5	16.1	13.8 - 18.4
N29 3 Counties	103	20.2	14.3	11.4 - 17.1
N30 Thames Valley	213	18.3	16.3	14.1 - 18.6
N31 Central South Coast	173	18.1	12.6	10.7 - 14.5
N32 Surrey, West Sussex & Hampshire	90	15.3	12.2	9.6 - 14.7
N33 Sussex	102	18.3	11.2	9.0 - 13.5
N34 Kent & Medway	155	19.5	14.6	12.3 - 17.0
N35 Greater Midlands	158	17.0	12.6	10.6 - 14.6
N36 North of England	288	19.6	14.8	13.1 - 16.6
N37 Anglia	286	21.6	15.2	13.4 - 17.0
N38 Essex	138	20.3	14.9	12.4 - 17.4
N39 East Midlands	352	18.0	14.0	12.5 - 15.5
England ¹	4,485	18.0	14.3	13.9 - 14.8

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
60	7.8	5.3	3.8 - 6.7
99	6.4	4.6	3.6 - 5.5
68	6.5	4.2	3.1 - 5.3
92	6.8	4.4	3.4 - 5.4
36	6.7	4.1	2.6 - 5.5
57	6.3	3.7	2.7 - 4.8
48	4.9	3.3	2.3 - 4.4
31	6.2	3.9	2.5 - 5.4
35	5.5	3.5	2.3 - 4.8
50	5.4	4.5	3.2 - 5.8
33	4.2	3.3	2.1 - 4.6
38	4.9	4.5	3.0 - 6.0
34	4.4	3.4	2.2 - 4.7
43	5.4	4.0	2.7 - 5.3
63	7.4	3.9	2.8 - 5.0
28	7.7	3.9	2.3 - 5.5
56	5.8	3.6	2.6 - 4.6
39	7.4	4.3	2.9 - 5.8
53	4.5	3.2	2.3 - 4.1
55	5.5	3.1	2.2 - 4.0
27	4.4	3.0	1.8 - 4.2
33	5.5	2.3	1.4 - 3.2
34	4.0	2.2	1.4 - 3.1
52	5.4	3.3	2.3 - 4.2
95	6.2	3.7	2.9 - 4.5
81	5.9	3.2	2.5 - 4.0
61	8.5	5.4	4.0 - 6.9
131	6.5	4.5	3.7 - 5.3
1,532	5.9	3.8	3.6 - 4.0

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
234	15.4	10.4	9.0 - 11.8
374	12.3	9.5	8.5 - 10.5
252	12.5	8.7	7.6 - 9.8
318	12.0	8.9	7.9 - 9.9
150	14.2	9.3	7.8 - 10.9
236	13.3	9.1	7.8 - 10.3
172	9.0	7.1	6.0 - 8.2
96	9.6	6.8	5.4 - 8.2
158	12.7	9.7	8.1 - 11.2
165	9.0	8.5	7.1 - 9.8
133	8.7	8.2	6.8 - 9.7
125	8.1	8.3	6.8 - 9.8
115	7.5	7.0	5.7 - 8.3
152	9.7	8.3	6.9 - 9.6
245	14.9	8.7	7.5 - 9.8
117	16.7	8.6	6.9 - 10.4
256	13.5	9.1	7.9 - 10.3
142	13.7	8.8	7.3 - 10.3
266	11.3	9.2	8.0 - 10.3
228	11.6	7.3	6.3 - 8.3
117	9.7	7.0	5.7 - 8.3
135	11.6	6.2	5.0 - 7.3
189	11.6	7.8	6.7 - 9.0
210	11.1	7.5	6.5 - 8.6
383	12.8	8.6	7.7 - 9.5
367	13.6	8.7	7.7 - 9.6
199	14.3	9.5	8.1 - 10.9
483	12.2	8.7	7.9 - 9.5
6,017	11.9	8.5	8.3 - 8.7

North of Scotland	81	12.8	9.7	7.5 - 11.8
South East Scotland	105	15.4	12.0	9.6 - 14.3
West of Scotland	156	13.6	11.2	9.5 - 13.0
Scotland ¹	342	13.8	11.0	9.8 - 12.2

28	4.2	2.4	1.4 - 3.3
41	5.6	3.4	2.3 - 4.5
91	7.3	4.9	3.8 - 6.0
160	6.0	3.8	3.2 - 4.5

109	8.4	5.6	4.5 - 6.7
146	10.3	7.0	5.8 - 8.2
247	10.3	7.5	6.5 - 8.4
502	9.8	6.9	6.2 - 7.5

Wales	570	39.5	29.1	26.6 - 31.5
-------	-----	------	------	-------------

178	11.7	7.3	6.2 - 8.5
-----	------	-----	-----------

748	25.2	17.1	15.8 - 18.4
-----	------	------	-------------

Northern Ireland	117	13.7	12.8	10.5 - 15.2
------------------	-----	------	------	-------------

43	4.8	3.8	2.6 - 4.9
----	-----	-----	-----------

160	9.2	7.6	6.4 - 8.8
-----	-----	-----	-----------

United Kingdom	5,514	18.6	14.8	14.4 - 15.2
----------------	-------	------	------	-------------

1,913	6.2	4.0	3.8 - 4.2
-------	-----	-----	-----------

7,427	12.3	8.8	8.6 - 9.0
-------	------	-----	-----------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C67: Bladder

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	612	82.3	61.7	56.7 - 66.7
N02 Greater Manchester and Cheshire	967	64.5	55.6	52.0 - 59.1
N03 Merseyside & Cheshire	735	75.6	58.2	53.9 - 62.4
N06 Yorkshire Cancer Network	863	66.2	55.7	51.9 - 59.5
N07 Humber & Yorkshire Coast	394	75.7	52.8	47.5 - 58.1
N08 North Trent	629	71.8	54.8	50.5 - 59.2
N11 Pan Birmingham	510	54.6	47.6	43.4 - 51.8
N12 Arden	274	55.5	44.1	38.8 - 49.4
N20 Mount Vernon	380	62.1	51.2	45.9 - 56.5
N21 West London	419	45.7	48.4	43.7 - 53.2
N22 North London	386	51.5	53.8	48.3 - 59.3
N23 North East London	329	43.0	47.1	41.9 - 52.3
N24 South East London	346	45.4	48.5	43.3 - 53.7
N25 South West London	454	59.2	57.7	52.3 - 63.2
N26 Peninsula	605	75.5	48.2	44.2 - 52.1
N27 Dorset	324	95.5	53.0	46.9 - 59.1
N28 Avon, Somerset & Wiltshire	697	74.8	55.4	51.2 - 59.7
N29 3 Counties	328	64.3	44.1	39.2 - 49.0
N30 Thames Valley	736	63.2	56.5	52.4 - 60.7
N31 Central South Coast	708	73.9	51.8	47.8 - 55.7
N32 Surrey, West Sussex & Hampshire	315	53.5	44.0	39.0 - 48.9
N33 Sussex	350	62.8	40.3	35.9 - 44.8
N34 Kent & Medway	520	65.4	49.0	44.7 - 53.3
N35 Greater Midlands	547	58.9	43.8	40.1 - 47.5
N36 North of England	1,098	74.7	55.5	52.2 - 58.9
N37 Anglia	948	71.5	49.8	46.6 - 53.0
N38 Essex	495	72.7	53.2	48.5 - 58.0
N39 East Midlands	1,274	65.0	50.5	47.7 - 53.3
England ¹	16,248	65.2	51.7	50.9 - 52.6

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
205	26.5	16.5	14.1 - 19.0
362	23.5	16.3	14.5 - 18.1
243	23.4	14.6	12.7 - 16.6
329	24.3	16.3	14.5 - 18.2
117	21.8	12.6	10.2 - 15.1
199	22.0	13.1	11.1 - 15.0
148	15.2	10.5	8.7 - 12.4
80	16.0	9.9	7.6 - 12.2
120	19.0	12.7	10.2 - 15.1
151	16.3	14.1	11.7 - 16.4
112	14.4	11.4	9.2 - 13.7
127	16.3	14.3	11.6 - 16.9
100	12.9	10.5	8.3 - 12.7
137	17.1	12.3	10.1 - 14.6
204	24.1	12.5	10.6 - 14.4
94	26.0	12.4	9.6 - 15.2
186	19.3	11.7	9.9 - 13.6
112	21.1	12.7	10.1 - 15.2
201	17.0	12.3	10.5 - 14.2
230	23.0	13.2	11.3 - 15.1
110	17.9	11.9	9.5 - 14.3
93	15.4	7.6	5.9 - 9.4
135	16.1	9.9	8.1 - 11.7
152	15.9	9.5	7.9 - 11.2
344	22.4	13.1	11.6 - 14.6
269	19.7	11.3	9.9 - 12.8
155	21.7	13.4	11.1 - 15.6
389	19.4	12.3	11.0 - 13.7
5,106	19.8	12.7	12.3 - 13.0

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
817	53.9	36.5	33.9 - 39.1
1,329	43.7	33.5	31.7 - 35.4
978	48.6	33.3	31.1 - 35.5
1,192	44.8	33.5	31.5 - 35.5
511	48.3	30.3	27.6 - 33.1
828	46.5	31.8	29.6 - 34.1
658	34.5	27.0	24.9 - 29.2
354	35.6	25.4	22.7 - 28.2
500	40.2	29.9	27.1 - 32.6
570	30.9	29.5	27.0 - 32.0
498	32.6	30.4	27.7 - 33.2
456	29.5	28.8	26.0 - 31.5
446	29.0	27.1	24.4 - 29.7
591	37.7	32.5	29.8 - 35.2
809	49.1	28.4	26.4 - 30.5
418	59.6	30.2	27.0 - 33.4
883	46.6	31.2	29.0 - 33.3
440	42.3	26.7	24.1 - 29.4
937	39.9	32.4	30.3 - 34.5
938	47.9	30.3	28.2 - 32.3
425	35.3	26.4	23.8 - 29.0
443	38.2	22.0	19.8 - 24.3
655	40.1	27.1	24.9 - 29.3
699	37.1	25.2	23.3 - 27.1
1,442	48.0	31.9	30.2 - 33.6
1,217	45.2	28.5	26.8 - 30.2
650	46.6	30.8	28.3 - 33.3
1,663	42.0	29.6	28.1 - 31.1
21,354	42.1	30.0	29.6 - 30.5

North of Scotland	270	42.5	31.9	28.1 - 35.8
South East Scotland	360	52.7	41.2	36.9 - 45.6
West of Scotland	637	55.4	45.6	42.0 - 49.2
Scotland ¹	1,268	51.4	40.6	38.4 - 42.9

101	15.3	9.0	7.1 - 10.9
144	19.6	12.1	10.0 - 14.2
277	22.1	14.6	12.8 - 16.5
522	19.7	12.5	11.3 - 13.6

371	28.6	19.1	17.1 - 21.2
504	35.5	24.6	22.4 - 26.9
914	38.1	27.5	25.6 - 29.3
1,790	35.0	24.5	23.3 - 25.6

Wales	2,082	144.1	105.4	100.8 - 110.0
-------	-------	-------	-------	---------------

688	45.2	27.8	25.6 - 30.0
-----	------	------	-------------

2,770	93.4	62.7	60.3 - 65.2
-------	------	------	-------------

Northern Ireland	442	51.8	48.9	44.3 - 53.5
------------------	-----	------	------	-------------

137	15.4	11.6	9.6 - 13.7
-----	------	------	------------

579	33.2	27.6	25.3 - 29.9
-----	------	------	-------------

United Kingdom	20,040	67.5	53.6	52.9 - 54.4
----------------	--------	------	------	-------------

6,453	20.9	13.4	13.1 - 13.8
-------	------	------	-------------

26,493	43.7	31.2	30.8 - 31.6
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C67: Bladder

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	961	129.2	95.9	89.7 - 102.0
N02 Greater Manchester and Cheshire	1,594	106.4	91.0	86.5 - 95.5
N03 Merseyside & Cheshire	1,493	153.7	118.1	112.0 - 124.2
N06 Yorkshire Cancer Network	1,407	107.9	89.9	85.1 - 94.6
N07 Humber & Yorkshire Coast	642	123.4	85.7	79.0 - 92.5
N08 North Trent	1,256	143.3	109.0	102.9 - 115.1
N11 Pan Birmingham	1,032	110.6	95.4	89.5 - 101.4
N12 Arden	570	115.4	89.9	82.4 - 97.4
N20 Mount Vernon	606	99.0	81.6	75.0 - 88.2
N21 West London	729	79.4	83.0	76.9 - 89.1
N22 North London	671	89.5	92.0	85.0 - 99.1
N23 North East London	553	72.2	79.0	72.3 - 85.7
N24 South East London	526	69.1	73.5	67.1 - 79.9
N25 South West London	692	90.3	86.8	80.3 - 93.4
N26 Peninsula	1,174	146.4	91.5	86.1 - 96.9
N27 Dorset	629	185.4	100.5	92.2 - 108.8
N28 Avon, Somerset & Wiltshire	1,277	137.1	101.5	95.8 - 107.2
N29 3 Counties	670	131.4	89.2	82.3 - 96.1
N30 Thames Valley	1,422	122.1	108.4	102.7 - 114.1
N31 Central South Coast	1,318	137.5	96.4	91.1 - 101.8
N32 Surrey, West Sussex & Hampshire	588	99.8	81.3	74.6 - 88.0
N33 Sussex	550	98.7	62.8	57.3 - 68.3
N34 Kent & Medway	797	100.3	74.7	69.4 - 80.0
N35 Greater Midlands	1,100	118.5	87.5	82.2 - 92.7
N36 North of England	1,679	114.3	84.2	80.1 - 88.3
N37 Anglia	1,414	106.6	74.8	70.8 - 78.8
N38 Essex	824	121.1	88.2	82.1 - 94.3
N39 East Midlands	2,457	125.3	96.8	93.0 - 100.7
England ¹	28,654	115.0	90.6	89.5 - 91.7

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
338	43.8	26.4	23.4 - 29.4
601	39.0	26.7	24.5 - 29.0
538	51.7	31.7	28.9 - 34.6
506	37.3	23.8	21.6 - 26.1
183	34.1	19.5	16.4 - 22.5
410	45.4	27.8	24.9 - 30.7
350	35.9	24.0	21.3 - 26.7
164	32.7	20.1	16.8 - 23.4
194	30.6	20.0	17.0 - 23.1
242	26.2	21.5	18.7 - 24.4
188	24.2	19.0	16.1 - 21.9
192	24.7	21.4	18.2 - 24.7
184	23.6	19.2	16.3 - 22.2
246	30.7	22.8	19.7 - 25.8
378	44.7	22.6	20.1 - 25.1
177	48.9	21.5	17.9 - 25.2
408	42.4	25.1	22.4 - 27.7
234	44.1	25.8	22.2 - 29.3
417	35.3	25.6	23.0 - 28.3
424	42.4	23.9	21.4 - 26.4
190	30.9	20.0	16.9 - 23.1
159	26.4	12.6	10.4 - 14.7
215	25.6	15.1	12.9 - 17.3
350	36.6	21.6	19.2 - 24.0
538	35.1	20.4	18.6 - 22.3
423	31.0	17.6	15.8 - 19.4
271	37.9	22.2	19.4 - 25.1
793	39.6	24.9	23.0 - 26.7
9,323	36.1	22.7	22.2 - 23.2

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
1,299	85.7	57.0	53.8 - 60.3
2,195	72.2	54.7	52.4 - 57.1
2,031	101.0	68.8	65.7 - 71.9
1,913	71.9	52.5	50.1 - 55.0
825	78.0	48.1	44.7 - 51.6
1,666	93.6	63.7	60.5 - 66.9
1,382	72.5	55.5	52.5 - 58.6
734	73.7	51.4	47.5 - 55.2
800	64.2	47.4	44.0 - 50.9
971	52.7	49.0	45.8 - 52.1
859	56.2	51.3	47.8 - 54.9
745	48.3	46.5	43.0 - 50.0
710	46.1	42.7	39.5 - 46.0
938	59.8	50.9	47.5 - 54.4
1,552	94.2	53.0	50.2 - 55.8
806	115.0	56.1	51.9 - 60.4
1,685	89.0	59.1	56.2 - 62.1
904	86.9	53.8	50.1 - 57.4
1,839	78.4	62.7	59.8 - 65.7
1,742	88.9	56.0	53.2 - 58.8
778	64.6	47.4	43.9 - 50.9
709	61.1	34.6	31.8 - 37.4
1,012	61.9	41.2	38.5 - 43.8
1,450	76.9	51.1	48.3 - 53.8
2,217	73.8	48.4	46.4 - 50.5
1,837	68.3	43.3	41.2 - 45.3
1,095	78.5	51.0	47.9 - 54.2
3,250	82.0	57.2	55.2 - 59.2
37,977	74.8	52.7	52.1 - 53.3

North of Scotland	513	80.8	59.3	54.1 - 64.5
South East Scotland	592	86.6	67.7	62.1 - 73.2
West of Scotland	1,059	92.0	76.0	71.4 - 80.7
Scotland ¹	2,165	87.7	69.1	66.2 - 72.1

202	30.6	17.9	15.3 - 20.6
226	30.8	18.4	15.8 - 21.0
460	36.8	23.7	21.4 - 26.0
888	33.5	20.7	19.3 - 22.2

715	55.2	36.0	33.3 - 38.7
818	57.7	39.5	36.7 - 42.3
1,519	63.2	45.3	42.9 - 47.6
3,053	59.7	41.2	39.7 - 42.7

Wales	3,428	237.3	171.2	165.3 - 177.0
-------	-------	-------	-------	---------------

1,166	76.7	46.7	43.8 - 49.6
-------	------	------	-------------

4,594	154.9	102.0	98.9 - 105.1
-------	-------	-------	--------------

Northern Ireland	685	80.3	76.0	70.2 - 81.7
------------------	-----	------	------	-------------

231	26.0	18.7	16.2 - 21.3
-----	------	------	-------------

916	52.6	43.3	40.4 - 46.2
-----	------	------	-------------

United Kingdom	34,932	117.6	92.8	91.8 - 93.7
----------------	--------	-------	------	-------------

11,608	37.6	23.7	23.3 - 24.2
--------	------	------	-------------

46,540	76.8	54.1	53.6 - 54.6
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C70-C72: Brain and other parts of central nervous system

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	27	3.6	3.5	2.1 - 4.8	28	3.6	3.4	2.1 - 4.6		55	3.6	3.4	2.5 - 4.3	
N02 Greater Manchester and Cheshire	71	4.7	4.7	3.6 - 5.8	47	3.1	3.0	2.1 - 3.9		118	3.9	3.8	3.1 - 4.5	
N03 Merseyside & Cheshire	46	4.7	4.7	3.3 - 6.1	26	2.5	2.4	1.5 - 3.3		72	3.6	3.5	2.7 - 4.3	
N06 Yorkshire Cancer Network	64	4.9	4.7	3.5 - 5.8	35	2.6	2.5	1.7 - 3.4		99	3.7	3.6	2.9 - 4.3	
N07 Humber & Yorkshire Coast	21	4.0	3.6	2.0 - 5.1	16	3.0	2.5	1.2 - 3.8		37	3.5	3.1	2.0 - 4.1	
N08 North Trent	48	5.5	5.3	3.8 - 6.9	32	3.5	3.3	2.1 - 4.4		80	4.5	4.3	3.3 - 5.2	
N11 Pan Birmingham	35	3.8	3.8	2.5 - 5.1	26	2.7	2.7	1.7 - 3.8		61	3.2	3.2	2.4 - 4.1	
N12 Arden	34	6.9	6.7	4.4 - 8.9	15	3.0	3.0	1.5 - 4.5		49	4.9	4.8	3.4 - 6.2	
N20 Mount Vernon	21	3.4	3.3	1.9 - 4.8	14	2.2	2.1	1.0 - 3.2		35	2.8	2.7	1.8 - 3.6	
N21 West London	45	4.9	5.3	3.7 - 6.9	24	2.6	2.5	1.5 - 3.6		69	3.7	3.9	2.9 - 4.8	
N22 North London	29	3.9	4.3	2.7 - 5.8	13	1.7	1.7	0.7 - 2.6		42	2.8	2.9	2.0 - 3.8	
N23 North East London	32	4.2	4.5	2.9 - 6.1	13	1.7	1.9	0.9 - 3.0		45	2.9	3.2	2.2 - 4.1	
N24 South East London	24	3.2	3.4	2.0 - 4.7	20	2.6	2.7	1.5 - 3.9		44	2.9	3.0	2.1 - 3.9	
N25 South West London	35	4.6	4.8	3.2 - 6.4	26	3.2	3.5	2.1 - 4.8		61	3.9	4.1	3.1 - 5.2	
N26 Peninsula	43	5.4	5.0	3.5 - 6.6	27	3.2	2.7	1.6 - 3.8		70	4.2	3.9	2.9 - 4.8	
N27 Dorset	23	6.8	6.4	3.7 - 9.2	7	1.9	2.0	0.5 - 3.5		30	4.3	4.2	2.6 - 5.7	
N28 Avon, Somerset & Wiltshire	56	6.0	5.9	4.3 - 7.5	45	4.7	4.3	3.0 - 5.6		101	5.3	5.1	4.1 - 6.1	
N29 3 Counties	22	4.3	4.0	2.3 - 5.8	14	2.6	2.1	0.9 - 3.4		36	3.5	3.1	2.0 - 4.2	
N30 Thames Valley	57	4.9	4.8	3.6 - 6.1	36	3.0	3.0	2.0 - 4.0		93	4.0	3.9	3.1 - 4.7	
N31 Central South Coast	46	4.8	4.6	3.3 - 6.0	36	3.6	3.1	2.0 - 4.2		82	4.2	3.9	3.0 - 4.7	
N32 Surrey, West Sussex & Hampshire	30	5.1	4.8	3.1 - 6.5	17	2.8	2.7	1.4 - 4.1		47	3.9	3.7	2.6 - 4.8	
N33 Sussex	29	5.2	4.8	3.0 - 6.6	16	2.7	2.8	1.4 - 4.3		45	3.9	3.8	2.6 - 4.9	
N34 Kent & Medway	39	4.9	4.7	3.2 - 6.1	18	2.1	2.0	1.1 - 3.0		57	3.5	3.3	2.4 - 4.2	
N35 Greater Midlands	38	4.1	4.1	2.8 - 5.4	30	3.1	3.0	1.9 - 4.1		68	3.6	3.6	2.7 - 4.4	
N36 North of England	86	5.9	5.5	4.3 - 6.7	60	3.9	3.5	2.6 - 4.4		146	4.9	4.5	3.7 - 5.2	
N37 Anglia	81	6.1	5.5	4.3 - 6.8	53	3.9	3.5	2.5 - 4.5		134	5.0	4.5	3.7 - 5.3	
N38 Essex	34	5.0	4.6	3.0 - 6.2	29	4.1	3.6	2.2 - 5.0		63	4.5	4.1	3.0 - 5.1	
N39 East Midlands	92	4.7	4.5	3.5 - 5.4	66	3.3	3.1	2.4 - 3.9		158	4.0	3.8	3.2 - 4.4	
England ¹	1,208	4.8	4.7	4.4 - 5.0	789	3.1	2.9	2.7 - 3.1		1,997	3.9	3.8	3.6 - 3.9	
North of Scotland	32	5.0	4.6	3.0 - 6.2	17	2.6	2.3	1.1 - 3.5		49	3.8	3.4	2.4 - 4.4	
South East Scotland	35	5.1	4.6	3.1 - 6.1	27	3.7	3.3	2.0 - 4.6		62	4.4	3.9	2.9 - 4.9	
West of Scotland	49	4.3	4.0	2.9 - 5.1	45	3.6	3.5	2.4 - 4.5		94	3.9	3.7	2.9 - 4.4	
Scotland ¹	116	4.7	4.3	3.5 - 5.1	89	3.4	3.1	2.4 - 3.8		205	4.0	3.7	3.1 - 4.2	
Wales	77	5.3	5.0	3.8 - 6.1	77	5.1	4.6	3.6 - 5.7		154	5.2	4.8	4.0 - 5.6	
Northern Ireland	47	5.5	5.6	4.0 - 7.2	31	3.5	3.6	2.3 - 4.8		78	4.5	4.5	3.5 - 5.6	
United Kingdom	1,448	4.9	4.7	4.5 - 4.9	986	3.2	3.0	2.8 - 3.2		2,434	4.0	3.8	3.7 - 4.0	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C70-C72: Brain and other parts of central nervous system

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	87	11.7	11.9	9.4 - 14.5	68	8.8	8.9	6.7 - 11.0		155	10.2	10.4	8.8 - 12.1	
N02 Greater Manchester and Cheshire	172	11.5	11.5	9.7 - 13.2	120	7.8	8.0	6.6 - 9.5		292	9.6	9.7	8.6 - 10.8	
N03 Merseyside & Cheshire	111	11.4	11.7	9.5 - 13.9	78	7.5	7.8	6.0 - 9.5		189	9.4	9.7	8.3 - 11.1	
N06 Yorkshire Cancer Network	152	11.7	11.4	9.6 - 13.3	102	7.5	7.7	6.2 - 9.2		254	9.6	9.5	8.3 - 10.7	
N07 Humber & Yorkshire Coast	56	10.8	10.4	7.6 - 13.2	32	6.0	5.8	3.8 - 7.9		88	8.3	8.1	6.4 - 9.8	
N08 North Trent	104	11.9	11.4	9.1 - 13.6	88	9.8	9.5	7.5 - 11.6		192	10.8	10.4	8.9 - 11.9	
N11 Pan Birmingham	86	9.2	9.4	7.4 - 11.4	70	7.2	7.5	5.7 - 9.3		156	8.2	8.4	7.1 - 9.7	
N12 Arden	79	16.0	15.6	12.1 - 19.0	50	10.0	10.3	7.4 - 13.1		129	13.0	12.9	10.6 - 15.1	
N20 Mount Vernon	65	10.6	10.2	7.7 - 12.8	38	6.0	5.9	4.0 - 7.8		103	8.3	8.1	6.5 - 9.6	
N21 West London	117	12.8	13.2	10.7 - 15.7	70	7.6	7.6	5.8 - 9.4		187	10.2	10.4	8.8 - 11.9	
N22 North London	86	11.5	12.3	9.7 - 15.0	55	7.1	7.1	5.2 - 9.0		141	9.2	9.7	8.1 - 11.3	
N23 North East London	80	10.5	10.6	8.2 - 12.9	54	6.9	7.5	5.5 - 9.5		134	8.7	9.0	7.5 - 10.6	
N24 South East London	80	10.5	10.8	8.4 - 13.2	55	7.1	7.5	5.4 - 9.5		135	8.8	9.0	7.5 - 10.6	
N25 South West London	91	11.9	11.9	9.4 - 14.4	63	7.9	8.3	6.2 - 10.4		154	9.8	10.0	8.4 - 11.6	
N26 Peninsula	103	12.8	12.7	10.2 - 15.2	81	9.6	9.3	7.1 - 11.4		184	11.2	11.0	9.3 - 12.6	
N27 Dorset	57	16.8	16.9	12.3 - 21.4	26	7.2	7.4	4.5 - 10.3		83	11.8	12.1	9.4 - 14.8	
N28 Avon, Somerset & Wiltshire	144	15.5	15.6	13.0 - 18.1	117	12.2	12.0	9.7 - 14.2		261	13.8	13.8	12.1 - 15.5	
N29 3 Counties	53	10.4	9.9	7.2 - 12.6	51	9.6	9.2	6.6 - 11.9		104	10.0	9.6	7.7 - 11.5	
N30 Thames Valley	111	9.5	9.4	7.6 - 11.1	82	6.9	6.9	5.4 - 8.4		193	8.2	8.1	6.9 - 9.2	
N31 Central South Coast	123	12.8	12.9	10.6 - 15.2	101	10.1	9.8	7.8 - 11.7		224	11.4	11.3	9.8 - 12.9	
N32 Surrey, West Sussex & Hampshire	77	13.1	12.7	9.9 - 15.6	54	8.8	9.1	6.6 - 11.5		131	10.9	10.8	8.9 - 12.7	
N33 Sussex	63	11.3	11.4	8.5 - 14.3	52	8.6	9.1	6.5 - 11.6		115	9.9	10.2	8.3 - 12.1	
N34 Kent & Medway	98	12.3	12.2	9.8 - 14.7	66	7.9	8.0	6.0 - 10.0		164	10.0	10.1	8.5 - 11.6	
N35 Greater Midlands	109	11.7	11.7	9.5 - 13.9	83	8.7	8.9	6.9 - 10.8		192	10.2	10.3	8.8 - 11.8	
N36 North of England	228	15.5	15.5	13.4 - 17.5	157	10.2	10.4	8.7 - 12.1		385	12.8	12.9	11.6 - 14.2	
N37 Anglia	168	12.7	12.2	10.3 - 14.1	121	8.9	8.8	7.1 - 10.4		289	10.7	10.5	9.2 - 11.7	
N38 Essex	80	11.8	11.3	8.8 - 13.8	76	10.6	10.0	7.7 - 12.3		156	11.2	10.6	8.9 - 12.3	
N39 East Midlands	223	11.4	11.3	9.8 - 12.8	161	8.0	8.1	6.8 - 9.4		384	9.7	9.7	8.7 - 10.6	
England ¹	3,007	12.1	11.9	11.5 - 12.4	2,172	8.4	8.5	8.1 - 8.8		5,179	10.2	10.2	9.9 - 10.5	
North of Scotland	72	11.3	11.1	8.5 - 13.7	41	6.2	6.2	4.2 - 8.2		113	8.7	8.6	7.0 - 10.2	
South East Scotland	94	13.8	13.5	10.7 - 16.3	54	7.4	6.9	5.0 - 8.8		148	10.4	10.2	8.5 - 11.9	
West of Scotland	138	12.0	11.7	9.7 - 13.6	105	8.4	8.4	6.8 - 10.1		243	10.1	10.0	8.7 - 11.2	
Scotland ¹	306	12.4	12.1	10.7 - 13.4	200	7.6	7.5	6.4 - 8.5		506	9.9	9.7	8.8 - 10.6	
Wales	196	13.6	13.4	11.5 - 15.3	180	11.8	11.7	9.9 - 13.5		376	12.7	12.5	11.2 - 13.8	
Northern Ireland	124	14.5	14.5	11.9 - 17.0	98	11.0	11.1	8.8 - 13.3		222	12.7	12.7	11.1 - 14.4	
United Kingdom	3,633	12.2	12.1	11.7 - 12.5	2,650	8.6	8.6	8.3 - 8.9		6,283	10.4	10.3	10.1 - 10.6	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C70-C72: Brain and other parts of central nervous system

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	112	15.1	15.3	12.4 - 18.1	104	13.5	13.7	11.0 - 16.4		216	14.2	14.5	12.5 - 16.5	
N02 Greater Manchester and Cheshire	254	17.0	16.9	14.8 - 18.9	204	13.2	13.8	11.9 - 15.7		458	15.1	15.2	13.8 - 16.6	
N03 Merseyside & Cheshire	184	18.9	19.1	16.3 - 21.9	135	13.0	13.3	11.0 - 15.6		319	15.9	16.2	14.4 - 17.9	
N06 Yorkshire Cancer Network	240	18.4	18.2	15.9 - 20.6	163	12.0	12.3	10.4 - 14.2		403	15.2	15.2	13.7 - 16.7	
N07 Humber & Yorkshire Coast	79	15.2	15.0	11.6 - 18.4	51	9.5	9.5	6.9 - 12.2		130	12.3	12.3	10.1 - 14.4	
N08 North Trent	157	17.9	17.2	14.5 - 20.0	128	14.2	14.1	11.6 - 16.6		285	16.0	15.6	13.7 - 17.4	
N11 Pan Birmingham	137	14.7	14.8	12.3 - 17.3	122	12.5	13.1	10.8 - 15.5		259	13.6	13.9	12.2 - 15.6	
N12 Arden	105	21.3	21.0	16.9 - 25.0	63	12.6	13.1	9.8 - 16.4		168	16.9	17.0	14.4 - 19.6	
N20 Mount Vernon	95	15.5	15.2	12.1 - 18.3	72	11.4	11.3	8.7 - 14.0		167	13.4	13.2	11.2 - 15.3	
N21 West London	179	19.5	20.4	17.4 - 23.5	123	13.3	13.7	11.3 - 16.2		302	16.4	17.0	15.1 - 19.0	
N22 North London	127	16.9	18.0	14.8 - 21.1	91	11.7	11.7	9.2 - 14.1		218	14.3	14.8	12.8 - 16.8	
N23 North East London	129	16.8	17.4	14.3 - 20.5	92	11.8	12.5	9.9 - 15.2		221	14.3	14.9	12.9 - 17.0	
N24 South East London	125	16.4	17.4	14.3 - 20.5	86	11.1	11.5	9.0 - 14.0		211	13.7	14.3	12.4 - 16.3	
N25 South West London	150	19.6	19.7	16.5 - 22.9	117	14.6	15.2	12.4 - 18.0		267	17.0	17.4	15.2 - 19.5	
N26 Peninsula	164	20.5	20.7	17.5 - 23.9	127	15.0	14.9	12.2 - 17.7		291	17.7	17.8	15.7 - 19.9	
N27 Dorset	74	21.8	22.2	17.0 - 27.4	58	16.0	17.1	12.6 - 21.7		132	18.8	19.6	16.2 - 23.1	
N28 Avon, Somerset & Wiltshire	203	21.8	21.9	18.9 - 25.0	195	20.3	20.3	17.4 - 23.2		398	21.0	21.1	19.0 - 23.2	
N29 3 Counties	71	13.9	13.1	10.0 - 16.3	80	15.1	14.6	11.3 - 18.0		151	14.5	13.9	11.6 - 16.2	
N30 Thames Valley	193	16.6	16.4	14.1 - 18.7	136	11.5	11.4	9.5 - 13.3		329	14.0	13.9	12.4 - 15.4	
N31 Central South Coast	195	20.4	20.4	17.5 - 23.3	151	15.1	15.0	12.5 - 17.4		346	17.7	17.7	15.8 - 19.6	
N32 Surrey, West Sussex & Hampshire	124	21.1	20.9	17.2 - 24.6	93	15.1	15.6	12.3 - 18.8		217	18.0	18.2	15.7 - 20.6	
N33 Sussex	97	17.4	17.6	14.0 - 21.2	78	12.9	13.8	10.6 - 16.9		175	15.1	15.7	13.3 - 18.1	
N34 Kent & Medway	141	17.7	17.7	14.8 - 20.7	104	12.4	12.6	10.1 - 15.1		245	15.0	15.1	13.2 - 17.0	
N35 Greater Midlands	165	17.8	17.6	14.9 - 20.3	122	12.7	13.2	10.8 - 15.6		287	15.2	15.4	13.6 - 17.2	
N36 North of England	318	21.6	21.6	19.2 - 24.0	239	15.6	16.0	13.9 - 18.1		557	18.5	18.8	17.2 - 20.4	
N37 Anglia	238	18.0	17.6	15.3 - 19.9	182	13.3	13.4	11.4 - 15.4		420	15.6	15.5	14.0 - 17.0	
N38 Essex	117	17.2	16.7	13.6 - 19.8	109	15.3	14.6	11.8 - 17.4		226	16.2	15.6	13.5 - 17.7	
N39 East Midlands	328	16.7	16.6	14.8 - 18.4	245	12.2	12.4	10.8 - 14.0		573	14.5	14.5	13.3 - 15.7	
England ¹	4,511	18.1	18.0	17.5 - 18.5	3,477	13.5	13.7	13.2 - 14.1		7,988	15.7	15.8	15.4 - 16.1	
North of Scotland	112	17.6	17.4	14.1 - 20.6	63	9.5	9.4	7.0 - 11.8		175	13.5	13.4	11.3 - 15.4	
South East Scotland	129	18.9	18.6	15.3 - 21.8	86	11.7	11.0	8.6 - 13.3		215	15.2	14.8	12.8 - 16.8	
West of Scotland	215	18.7	18.3	15.9 - 20.8	165	13.2	13.0	11.0 - 15.1		380	15.8	15.6	14.0 - 17.2	
Scotland ¹	458	18.6	18.2	16.5 - 19.9	315	11.9	11.6	10.3 - 12.9		773	15.1	14.8	13.8 - 15.9	
Wales	313	21.7	21.2	18.8 - 23.6	302	19.9	19.5	17.3 - 21.8		615	20.7	20.4	18.7 - 22.0	
Northern Ireland	174	20.4	20.2	17.2 - 23.2	158	17.8	17.8	15.0 - 20.6		332	19.1	19.0	16.9 - 21.1	
United Kingdom	5,456	18.4	18.2	17.7 - 18.7	4,252	13.8	13.9	13.5 - 14.3		9,708	16.0	16.0	15.7 - 16.3	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C81: Hodgkin disease

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	22	3.0	2.9	1.6 - 4.1	14	1.8	1.9	0.9 - 2.9		36	2.4	2.4	1.6 - 3.2	
N02 Greater Manchester and Cheshire	50	3.3	3.3	2.4 - 4.2	33	2.1	2.0	1.3 - 2.7		83	2.7	2.6	2.0 - 3.2	
N03 Merseyside & Cheshire	23	2.4	2.3	1.4 - 3.3	14	1.3	1.3	0.6 - 2.0		37	1.8	1.8	1.2 - 2.4	
N06 Yorkshire Cancer Network	34	2.6	2.6	1.7 - 3.5	28	2.1	2.0	1.2 - 2.7		62	2.3	2.3	1.7 - 2.9	
N07 Humber & Yorkshire Coast	13	2.5	2.4	1.0 - 3.7	21	3.9	3.5	1.9 - 5.1		34	3.2	2.9	1.9 - 4.0	
N08 North Trent	24	2.7	2.7	1.6 - 3.8	22	2.4	2.3	1.3 - 3.3		46	2.6	2.5	1.8 - 3.3	
N11 Pan Birmingham	28	3.0	2.9	1.9 - 4.0	21	2.2	2.0	1.1 - 2.9		49	2.6	2.5	1.8 - 3.2	
N12 Arden	7	1.4	1.5	0.4 - 2.6	8	1.6	1.6	0.4 - 2.7		15	1.5	1.5	0.7 - 2.3	
N20 Mount Vernon	13	2.1	2.1	1.0 - 3.3	10	1.6	1.6	0.6 - 2.6		23	1.8	1.9	1.1 - 2.6	
N21 West London	26	2.8	2.9	1.7 - 4.0	15	1.6	1.8	0.8 - 2.7		41	2.2	2.3	1.6 - 3.0	
N22 North London	21	2.8	2.7	1.5 - 3.9	11	1.4	1.3	0.5 - 2.0		32	2.1	2.0	1.3 - 2.7	
N23 North East London	9	1.2	1.2	0.4 - 2.1	19	2.4	2.3	1.3 - 3.4		28	1.8	1.8	1.1 - 2.4	
N24 South East London	21	2.8	2.5	1.4 - 3.6	9	1.2	1.0	0.3 - 1.6		30	1.9	1.7	1.1 - 2.4	
N25 South West London	20	2.6	2.6	1.4 - 3.7	21	2.6	2.4	1.3 - 3.5		41	2.6	2.5	1.7 - 3.3	
N26 Peninsula	23	2.9	2.9	1.7 - 4.1	15	1.8	1.6	0.7 - 2.4		38	2.3	2.3	1.5 - 3.0	
N27 Dorset	10	2.9	3.0	1.1 - 5.0	12	3.3	3.3	1.2 - 5.4		22	3.1	3.2	1.8 - 4.6	
N28 Avon, Somerset & Wiltshire	30	3.2	3.1	2.0 - 4.2	14	1.5	1.4	0.7 - 2.2		44	2.3	2.2	1.6 - 2.9	
N29 3 Counties	14	2.7	2.4	1.1 - 3.7	18	3.4	3.0	1.6 - 4.5		32	3.1	2.7	1.7 - 3.7	
N30 Thames Valley	28	2.4	2.4	1.5 - 3.2	38	3.2	3.2	2.2 - 4.2		66	2.8	2.8	2.1 - 3.4	
N31 Central South Coast	30	3.1	2.9	1.9 - 4.0	19	1.9	1.6	0.8 - 2.4		49	2.5	2.3	1.6 - 2.9	
N32 Surrey, West Sussex & Hampshire	12	2.0	2.1	0.9 - 3.3	12	2.0	2.1	0.9 - 3.2		24	2.0	2.1	1.2 - 2.9	
N33 Sussex	9	1.6	1.7	0.6 - 2.8	11	1.8	1.7	0.6 - 2.7		20	1.7	1.7	0.9 - 2.5	
N34 Kent & Medway	24	3.0	3.0	1.8 - 4.3	19	2.3	2.4	1.3 - 3.4		43	2.6	2.7	1.9 - 3.5	
N35 Greater Midlands	28	3.0	3.0	1.8 - 4.1	21	2.2	2.3	1.3 - 3.3		49	2.6	2.6	1.9 - 3.4	
N36 North of England	33	2.2	2.3	1.5 - 3.1	30	2.0	1.8	1.1 - 2.5		63	2.1	2.1	1.5 - 2.6	
N37 Anglia	50	3.8	3.7	2.6 - 4.7	35	2.6	2.6	1.7 - 3.4		85	3.2	3.1	2.4 - 3.8	
N38 Essex	15	2.2	2.2	1.1 - 3.3	14	2.0	1.9	0.9 - 2.9		29	2.1	2.0	1.3 - 2.8	
N39 East Midlands	56	2.9	2.8	2.0 - 3.5	37	1.8	1.7	1.2 - 2.3		93	2.3	2.3	1.8 - 2.7	
England ¹	673	2.7	2.6	2.4 - 2.8	541	2.1	2.0	1.8 - 2.2		1,214	2.4	2.3	2.2 - 2.5	
North of Scotland	17	2.7	2.6	1.4 - 3.9	11	1.7	1.6	0.6 - 2.7		28	2.2	2.1	1.3 - 2.9	
South East Scotland	16	2.3	2.3	1.1 - 3.4	9	1.2	1.2	0.4 - 2.0		25	1.8	1.7	1.0 - 2.4	
West of Scotland	32	2.8	2.7	1.8 - 3.7	40	3.2	3.3	2.2 - 4.3		72	3.0	3.0	2.3 - 3.7	
Scotland ¹	65	2.6	2.6	1.9 - 3.2	60	2.3	2.3	1.7 - 2.9		125	2.4	2.4	2.0 - 2.8	
Wales	34	2.4	2.2	1.5 - 2.9	27	1.8	1.9	1.1 - 2.6		61	2.1	2.0	1.5 - 2.5	
Northern Ireland	20	2.3	2.3	1.3 - 3.3	17	1.9	1.9	1.0 - 2.9		37	2.1	2.1	1.4 - 2.8	
United Kingdom	792	2.7	2.6	2.4 - 2.8	645	2.1	2.0	1.9 - 2.2		1,437	2.4	2.3	2.2 - 2.4	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C81: Hodgkin disease

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	85	11.4	11.5	9.0 - 13.9
N02 Greater Manchester and Cheshire	178	11.9	11.6	9.9 - 13.3
N03 Merseyside & Cheshire	87	9.0	8.7	6.8 - 10.5
N06 Yorkshire Cancer Network	158	12.1	11.9	10.0 - 13.7
N07 Humber & Yorkshire Coast	60	11.5	11.3	8.4 - 14.3
N08 North Trent	92	10.5	10.4	8.2 - 12.5
N11 Pan Birmingham	135	14.5	14.4	12.0 - 16.9
N12 Arden	39	7.9	7.9	5.4 - 10.3
N20 Mount Vernon	64	10.5	10.4	7.8 - 12.9
N21 West London	104	11.3	11.1	8.9 - 13.3
N22 North London	88	11.7	11.3	8.9 - 13.7
N23 North East London	59	7.7	7.3	5.4 - 9.2
N24 South East London	84	11.0	10.3	8.1 - 12.6
N25 South West London	98	12.8	12.6	10.0 - 15.1
N26 Peninsula	110	13.7	13.8	11.2 - 16.5
N27 Dorset	44	13.0	13.0	9.0 - 16.9
N28 Avon, Somerset & Wiltshire	129	13.9	13.5	11.2 - 15.9
N29 3 Counties	54	10.6	10.3	7.5 - 13.2
N30 Thames Valley	172	14.8	14.2	12.1 - 16.4
N31 Central South Coast	122	12.7	12.6	10.4 - 14.9
N32 Surrey, West Sussex & Hampshire	56	9.5	9.5	7.0 - 12.0
N33 Sussex	60	10.8	10.8	8.0 - 13.6
N34 Kent & Medway	86	10.8	10.9	8.6 - 13.3
N35 Greater Midlands	99	10.7	10.5	8.4 - 12.6
N36 North of England	164	11.2	11.0	9.3 - 12.7
N37 Anglia	186	14.0	13.9	11.9 - 16.0
N38 Essex	69	10.1	10.0	7.6 - 12.4
N39 East Midlands	256	13.1	12.9	11.3 - 14.5
England ¹	2,939	11.8	11.5	11.1 - 12.0

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
78	10.1	10.1	7.8 - 12.3
129	8.4	8.2	6.7 - 9.6
64	6.2	6.3	4.8 - 7.9
139	10.2	10.2	8.5 - 11.9
56	10.4	9.7	7.1 - 12.3
71	7.9	7.7	5.9 - 9.6
87	8.9	8.7	6.9 - 10.6
41	8.2	8.0	5.5 - 10.5
53	8.4	8.2	6.0 - 10.5
63	6.8	6.2	4.6 - 7.8
61	7.9	7.2	5.4 - 9.1
72	9.3	8.7	6.7 - 10.8
72	9.3	8.7	6.6 - 10.7
76	9.5	9.0	6.9 - 11.1
68	8.0	8.3	6.3 - 10.4
34	9.4	9.7	6.2 - 13.2
68	7.1	7.1	5.4 - 8.8
58	10.9	10.9	7.9 - 13.8
123	10.4	10.4	8.5 - 12.2
86	8.6	8.4	6.5 - 10.2
44	7.2	7.1	5.0 - 9.3
39	6.5	6.9	4.6 - 9.1
65	7.7	8.1	6.1 - 10.1
80	8.4	8.7	6.8 - 10.7
142	9.3	9.1	7.5 - 10.6
132	9.7	10.0	8.3 - 11.8
52	7.3	7.3	5.3 - 9.4
182	9.1	8.8	7.5 - 10.0
2,236	8.7	8.5	8.2 - 8.9

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
163	10.8	10.8	9.1 - 12.5
307	10.1	9.9	8.7 - 11.0
151	7.5	7.5	6.3 - 8.7
297	11.2	11.0	9.7 - 12.3
116	11.0	10.5	8.5 - 12.5
163	9.2	9.1	7.7 - 10.5
222	11.6	11.5	10.0 - 13.1
80	8.0	8.0	6.2 - 9.7
117	9.4	9.3	7.6 - 11.0
167	9.1	8.6	7.3 - 10.0
149	9.8	9.2	7.7 - 10.8
131	8.5	8.0	6.6 - 9.4
156	10.1	9.5	7.9 - 11.0
174	11.1	10.8	9.1 - 12.4
178	10.8	11.1	9.4 - 12.7
78	11.1	11.3	8.6 - 13.9
197	10.4	10.3	8.8 - 11.8
112	10.8	10.6	8.6 - 12.6
295	12.6	12.3	10.9 - 13.7
208	10.6	10.5	9.0 - 11.9
100	8.3	8.3	6.7 - 10.0
99	8.5	8.8	7.0 - 10.6
151	9.2	9.5	7.9 - 11.0
179	9.5	9.6	8.2 - 11.0
306	10.2	10.1	8.9 - 11.2
318	11.8	12.0	10.6 - 13.3
121	8.7	8.6	7.1 - 10.2
438	11.1	10.8	9.8 - 11.8
5,175	10.2	10.0	9.7 - 10.3

North of Scotland	81	12.8	12.7	9.9 - 15.5
South East Scotland	92	13.5	13.1	10.4 - 15.8
West of Scotland	140	12.2	12.0	10.0 - 14.0
Scotland ¹	313	12.7	12.5	11.1 - 13.9

57	8.6	8.5	6.2 - 10.8
67	9.1	8.9	6.7 - 11.1
140	11.2	11.1	9.2 - 12.9
265	10.0	9.9	8.7 - 11.1

138	10.7	10.6	8.8 - 12.4
159	11.2	11.0	9.2 - 12.7
280	11.7	11.5	10.1 - 12.8
578	11.3	11.1	10.2 - 12.1

Wales	161	11.1	10.9	9.2 - 12.7
-------	-----	------	------	------------

114	7.5	7.7	6.3 - 9.2
-----	-----	-----	-----------

275	9.3	9.3	8.2 - 10.4
-----	-----	-----	------------

Northern Ireland	84	9.8	9.6	7.5 - 11.6
------------------	----	-----	-----	------------

78	8.8	8.6	6.7 - 10.6
----	-----	-----	------------

162	9.3	9.0	7.6 - 10.4
-----	-----	-----	------------

United Kingdom	3,497	11.8	11.5	11.2 - 11.9
----------------	-------	------	------	-------------

2,693	8.7	8.6	8.3 - 8.9
-------	-----	-----	-----------

6,190	10.2	10.1	9.8 - 10.3
-------	------	------	------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C81: Hodgkin disease

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	160	21.5	21.9	18.4 - 25.3
N02 Greater Manchester and Cheshire	346	23.1	22.6	20.2 - 25.0
N03 Merseyside & Cheshire	159	16.4	15.9	13.4 - 18.4
N06 Yorkshire Cancer Network	284	21.8	21.3	18.8 - 23.8
N07 Humber & Yorkshire Coast	121	23.3	23.1	18.9 - 27.3
N08 North Trent	176	20.1	20.2	17.2 - 23.2
N11 Pan Birmingham	228	24.4	24.4	21.2 - 27.5
N12 Arden	89	18.0	17.8	14.1 - 21.6
N20 Mount Vernon	132	21.6	21.2	17.6 - 24.8
N21 West London	201	21.9	21.0	18.0 - 24.0
N22 North London	164	21.9	20.7	17.4 - 23.9
N23 North East London	146	19.1	18.6	15.5 - 21.6
N24 South East London	164	21.5	20.3	17.1 - 23.6
N25 South West London	198	25.8	24.5	21.0 - 28.0
N26 Peninsula	185	23.1	23.7	20.2 - 27.2
N27 Dorset	84	24.8	24.6	19.1 - 30.0
N28 Avon, Somerset & Wiltshire	217	23.3	22.9	19.9 - 26.0
N29 3 Counties	107	21.0	20.3	16.3 - 24.2
N30 Thames Valley	312	26.8	25.8	22.9 - 28.6
N31 Central South Coast	226	23.6	23.2	20.1 - 26.2
N32 Surrey, West Sussex & Hampshire	121	20.5	20.5	16.8 - 24.2
N33 Sussex	121	21.7	21.7	17.8 - 25.7
N34 Kent & Medway	172	21.6	21.5	18.2 - 24.7
N35 Greater Midlands	183	19.7	19.5	16.6 - 22.3
N36 North of England	305	20.8	20.6	18.3 - 23.0
N37 Anglia	359	27.1	26.9	24.1 - 29.7
N38 Essex	135	19.8	19.3	16.0 - 22.6
N39 East Midlands	420	21.4	21.1	19.1 - 23.1
England ¹	5,521	22.2	21.6	21.0 - 22.2

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
130	16.8	17.2	14.2 - 20.3
239	15.5	15.3	13.3 - 17.2
143	13.8	13.8	11.5 - 16.2
220	16.2	16.1	13.9 - 18.2
99	18.5	17.4	13.8 - 20.9
130	14.4	14.0	11.6 - 16.5
147	15.1	15.0	12.6 - 17.5
64	12.8	12.5	9.4 - 15.6
106	16.7	16.6	13.4 - 19.8
152	16.4	14.8	12.4 - 17.2
132	17.0	15.4	12.7 - 18.1
113	14.5	13.7	11.2 - 16.3
135	17.3	16.3	13.5 - 19.1
146	18.2	16.5	13.7 - 19.3
146	17.3	17.7	14.7 - 20.7
59	16.3	17.2	12.6 - 21.9
135	14.0	14.2	11.7 - 16.6
104	19.6	19.7	15.7 - 23.7
222	18.8	18.5	16.1 - 21.0
176	17.6	17.4	14.8 - 20.1
89	14.5	14.1	11.1 - 17.1
80	13.3	13.7	10.6 - 16.8
117	13.9	14.3	11.6 - 16.9
147	15.4	15.6	13.0 - 18.2
233	15.2	14.8	12.9 - 16.8
262	19.2	19.6	17.2 - 22.0
98	13.7	13.7	10.9 - 16.5
307	15.3	14.9	13.2 - 16.6
4,133	16.0	15.7	15.2 - 16.1

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
290	19.1	19.6	17.3 - 21.8
585	19.3	18.9	17.3 - 20.4
302	15.0	14.8	13.1 - 16.5
504	18.9	18.6	17.0 - 20.3
220	20.8	20.2	17.5 - 22.9
306	17.2	17.2	15.3 - 19.2
375	19.7	19.6	17.6 - 21.6
153	15.4	15.2	12.8 - 17.6
238	19.1	18.9	16.5 - 21.3
353	19.2	17.7	15.8 - 19.6
296	19.4	18.0	15.9 - 20.1
259	16.8	16.1	14.1 - 18.1
299	19.4	18.3	16.2 - 20.4
344	21.9	20.4	18.2 - 22.6
331	20.1	20.7	18.4 - 23.0
143	20.4	20.7	17.1 - 24.2
352	18.6	18.5	16.6 - 20.5
211	20.3	19.9	17.2 - 22.7
534	22.8	22.1	20.2 - 24.0
402	20.5	20.2	18.2 - 22.3
210	17.5	17.3	14.9 - 19.7
201	17.3	17.6	15.1 - 20.1
289	17.7	17.8	15.7 - 19.8
330	17.5	17.5	15.6 - 19.4
538	17.9	17.7	16.2 - 19.2
621	23.1	23.2	21.3 - 25.0
233	16.7	16.4	14.3 - 18.5
727	18.3	18.0	16.7 - 19.4
9,654	19.0	18.6	18.2 - 19.0

North of Scotland	144	22.7	22.4	18.7 - 26.1
South East Scotland	150	22.0	21.4	18.0 - 24.8
West of Scotland	256	22.3	21.7	19.0 - 24.3
Scotland ¹	550	22.3	21.8	19.9 - 23.6

109	16.5	16.8	13.5 - 20.0
132	18.0	17.6	14.5 - 20.6
237	18.9	18.6	16.2 - 21.0
479	18.1	17.9	16.2 - 19.5

253	19.5	19.5	17.0 - 21.9
282	19.9	19.4	17.2 - 21.7
493	20.5	20.0	18.2 - 21.8
1,029	20.1	19.7	18.5 - 21.0

Wales	303	21.0	20.6	18.3 - 23.0
-------	-----	------	------	-------------

218	14.3	14.4	12.5 - 16.4
-----	------	------	-------------

521	17.6	17.4	15.9 - 19.0
-----	------	------	-------------

Northern Ireland	162	19.0	18.9	15.9 - 21.8
------------------	-----	------	------	-------------

129	14.5	14.5	12.0 - 17.0
-----	------	------	-------------

291	16.7	16.6	14.6 - 18.5
-----	------	------	-------------

United Kingdom	6,536	22.0	21.5	21.0 - 22.0
----------------	-------	------	------	-------------

4,959	16.1	15.8	15.3 - 16.2
-------	------	------	-------------

11,495	19.0	18.6	18.2 - 18.9
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C82-C85 & C96: Non-Hodgkin lymphoma

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	115	15.5	12.8	10.4 - 15.2	86	11.1	8.4	6.5 - 10.3		201	13.3	10.5	9.0 - 12.0	
N02 Greater Manchester and Cheshire	224	15.0	13.9	12.1 - 15.8	174	11.3	9.0	7.6 - 10.4		398	13.1	11.4	10.3 - 12.6	
N03 Merseyside & Cheshire	142	14.6	12.5	10.4 - 14.6	106	10.2	7.8	6.3 - 9.4		248	12.3	10.0	8.7 - 11.3	
N06 Yorkshire Cancer Network	136	10.4	9.6	8.0 - 11.2	149	11.0	9.1	7.6 - 10.7		285	10.7	9.2	8.1 - 10.3	
N07 Humber & Yorkshire Coast	67	12.9	10.5	7.9 - 13.1	64	11.9	7.6	5.6 - 9.7		131	12.4	9.1	7.4 - 10.7	
N08 North Trent	139	15.9	13.8	11.5 - 16.2	112	12.4	9.8	7.9 - 11.7		251	14.1	11.7	10.2 - 13.2	
N11 Pan Birmingham	113	12.1	11.7	9.5 - 13.9	103	10.6	8.9	7.1 - 10.7		216	11.3	10.3	8.9 - 11.7	
N12 Arden	59	11.9	10.4	7.7 - 13.1	49	9.8	7.2	5.1 - 9.4		108	10.9	8.7	7.0 - 10.4	
N20 Mount Vernon	63	10.3	9.6	7.2 - 12.0	65	10.3	8.7	6.5 - 10.9		128	10.3	9.1	7.5 - 10.7	
N21 West London	97	10.6	10.7	8.5 - 12.9	70	7.6	7.4	5.6 - 9.2		167	9.1	8.9	7.5 - 10.2	
N22 North London	86	11.5	12.2	9.6 - 14.8	55	7.1	6.3	4.6 - 8.0		141	9.2	9.1	7.6 - 10.7	
N23 North East London	67	8.7	9.8	7.4 - 12.2	61	7.8	8.2	6.1 - 10.3		128	8.3	8.9	7.4 - 10.5	
N24 South East London	101	13.3	14.6	11.7 - 17.5	87	11.2	10.2	8.0 - 12.5		188	12.2	12.3	10.5 - 14.1	
N25 South West London	93	12.1	12.4	9.8 - 14.9	92	11.5	10.3	8.1 - 12.5		185	11.8	11.3	9.6 - 13.0	
N26 Peninsula	144	18.0	13.5	11.2 - 15.8	115	13.6	9.1	7.3 - 10.9		259	15.7	11.1	9.6 - 12.5	
N27 Dorset	70	20.6	14.0	10.5 - 17.5	59	16.3	10.6	7.5 - 13.6		129	18.4	12.1	9.8 - 14.4	
N28 Avon, Somerset & Wiltshire	154	16.5	13.5	11.3 - 15.7	111	11.5	8.9	7.2 - 10.6		265	14.0	11.0	9.7 - 12.4	
N29 3 Counties	78	15.3	11.9	9.2 - 14.6	84	15.8	10.9	8.4 - 13.3		162	15.6	11.4	9.6 - 13.3	
N30 Thames Valley	171	14.7	13.7	11.7 - 15.8	127	10.7	9.0	7.4 - 10.7		298	12.7	11.3	10.0 - 12.6	
N31 Central South Coast	147	15.3	12.4	10.3 - 14.5	147	14.7	11.0	9.1 - 12.9		294	15.0	11.6	10.2 - 13.0	
N32 Surrey, West Sussex & Hampshire	95	16.1	14.3	11.4 - 17.2	52	8.5	7.0	5.1 - 9.0		147	12.2	10.5	8.8 - 12.2	
N33 Sussex	73	13.1	9.7	7.4 - 12.1	60	10.0	6.8	4.9 - 8.7		133	11.5	8.1	6.7 - 9.6	
N34 Kent & Medway	102	12.8	10.8	8.6 - 12.9	90	10.7	7.9	6.2 - 9.6		192	11.7	9.2	7.9 - 10.6	
N35 Greater Midlands	107	11.5	9.4	7.5 - 11.2	88	9.2	6.7	5.2 - 8.2		195	10.3	7.9	6.8 - 9.1	
N36 North of England	166	11.3	9.4	8.0 - 10.9	160	10.4	7.9	6.6 - 9.2		326	10.9	8.6	7.6 - 9.6	
N37 Anglia	229	17.3	14.0	12.1 - 15.8	196	14.4	10.7	9.1 - 12.3		425	15.8	12.2	11.0 - 13.4	
N38 Essex	108	15.9	13.1	10.6 - 15.6	89	12.5	8.7	6.8 - 10.6		197	14.1	10.8	9.2 - 12.4	
N39 East Midlands	294	15.0	13.1	11.6 - 14.6	239	11.9	9.3	8.1 - 10.5		533	13.4	11.1	10.2 - 12.1	
England ¹	3,440	13.8	12.1	11.7 - 12.6	2,890	11.2	8.8	8.5 - 9.1		6,330	12.5	10.4	10.1 - 10.6	
North of Scotland	76	12.0	9.6	7.4 - 11.9	80	12.1	8.6	6.6 - 10.6		156	12.0	9.1	7.6 - 10.6	
South East Scotland	115	16.8	14.3	11.7 - 17.0	96	13.1	10.2	8.0 - 12.3		211	14.9	12.0	10.4 - 13.7	
West of Scotland	131	11.4	10.1	8.4 - 11.9	141	11.3	8.6	7.1 - 10.1		272	11.3	9.2	8.1 - 10.4	
Scotland ¹	322	13.0	11.1	9.9 - 12.4	317	12.0	9.0	8.0 - 10.0		639	12.5	10.0	9.2 - 10.8	
Wales	228	15.8	12.9	11.2 - 14.6	203	13.3	9.4	8.0 - 10.7		431	14.5	11.1	10.0 - 12.1	
Northern Ireland	104	12.2	12.1	9.8 - 14.4	87	9.8	8.5	6.6 - 10.4		191	11.0	10.1	8.7 - 11.6	
United Kingdom	4,094	13.8	12.1	11.7 - 12.5	3,497	11.3	8.8	8.5 - 9.1		7,591	12.5	10.4	10.1 - 10.6	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C82-C85 & C96: Non-Hodgkin lymphoma

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	392	52.7	43.6	39.2 - 48.0
N02 Greater Manchester and Cheshire	686	45.8	42.4	39.2 - 45.7
N03 Merseyside & Cheshire	477	49.1	42.4	38.5 - 46.3
N06 Yorkshire Cancer Network	556	42.7	39.1	35.8 - 42.4
N07 Humber & Yorkshire Coast	297	57.1	45.8	40.5 - 51.2
N08 North Trent	471	53.7	45.9	41.7 - 50.1
N11 Pan Birmingham	420	45.0	42.8	38.6 - 46.9
N12 Arden	246	49.8	42.6	37.2 - 48.0
N20 Mount Vernon	246	40.2	37.8	33.0 - 42.5
N21 West London	382	41.6	43.7	39.2 - 48.1
N22 North London	341	45.5	48.3	43.1 - 53.5
N23 North East London	270	35.3	39.6	34.8 - 44.4
N24 South East London	417	54.8	60.0	54.1 - 65.9
N25 South West London	366	47.7	48.5	43.4 - 53.6
N26 Peninsula	579	72.2	53.8	49.2 - 58.3
N27 Dorset	279	82.3	59.0	51.6 - 66.4
N28 Avon, Somerset & Wiltshire	612	65.7	54.6	50.2 - 59.0
N29 3 Counties	307	60.2	47.7	42.2 - 53.2
N30 Thames Valley	632	54.3	51.3	47.3 - 55.3
N31 Central South Coast	638	66.6	54.6	50.2 - 58.9
N32 Surrey, West Sussex & Hampshire	308	52.3	47.0	41.7 - 52.3
N33 Sussex	277	49.7	38.0	33.3 - 42.7
N34 Kent & Medway	413	52.0	43.6	39.3 - 47.9
N35 Greater Midlands	432	46.6	38.7	35.0 - 42.4
N36 North of England	642	43.7	36.4	33.5 - 39.3
N37 Anglia	790	59.6	48.2	44.7 - 51.6
N38 Essex	365	53.6	44.9	40.2 - 49.5
N39 East Midlands	1,054	53.8	46.7	43.8 - 49.6
England ¹	12,898	51.7	45.6	44.8 - 46.4

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
331	42.9	32.7	29.0 - 36.4
564	36.6	30.1	27.5 - 32.7
432	41.5	32.5	29.3 - 35.7
573	42.2	34.8	31.8 - 37.8
274	51.1	35.7	31.2 - 40.2
405	44.9	33.9	30.5 - 37.4
367	37.7	31.1	27.8 - 34.5
200	39.9	30.6	26.2 - 35.1
230	36.3	30.0	25.9 - 34.0
277	30.0	29.2	25.7 - 32.8
278	35.8	32.1	28.2 - 36.0
250	32.1	32.8	28.6 - 37.0
325	41.8	39.2	34.8 - 43.7
327	40.8	36.1	32.0 - 40.2
508	60.0	39.4	35.7 - 43.1
234	64.7	40.0	34.3 - 45.7
504	52.4	39.1	35.5 - 42.8
289	54.5	37.8	33.2 - 42.5
546	46.2	38.9	35.5 - 42.3
556	55.5	39.8	36.3 - 43.4
215	35.0	28.0	24.1 - 32.0
298	49.4	32.9	28.7 - 37.0
342	40.7	30.1	26.7 - 33.4
360	37.6	29.0	25.8 - 32.1
673	43.9	32.8	30.2 - 35.4
700	51.3	38.1	35.1 - 41.0
289	40.4	30.3	26.6 - 34.0
961	48.0	37.5	35.0 - 40.0
11,309	43.8	34.4	33.7 - 35.1

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
723	47.7	37.6	34.8 - 40.5
1,250	41.1	36.0	33.9 - 38.0
909	45.2	37.0	34.5 - 39.5
1,129	42.4	36.7	34.5 - 38.9
571	54.0	40.6	37.1 - 44.0
876	49.2	39.5	36.8 - 42.2
787	41.3	36.8	34.1 - 39.5
446	44.8	36.2	32.7 - 39.6
476	38.2	33.6	30.5 - 36.7
659	35.8	35.9	33.1 - 38.7
619	40.5	39.8	36.6 - 43.0
520	33.7	36.2	33.0 - 39.4
742	48.2	49.2	45.5 - 52.8
693	44.2	42.0	38.8 - 45.2
1,087	65.9	46.0	43.1 - 48.9
513	73.2	49.0	44.3 - 53.6
1,116	58.9	46.4	43.6 - 49.2
596	57.3	42.7	39.1 - 46.2
1,178	50.2	44.9	42.3 - 47.5
1,194	60.9	46.9	44.1 - 49.7
523	43.5	37.1	33.9 - 40.4
575	49.6	35.3	32.2 - 38.4
755	46.2	36.3	33.7 - 39.0
792	42.0	33.5	31.1 - 35.9
1,315	43.8	34.5	32.5 - 36.4
1,490	55.4	42.8	40.6 - 45.1
654	46.9	37.2	34.3 - 40.2
2,015	50.8	41.9	40.0 - 43.8
24,207	47.7	39.7	39.2 - 40.2

North of Scotland	319	50.2	40.8	36.3 - 45.4
South East Scotland	415	60.7	52.7	47.6 - 57.8
West of Scotland	549	47.7	42.2	38.7 - 45.8
Scotland ¹	1,284	52.0	44.8	42.3 - 47.3

343	51.9	37.5	33.3 - 41.6
341	46.4	35.4	31.5 - 39.3
563	45.0	34.5	31.6 - 37.5
1,248	47.1	35.5	33.5 - 37.6

662	51.1	38.9	35.9 - 42.0
756	53.3	43.4	40.3 - 46.6
1,112	46.3	38.0	35.7 - 40.3
2,532	49.5	39.7	38.2 - 41.3

Wales	794	55.0	45.4	42.2 - 48.6
-------	-----	------	------	-------------

722	47.5	34.9	32.2 - 37.6
-----	------	------	-------------

1,516	51.1	39.9	37.9 - 42.0
-------	------	------	-------------

Northern Ireland	402	47.1	46.2	41.7 - 50.8
------------------	-----	------	------	-------------

395	44.5	37.6	33.7 - 41.5
-----	------	------	-------------

797	45.8	41.6	38.7 - 44.6
-----	------	------	-------------

United Kingdom	15,378	51.8	45.6	44.8 - 46.3
----------------	--------	------	------	-------------

13,674	44.3	34.6	34.0 - 35.2
--------	------	------	-------------

29,052	48.0	39.8	39.3 - 40.2
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C82-C85 & C96: Non-Hodgkin lymphoma

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	628	84.4	70.3	64.7 - 75.9	521	67.4	50.9	46.3 - 55.5		1,149	75.8	59.9	56.3 - 63.5	
N02 Greater Manchester and Cheshire	1,073	71.6	66.1	62.1 - 70.1	907	58.9	48.3	45.0 - 51.5		1,980	65.2	56.6	54.1 - 59.2	
N03 Merseyside & Cheshire	749	77.1	66.5	61.6 - 71.3	647	62.2	48.0	44.1 - 51.9		1,396	69.4	56.5	53.4 - 59.5	
N06 Yorkshire Cancer Network	869	66.7	61.3	57.2 - 65.5	896	66.0	54.2	50.5 - 57.9		1,765	66.3	57.4	54.7 - 60.2	
N07 Humber & Yorkshire Coast	438	84.2	67.5	61.1 - 74.0	422	78.6	55.6	49.9 - 61.2		860	81.4	61.2	56.9 - 65.4	
N08 North Trent	707	80.7	68.8	63.7 - 74.0	642	71.1	54.7	50.2 - 59.1		1,349	75.8	61.2	57.8 - 64.5	
N11 Pan Birmingham	653	70.0	66.2	61.1 - 71.4	585	60.1	49.9	45.7 - 54.2		1,238	64.9	57.7	54.4 - 61.0	
N12 Arden	368	74.5	63.9	57.3 - 70.6	317	63.3	49.1	43.4 - 54.8		685	68.8	55.9	51.6 - 60.2	
N20 Mount Vernon	411	67.2	62.2	56.1 - 68.3	369	58.3	48.4	43.2 - 53.5		780	62.6	54.8	50.8 - 58.7	
N21 West London	620	67.5	70.1	64.5 - 75.7	482	52.1	50.2	45.6 - 54.9		1,102	59.8	59.5	55.9 - 63.1	
N22 North London	577	76.9	81.8	75.1 - 88.6	485	62.4	57.0	51.8 - 62.3		1,062	69.5	68.9	64.7 - 73.2	
N23 North East London	455	59.4	66.4	60.2 - 72.7	426	54.8	54.9	49.5 - 60.4		881	57.1	60.7	56.6 - 64.9	
N24 South East London	642	84.3	92.1	84.9 - 99.4	491	63.1	59.3	53.9 - 64.8		1,133	73.6	75.0	70.5 - 79.5	
N25 South West London	594	77.5	79.4	72.9 - 85.8	523	65.2	57.7	52.5 - 62.9		1,117	71.2	68.1	63.9 - 72.2	
N26 Peninsula	933	116.4	86.9	81.2 - 92.7	812	95.9	63.8	59.1 - 68.5		1,745	105.9	74.5	70.8 - 78.1	
N27 Dorset	433	127.7	91.5	82.3 - 100.7	372	102.8	62.4	55.3 - 69.5		805	114.8	76.2	70.5 - 82.0	
N28 Avon, Somerset & Wiltshire	977	104.9	87.6	82.0 - 93.2	831	86.3	64.3	59.7 - 69.0		1,808	95.5	75.2	71.6 - 78.8	
N29 3 Counties	490	96.1	77.0	70.1 - 84.0	462	87.1	61.0	55.1 - 66.9		952	91.5	68.9	64.3 - 73.4	
N30 Thames Valley	988	84.9	79.8	74.8 - 84.8	890	75.3	63.3	59.0 - 67.6		1,878	80.0	71.1	67.9 - 74.4	
N31 Central South Coast	1,006	105.0	86.8	81.3 - 92.3	929	92.8	67.5	62.8 - 72.1		1,935	98.8	76.7	73.1 - 80.3	
N32 Surrey, West Sussex & Hampshire	504	85.6	77.0	70.2 - 83.8	373	60.7	48.4	43.2 - 53.5		877	72.9	62.1	57.9 - 66.3	
N33 Sussex	464	83.3	64.0	58.0 - 70.1	481	79.8	52.8	47.6 - 58.1		945	81.5	58.1	54.2 - 62.1	
N34 Kent & Medway	666	83.8	70.7	65.2 - 76.2	572	68.1	50.6	46.3 - 55.0		1,238	75.7	59.9	56.4 - 63.4	
N35 Greater Midlands	690	74.4	61.6	56.9 - 66.2	615	64.2	48.4	44.3 - 52.4		1,305	69.2	54.6	51.6 - 57.7	
N36 North of England	1,017	69.2	57.8	54.2 - 61.4	1,027	66.9	49.6	46.4 - 52.8		2,044	68.1	53.5	51.1 - 55.9	
N37 Anglia	1,144	86.3	69.8	65.6 - 73.9	1,041	76.3	56.2	52.6 - 59.8		2,185	81.2	62.6	59.9 - 65.3	
N38 Essex	536	78.8	66.3	60.6 - 72.0	468	65.5	49.3	44.6 - 54.1		1,004	72.0	57.4	53.7 - 61.1	
N39 East Midlands	1,553	79.2	68.8	65.4 - 72.3	1,426	71.2	55.4	52.3 - 58.4		2,979	75.2	61.9	59.6 - 64.2	
England ¹	20,204	81.1	71.5	70.5 - 72.5	18,023	69.8	54.7	53.9 - 55.6		38,227	75.3	62.6	62.0 - 63.3	
North of Scotland	516	81.2	66.2	60.4 - 72.0	534	80.8	58.1	53.0 - 63.3		1,050	81.0	61.8	57.9 - 65.6	
South East Scotland	643	94.1	81.1	74.7 - 87.4	560	76.2	56.5	51.6 - 61.4		1,203	84.8	67.9	64.0 - 71.9	
West of Scotland	860	74.7	66.1	61.7 - 70.6	909	72.6	55.3	51.5 - 59.0		1,769	73.6	60.3	57.4 - 63.2	
Scotland ¹	2,020	81.8	70.3	67.2 - 73.5	2,006	75.8	56.4	53.8 - 59.0		4,026	78.7	62.8	60.9 - 64.8	
Wales	1,146	79.3	65.7	61.8 - 69.6	1,078	70.9	52.0	48.7 - 55.3		2,224	75.0	58.6	56.0 - 61.1	
Northern Ireland	634	74.3	72.9	67.2 - 78.7	661	74.4	63.1	58.1 - 68.1		1,295	74.4	67.7	63.9 - 71.4	
United Kingdom	24,004	80.8	71.1	70.2 - 72.1	21,768	70.5	54.9	54.2 - 55.7		45,772	75.6	62.6	62.0 - 63.2	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C88 & C90: Myeloma

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	36	4.8	4.0	2.7 - 5.3	33	4.3	2.7	1.7 - 3.6		69	4.6	3.3	2.5 - 4.1	
N02 Greater Manchester and Cheshire	68	4.5	4.0	3.1 - 5.0	45	2.9	2.2	1.5 - 2.9		113	3.7	3.1	2.5 - 3.6	
N03 Merseyside & Cheshire	27	2.8	2.3	1.4 - 3.1	37	3.6	2.5	1.7 - 3.4		64	3.2	2.4	1.8 - 3.0	
N06 Yorkshire Cancer Network	53	4.1	3.7	2.7 - 4.7	45	3.3	2.5	1.7 - 3.3		98	3.7	3.0	2.4 - 3.7	
N07 Humber & Yorkshire Coast	33	6.3	5.0	3.2 - 6.7	19	3.5	2.4	1.2 - 3.5		52	4.9	3.5	2.5 - 4.5	
N08 North Trent	46	5.2	4.1	2.9 - 5.3	33	3.7	2.6	1.7 - 3.5		79	4.4	3.2	2.5 - 4.0	
N11 Pan Birmingham	48	5.1	4.8	3.4 - 6.1	32	3.3	2.7	1.7 - 3.7		80	4.2	3.6	2.8 - 4.5	
N12 Arden	22	4.5	3.9	2.2 - 5.5	17	3.4	2.3	1.1 - 3.4		39	3.9	3.0	2.0 - 4.0	
N20 Mount Vernon	25	4.1	3.4	2.1 - 4.8	26	4.1	3.2	1.9 - 4.5		51	4.1	3.3	2.4 - 4.2	
N21 West London	54	5.9	6.3	4.6 - 8.1	40	4.3	3.8	2.6 - 5.0		94	5.1	5.0	4.0 - 6.0	
N22 North London	37	4.9	5.4	3.6 - 7.1	24	3.1	2.9	1.7 - 4.1		61	4.0	4.0	3.0 - 5.0	
N23 North East London	16	2.1	2.6	1.3 - 3.9	15	1.9	1.8	0.9 - 2.8		31	2.0	2.2	1.4 - 3.0	
N24 South East London	37	4.9	5.5	3.7 - 7.3	44	5.7	5.6	3.9 - 7.4		81	5.3	5.6	4.3 - 6.8	
N25 South West London	43	5.6	5.6	3.9 - 7.4	30	3.7	3.1	1.9 - 4.3		73	4.7	4.3	3.2 - 5.3	
N26 Peninsula	65	8.1	5.9	4.4 - 7.4	63	7.4	4.4	3.3 - 5.6		128	7.8	5.1	4.2 - 6.1	
N27 Dorset	32	9.4	5.6	3.5 - 7.7	15	4.1	2.4	1.0 - 3.7		47	6.7	3.8	2.6 - 5.0	
N28 Avon, Somerset & Wiltshire	57	6.1	4.7	3.4 - 5.9	56	5.8	4.1	3.0 - 5.2		113	6.0	4.3	3.5 - 5.1	
N29 3 Counties	40	7.8	5.7	3.8 - 7.5	33	6.2	4.0	2.6 - 5.4		73	7.0	4.8	3.6 - 5.9	
N30 Thames Valley	53	4.6	4.3	3.1 - 5.4	49	4.1	3.3	2.3 - 4.3		102	4.3	3.8	3.0 - 4.5	
N31 Central South Coast	53	5.5	4.2	3.0 - 5.3	57	5.7	3.6	2.6 - 4.6		110	5.6	3.9	3.1 - 4.6	
N32 Surrey, West Sussex & Hampshire	32	5.4	4.6	3.0 - 6.3	21	3.4	2.7	1.5 - 3.9		53	4.4	3.6	2.6 - 4.5	
N33 Sussex	37	6.6	4.6	3.0 - 6.1	23	3.8	2.2	1.2 - 3.2		60	5.2	3.3	2.4 - 4.2	
N34 Kent & Medway	47	5.9	5.0	3.5 - 6.4	27	3.2	2.3	1.4 - 3.3		74	4.5	3.6	2.7 - 4.4	
N35 Greater Midlands	36	3.9	2.8	1.9 - 3.8	30	3.1	2.1	1.3 - 2.9		66	3.5	2.4	1.8 - 3.0	
N36 North of England	70	4.8	3.7	2.8 - 4.6	44	2.9	1.9	1.3 - 2.5		114	3.8	2.7	2.2 - 3.2	
N37 Anglia	84	6.3	4.7	3.7 - 5.7	66	4.8	3.3	2.4 - 4.1		150	5.6	3.9	3.3 - 4.6	
N38 Essex	45	6.6	5.1	3.6 - 6.6	35	4.9	3.5	2.3 - 4.7		80	5.7	4.1	3.2 - 5.0	
N39 East Midlands	98	5.0	4.1	3.3 - 4.9	91	4.5	3.1	2.4 - 3.8		189	4.8	3.6	3.1 - 4.1	
England ¹	1,294	5.2	4.4	4.1 - 4.6	1,050	4.1	2.9	2.7 - 3.1		2,344	4.6	3.6	3.4 - 3.7	
North of Scotland	38	6.0	4.4	3.0 - 5.8	27	4.1	2.3	1.4 - 3.3		65	5.0	3.2	2.4 - 4.0	
South East Scotland	50	7.3	6.0	4.3 - 7.6	32	4.4	2.7	1.7 - 3.8		82	5.8	4.1	3.2 - 5.1	
West of Scotland	60	5.2	4.5	3.3 - 5.6	49	3.9	2.6	1.8 - 3.3		109	4.5	3.5	2.8 - 4.1	
Scotland ¹	148	6.0	4.9	4.1 - 5.7	108	4.1	2.6	2.1 - 3.1		256	5.0	3.6	3.1 - 4.1	
Wales	97	6.7	5.1	4.1 - 6.2	78	5.1	3.3	2.5 - 4.0		175	5.9	4.1	3.5 - 4.7	
Northern Ireland	56	6.6	6.3	4.6 - 8.0	58	6.5	4.8	3.5 - 6.1		114	6.5	5.5	4.5 - 6.6	
United Kingdom	1,595	5.4	4.5	4.3 - 4.7	1,294	4.2	3.0	2.8 - 3.1		2,889	4.8	3.7	3.5 - 3.8	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C88 & C90: Myeloma

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	118	15.9	12.9	10.5 - 15.2	114	14.8	9.2	7.4 - 11.1		232	15.3	11.1	9.6 - 12.5	
N02 Greater Manchester and Cheshire	197	13.2	11.9	10.3 - 13.6	177	11.5	8.5	7.2 - 9.8		374	12.3	10.2	9.1 - 11.2	
N03 Merseyside & Cheshire	93	9.6	8.0	6.4 - 9.7	95	9.1	6.4	5.1 - 7.8		188	9.3	7.2	6.2 - 8.3	
N06 Yorkshire Cancer Network	210	16.1	14.3	12.4 - 16.3	177	13.0	10.1	8.5 - 11.7		387	14.6	12.0	10.8 - 13.3	
N07 Humber & Yorkshire Coast	104	20.0	15.4	12.4 - 18.5	71	13.2	8.6	6.5 - 10.8		175	16.6	11.7	9.9 - 13.5	
N08 North Trent	175	20.0	15.8	13.4 - 18.1	112	12.4	8.8	7.1 - 10.6		287	16.1	11.9	10.4 - 13.3	
N11 Pan Birmingham	142	15.2	14.2	11.8 - 16.5	119	12.2	10.2	8.3 - 12.1		261	13.7	12.0	10.5 - 13.5	
N12 Arden	76	15.4	13.2	10.2 - 16.3	60	12.0	8.3	6.1 - 10.5		136	13.7	10.6	8.8 - 12.5	
N20 Mount Vernon	67	11.0	9.7	7.3 - 12.0	74	11.7	9.2	7.0 - 11.4		141	11.3	9.4	7.8 - 11.1	
N21 West London	151	16.5	18.1	15.2 - 21.0	110	11.9	10.8	8.7 - 12.9		261	14.2	14.2	12.4 - 16.0	
N22 North London	124	16.5	17.4	14.3 - 20.5	84	10.8	9.9	7.7 - 12.1		208	13.6	13.3	11.5 - 15.2	
N23 North East London	87	11.4	13.5	10.7 - 16.4	57	7.3	7.5	5.4 - 9.5		144	9.3	10.3	8.6 - 12.0	
N24 South East London	132	17.3	19.1	15.8 - 22.4	110	14.1	13.9	11.2 - 16.6		242	15.7	16.3	14.2 - 18.5	
N25 South West London	152	19.8	19.7	16.5 - 22.9	104	13.0	11.3	9.0 - 13.5		256	16.3	15.0	13.1 - 17.0	
N26 Peninsula	205	25.6	18.1	15.5 - 20.6	176	20.8	13.0	10.9 - 15.1		381	23.1	15.3	13.7 - 17.0	
N27 Dorset	90	26.5	16.4	12.8 - 19.9	63	17.4	9.1	6.6 - 11.6		153	21.8	12.4	10.3 - 14.5	
N28 Avon, Somerset & Wiltshire	213	22.9	17.6	15.2 - 20.0	203	21.1	14.8	12.7 - 17.0		416	22.0	15.9	14.3 - 17.6	
N29 3 Counties	119	23.3	17.4	14.2 - 20.6	95	17.9	11.6	9.1 - 14.1		214	20.6	14.4	12.4 - 16.4	
N30 Thames Valley	173	14.9	13.9	11.8 - 16.0	130	11.0	9.0	7.4 - 10.6		303	12.9	11.3	10.0 - 12.6	
N31 Central South Coast	183	19.1	14.9	12.7 - 17.1	163	16.3	10.0	8.4 - 11.7		346	17.7	12.4	11.0 - 13.7	
N32 Surrey, West Sussex & Hampshire	97	16.5	14.2	11.3 - 17.1	76	12.4	9.4	7.2 - 11.6		173	14.4	11.6	9.8 - 13.4	
N33 Sussex	151	27.1	19.3	16.1 - 22.5	101	16.8	10.2	8.1 - 12.4		252	21.7	14.3	12.4 - 16.2	
N34 Kent & Medway	130	16.4	13.2	10.9 - 15.5	102	12.2	8.8	7.0 - 10.6		232	14.2	10.8	9.3 - 12.2	
N35 Greater Midlands	128	13.8	10.5	8.6 - 12.4	100	10.5	7.5	6.0 - 9.1		228	12.1	8.9	7.7 - 10.0	
N36 North of England	236	16.1	12.8	11.1 - 14.4	174	11.3	7.7	6.5 - 9.0		410	13.7	10.1	9.1 - 11.1	
N37 Anglia	256	19.3	14.7	12.9 - 16.6	202	14.8	10.1	8.6 - 11.6		458	17.0	12.3	11.1 - 13.5	
N38 Essex	148	21.8	17.4	14.6 - 20.3	94	13.2	9.1	7.2 - 11.1		242	17.4	12.9	11.2 - 14.6	
N39 East Midlands	319	16.3	13.4	11.9 - 14.9	261	13.0	9.1	8.0 - 10.3		580	14.6	11.2	10.2 - 12.1	
England ¹	4,277	17.2	14.5	14.1 - 15.0	3,404	13.2	9.6	9.3 - 10.0		7,681	15.1	11.9	11.6 - 12.1	
North of Scotland	122	19.2	14.8	12.1 - 17.5	97	14.7	8.6	6.7 - 10.4		219	16.9	11.5	10.0 - 13.1	
South East Scotland	136	19.9	16.6	13.7 - 19.4	113	15.4	10.5	8.4 - 12.6		249	17.6	13.3	11.6 - 15.0	
West of Scotland	213	18.5	15.9	13.8 - 18.1	173	13.8	9.3	7.8 - 10.7		386	16.1	12.2	11.0 - 13.5	
Scotland ¹	472	19.1	15.8	14.4 - 17.3	383	14.5	9.4	8.4 - 10.5		855	16.7	12.4	11.5 - 13.2	
Wales	325	22.5	17.3	15.4 - 19.2	242	15.9	10.0	8.7 - 11.4		567	19.1	13.4	12.3 - 14.6	
Northern Ireland	173	20.3	19.7	16.8 - 22.7	146	16.4	13.0	10.8 - 15.2		319	18.3	16.0	14.2 - 17.8	
United Kingdom	5,247	17.7	14.9	14.5 - 15.3	4,175	13.5	9.7	9.4 - 10.0		9,422	15.6	12.1	11.8 - 12.4	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C88 & C90: Myeloma

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	150	20.2	16.3	13.7 - 19.0
N02 Greater Manchester and Cheshire	278	18.6	16.7	14.7 - 18.6
N03 Merseyside & Cheshire	124	12.8	10.9	8.9 - 12.8
N06 Yorkshire Cancer Network	290	22.2	19.9	17.6 - 22.2
N07 Humber & Yorkshire Coast	143	27.5	21.4	17.8 - 25.0
N08 North Trent	202	23.1	18.2	15.7 - 20.8
N11 Pan Birmingham	181	19.4	18.2	15.5 - 20.9
N12 Arden	98	19.8	16.8	13.4 - 20.2
N20 Mount Vernon	92	15.0	13.4	10.6 - 16.2
N21 West London	189	20.6	22.8	19.5 - 26.1
N22 North London	176	23.5	24.8	21.1 - 28.5
N23 North East London	121	15.8	18.9	15.5 - 22.3
N24 South East London	181	23.8	26.0	22.1 - 29.8
N25 South West London	201	26.2	26.4	22.7 - 30.1
N26 Peninsula	286	35.7	24.6	21.7 - 27.5
N27 Dorset	111	32.7	20.2	16.3 - 24.2
N28 Avon, Somerset & Wiltshire	285	30.6	23.7	20.9 - 26.5
N29 3 Counties	157	30.8	22.7	19.1 - 26.3
N30 Thames Valley	236	20.3	19.0	16.5 - 21.4
N31 Central South Coast	234	24.4	19.3	16.7 - 21.8
N32 Surrey, West Sussex & Hampshire	138	23.4	20.0	16.6 - 23.4
N33 Sussex	196	35.2	25.2	21.6 - 28.9
N34 Kent & Medway	179	22.5	18.2	15.5 - 20.9
N35 Greater Midlands	185	19.9	15.2	13.0 - 17.4
N36 North of England	305	20.8	16.7	14.8 - 18.6
N37 Anglia	317	23.9	18.2	16.1 - 20.2
N38 Essex	181	26.6	21.3	18.2 - 24.5
N39 East Midlands	420	21.4	17.6	15.9 - 19.3
England ¹	5,659	22.7	19.2	18.7 - 19.7

North of Scotland	155	24.4	18.7	15.7 - 21.7
South East Scotland	167	24.4	20.3	17.2 - 23.4
West of Scotland	283	24.6	21.1	18.6 - 23.6
Scotland ¹	606	24.5	20.2	18.6 - 21.9

Wales	427	29.6	22.7	20.5 - 24.9
-------	-----	------	------	-------------

Northern Ireland	229	26.8	26.0	22.6 - 29.4
------------------	-----	------	------	-------------

United Kingdom	6,921	23.3	19.7	19.2 - 20.1
----------------	-------	------	------	-------------

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
145	18.8	11.9	9.9 - 14.0
243	15.8	11.8	10.3 - 13.4
117	11.3	7.9	6.4 - 9.4
228	16.8	13.1	11.3 - 14.9
101	18.8	12.1	9.6 - 14.6
149	16.5	11.8	9.8 - 13.8
153	15.7	13.1	10.9 - 15.2
75	15.0	10.5	8.0 - 13.0
90	14.2	11.6	9.1 - 14.1
137	14.8	13.7	11.3 - 16.0
120	15.4	14.1	11.5 - 16.8
84	10.8	10.8	8.4 - 13.3
156	20.0	19.3	16.1 - 22.5
145	18.1	15.4	12.7 - 18.1
236	27.9	17.2	14.8 - 19.6
81	22.4	12.4	9.4 - 15.4
254	26.4	18.5	16.1 - 21.0
124	23.4	15.0	12.2 - 17.8
191	16.2	13.2	11.2 - 15.1
220	22.0	14.0	12.1 - 16.0
104	16.9	12.5	10.0 - 15.0
140	23.2	13.8	11.3 - 16.3
140	16.7	11.8	9.8 - 13.9
149	15.6	10.9	9.1 - 12.8
227	14.8	10.0	8.6 - 11.4
266	19.5	13.3	11.6 - 15.0
121	16.9	12.0	9.7 - 14.2
322	16.1	11.3	10.0 - 12.6
4,521	17.5	12.8	12.4 - 13.2

123	18.6	10.8	8.8 - 12.9
134	18.2	12.2	10.0 - 14.3
249	19.9	13.5	11.7 - 15.3
506	19.1	12.5	11.3 - 13.6

324	21.3	13.4	11.9 - 15.0
-----	------	------	-------------

193	21.7	17.3	14.8 - 19.9
-----	------	------	-------------

5,544	18.0	12.9	12.5 - 13.3
-------	------	------	-------------

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
295	19.5	14.1	12.5 - 15.8
521	17.1	14.1	12.9 - 15.4
241	12.0	9.4	8.1 - 10.6
518	19.5	16.2	14.8 - 17.6
244	23.1	16.4	14.3 - 18.6
351	19.7	14.5	13.0 - 16.1
334	17.5	15.5	13.7 - 17.2
173	17.4	13.5	11.4 - 15.6
182	14.6	12.5	10.6 - 14.3
326	17.7	17.8	15.9 - 19.8
296	19.4	19.0	16.8 - 21.2
205	13.3	14.6	12.5 - 16.6
337	21.9	22.3	19.8 - 24.8
346	22.1	20.4	18.2 - 22.6
522	31.7	20.5	18.7 - 22.4
192	27.4	15.9	13.5 - 18.3
539	28.5	20.7	18.9 - 22.5
281	27.0	18.7	16.4 - 21.0
427	18.2	15.8	14.3 - 17.4
454	23.2	16.6	15.0 - 18.2
242	20.1	16.0	13.9 - 18.1
336	29.0	19.0	16.8 - 21.1
319	19.5	14.7	13.1 - 16.4
334	17.7	12.8	11.4 - 14.3
532	17.7	13.1	12.0 - 14.3
583	21.7	15.6	14.2 - 16.9
302	21.7	16.2	14.3 - 18.1
742	18.7	14.3	13.3 - 15.4
10,180	20.1	15.7	15.4 - 16.1

278	21.5	14.6	12.8 - 16.4
301	21.2	15.8	14.0 - 17.7
532	22.2	16.9	15.4 - 18.4
1,112	21.7	16.0	15.0 - 17.0

751	25.3	17.8	16.4 - 19.1
-----	------	------	-------------

422	24.2	21.3	19.2 - 23.4
-----	------	------	-------------

12,465	20.6	16.0	15.7 - 16.3
--------	------	------	-------------

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

C91-C95: Leukaemia

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	49	6.6	5.8	4.1 - 7.4	32	4.1	3.8	2.4 - 5.2		81	5.3	4.7	3.6 - 5.8	
N02 Greater Manchester and Cheshire	100	6.7	6.4	5.2 - 7.7	84	5.5	4.9	3.8 - 6.0		184	6.1	5.7	4.8 - 6.5	
N03 Merseyside & Cheshire	88	9.1	7.8	6.1 - 9.5	66	6.3	4.9	3.6 - 6.1		154	7.7	6.2	5.2 - 7.3	
N06 Yorkshire Cancer Network	136	10.4	9.7	8.0 - 11.3	92	6.8	5.4	4.3 - 6.6		228	8.6	7.4	6.4 - 8.4	
N07 Humber & Yorkshire Coast	70	13.5	11.4	8.6 - 14.1	41	7.6	5.6	3.7 - 7.4		111	10.5	8.2	6.6 - 9.9	
N08 North Trent	52	5.9	5.2	3.7 - 6.6	48	5.3	3.9	2.7 - 5.2		100	5.6	4.5	3.6 - 5.5	
N11 Pan Birmingham	77	8.2	8.1	6.2 - 9.9	51	5.2	4.7	3.3 - 6.0		128	6.7	6.3	5.2 - 7.5	
N12 Arden	47	9.5	8.6	6.1 - 11.1	25	5.0	4.1	2.4 - 5.8		72	7.2	6.3	4.8 - 7.7	
N20 Mount Vernon	35	5.7	5.2	3.5 - 7.0	25	3.9	3.2	1.8 - 4.6		60	4.8	4.1	3.1 - 5.2	
N21 West London	69	7.5	7.8	5.9 - 9.7	45	4.9	4.7	3.3 - 6.1		114	6.2	6.1	5.0 - 7.3	
N22 North London	55	7.3	8.0	5.8 - 10.1	44	5.7	5.5	3.8 - 7.2		99	6.5	6.7	5.3 - 8.0	
N23 North East London	44	5.7	6.6	4.6 - 8.6	39	5.0	4.6	3.1 - 6.2		83	5.4	5.6	4.4 - 6.9	
N24 South East London	63	8.3	9.3	7.0 - 11.7	40	5.1	4.7	3.1 - 6.2		103	6.7	6.9	5.5 - 8.3	
N25 South West London	50	6.5	6.8	4.9 - 8.7	39	4.9	4.5	3.0 - 6.0		89	5.7	5.6	4.4 - 6.8	
N26 Peninsula	107	13.3	10.2	8.1 - 12.2	86	10.2	6.8	5.2 - 8.4		193	11.7	8.4	7.1 - 9.7	
N27 Dorset	49	14.4	9.2	6.4 - 11.9	34	9.4	6.4	3.7 - 9.0		83	11.8	7.5	5.7 - 9.4	
N28 Avon, Somerset & Wiltshire	104	11.2	9.3	7.4 - 11.1	70	7.3	6.0	4.4 - 7.5		174	9.2	7.4	6.3 - 8.6	
N29 3 Counties	62	12.2	9.6	7.2 - 12.1	47	8.9	6.3	4.3 - 8.3		109	10.5	7.9	6.4 - 9.5	
N30 Thames Valley	98	8.4	8.1	6.5 - 9.7	68	5.8	5.4	4.1 - 6.8		166	7.1	6.6	5.6 - 7.7	
N31 Central South Coast	115	12.0	9.7	7.9 - 11.5	81	8.1	5.7	4.3 - 7.1		196	10.0	7.6	6.4 - 8.7	
N32 Surrey, West Sussex & Hampshire	59	10.0	9.0	6.6 - 11.4	38	6.2	5.0	3.3 - 6.7		97	8.1	6.9	5.4 - 8.3	
N33 Sussex	40	7.2	5.7	3.9 - 7.6	41	6.8	4.9	3.1 - 6.6		81	7.0	5.3	4.0 - 6.5	
N34 Kent & Medway	86	10.8	9.5	7.4 - 11.6	60	7.1	5.6	4.0 - 7.1		146	8.9	7.5	6.2 - 8.7	
N35 Greater Midlands	67	7.2	6.2	4.7 - 7.7	50	5.2	4.1	2.8 - 5.3		117	6.2	5.0	4.1 - 6.0	
N36 North of England	86	5.9	4.9	3.9 - 6.0	45	2.9	2.2	1.5 - 2.9		131	4.4	3.5	2.9 - 4.1	
N37 Anglia	130	9.8	7.9	6.5 - 9.3	104	7.6	6.0	4.8 - 7.2		234	8.7	6.8	5.9 - 7.7	
N38 Essex	60	8.8	7.0	5.2 - 8.9	34	4.8	4.2	2.7 - 5.7		94	6.7	5.4	4.3 - 6.6	
N39 East Midlands	194	9.9	8.7	7.5 - 10.0	104	5.2	4.4	3.5 - 5.3		298	7.5	6.4	5.6 - 7.2	
England ¹	2,192	8.8	7.9	7.5 - 8.2	1,533	5.9	4.8	4.6 - 5.1		3,725	7.3	6.3	6.0 - 6.5	
North of Scotland	48	7.6	6.7	4.8 - 8.7	29	4.4	3.8	2.3 - 5.2		77	5.9	5.2	3.9 - 6.4	
South East Scotland	73	10.7	9.7	7.4 - 11.9	48	6.5	5.4	3.7 - 7.0		121	8.5	7.4	6.0 - 8.7	
West of Scotland	123	10.7	9.7	8.0 - 11.5	61	4.9	4.1	3.0 - 5.2		184	7.7	6.6	5.6 - 7.6	
Scotland ¹	244	9.9	8.9	7.8 - 10.0	138	5.2	4.4	3.6 - 5.1		382	7.5	6.4	5.8 - 7.1	
Wales	172	11.9	9.8	8.3 - 11.3	123	8.1	5.8	4.7 - 7.0		295	9.9	7.7	6.8 - 8.6	
Northern Ireland	60	7.0	6.8	5.0 - 8.5	53	6.0	5.4	3.8 - 6.9		113	6.5	5.9	4.8 - 7.0	
United Kingdom	2,668	9.0	8.0	7.7 - 8.3	1,847	6.0	4.9	4.6 - 5.1		4,515	7.5	6.3	6.1 - 6.5	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

C91-C95: Leukaemia

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion
N01 Lancashire and South Cumbria	186	25.0	22.1	18.9 - 25.4	132	17.1	14.6	11.9 - 17.2	318	21.0	18.1	16.1 - 20.2	318	21.0
N02 Greater Manchester and Cheshire	381	25.4	24.5	22.0 - 26.9	252	16.4	14.9	13.0 - 16.9	633	20.8	19.5	18.0 - 21.1	633	20.8
N03 Merseyside & Cheshire	222	22.9	20.6	17.8 - 23.4	150	14.4	12.9	10.7 - 15.1	372	18.5	16.5	14.7 - 18.2	372	18.5
N06 Yorkshire Cancer Network	677	51.9	47.4	43.8 - 51.0	475	35.0	27.9	25.3 - 30.6	1,152	43.3	37.0	34.8 - 39.2	1,152	43.3
N07 Humber & Yorkshire Coast	318	61.1	49.8	44.2 - 55.4	199	37.1	25.9	21.9 - 29.8	517	48.9	37.1	33.7 - 40.5	517	48.9
N08 North Trent	224	25.6	22.8	19.7 - 25.8	161	17.8	14.2	11.8 - 16.6	385	21.6	18.3	16.4 - 20.3	385	21.6
N11 Pan Birmingham	304	32.6	31.5	28.0 - 35.1	232	23.8	20.7	17.9 - 23.5	536	28.1	26.0	23.7 - 28.2	536	28.1
N12 Arden	141	28.5	26.2	21.8 - 30.6	96	19.2	16.9	13.3 - 20.5	237	23.8	21.4	18.6 - 24.2	237	23.8
N20 Mount Vernon	127	20.8	19.3	15.9 - 22.7	92	14.5	12.8	10.0 - 15.5	219	17.6	15.8	13.6 - 18.0	219	17.6
N21 West London	229	25.0	27.3	23.7 - 30.9	142	15.4	15.9	13.2 - 18.6	371	20.1	21.3	19.1 - 23.5	371	20.1
N22 North London	204	27.2	29.1	25.1 - 33.2	147	18.9	19.1	15.9 - 22.3	351	23.0	23.7	21.2 - 26.3	351	23.0
N23 North East London	148	19.3	21.9	18.3 - 25.5	137	17.6	17.3	14.3 - 20.4	285	18.5	19.6	17.3 - 21.9	285	18.5
N24 South East London	274	36.0	39.3	34.6 - 44.1	201	25.8	24.2	20.7 - 27.7	475	30.8	31.2	28.3 - 34.1	475	30.8
N25 South West London	233	30.4	32.0	27.9 - 36.2	198	24.7	23.0	19.6 - 26.4	431	27.5	27.3	24.7 - 30.0	431	27.5
N26 Peninsula	332	41.4	31.5	28.0 - 35.1	256	30.2	21.6	18.7 - 24.6	588	35.7	26.3	24.0 - 28.6	588	35.7
N27 Dorset	167	49.2	34.2	28.6 - 39.9	128	35.4	25.7	20.5 - 31.0	295	42.1	29.4	25.6 - 33.2	295	42.1
N28 Avon, Somerset & Wiltshire	369	39.6	33.4	29.9 - 36.9	255	26.5	20.4	17.7 - 23.1	624	33.0	26.4	24.2 - 28.6	624	33.0
N29 3 Counties	174	34.1	27.7	23.5 - 31.9	150	28.3	21.2	17.4 - 25.0	324	31.2	24.4	21.5 - 27.2	324	31.2
N30 Thames Valley	412	35.4	33.8	30.5 - 37.1	310	26.2	23.6	20.9 - 26.4	722	30.8	28.4	26.3 - 30.5	722	30.8
N31 Central South Coast	365	38.1	32.5	29.0 - 35.9	273	27.3	21.3	18.5 - 24.1	638	32.6	26.5	24.3 - 28.7	638	32.6
N32 Surrey, West Sussex & Hampshire	221	37.5	33.7	29.2 - 38.2	138	22.5	18.8	15.5 - 22.1	359	29.8	25.8	23.0 - 28.5	359	29.8
N33 Sussex	223	40.0	30.9	26.6 - 35.1	181	30.0	21.3	17.7 - 24.9	404	34.8	25.7	22.9 - 28.4	404	34.8
N34 Kent & Medway	316	39.8	34.4	30.5 - 38.3	210	25.0	20.3	17.4 - 23.2	526	32.2	27.0	24.6 - 29.4	526	32.2
N35 Greater Midlands	308	33.2	28.8	25.5 - 32.1	214	22.4	17.5	14.9 - 20.0	522	27.7	22.9	20.8 - 24.9	522	27.7
N36 North of England	390	26.5	23.5	21.2 - 25.9	265	17.3	14.2	12.3 - 16.0	655	21.8	18.7	17.2 - 20.2	655	21.8
N37 Anglia	522	39.4	32.9	30.0 - 35.8	358	26.2	21.1	18.8 - 23.5	880	32.7	26.7	24.8 - 28.5	880	32.7
N38 Essex	195	28.7	23.9	20.5 - 27.4	115	16.1	13.7	11.1 - 16.4	310	22.2	18.4	16.3 - 20.5	310	22.2
N39 East Midlands	563	28.7	25.7	23.5 - 27.9	325	16.2	14.1	12.5 - 15.7	888	22.4	19.6	18.2 - 20.9	888	22.4
England ¹	8,225	33.0	29.8	29.2 - 30.5	5,792	22.4	18.7	18.2 - 19.2	14,017	27.6	23.9	23.5 - 24.4	14,017	27.6
North of Scotland	208	32.7	28.6	24.6 - 32.6	157	23.8	19.4	16.1 - 22.6	365	28.2	23.7	21.2 - 26.3	365	28.2
South East Scotland	292	42.7	37.9	33.5 - 42.4	197	26.8	22.2	18.9 - 25.5	489	34.5	29.3	26.6 - 32.0	489	34.5
West of Scotland	506	44.0	39.8	36.3 - 43.3	304	24.3	19.5	17.2 - 21.8	810	33.7	28.5	26.5 - 30.5	810	33.7
Scotland ¹	1,008	40.8	36.2	33.9 - 38.5	659	24.9	20.2	18.6 - 21.9	1,667	32.6	27.5	26.1 - 28.8	1,667	32.6
Wales	591	40.9	33.5	30.8 - 36.3	432	28.4	21.0	18.8 - 23.2	1,023	34.5	26.9	25.1 - 28.6	1,023	34.5
Northern Ireland	229	26.8	26.1	22.7 - 29.5	175	19.7	17.6	14.9 - 20.3	404	23.2	21.4	19.2 - 23.5	404	23.2
United Kingdom	10,053	33.9	30.5	29.9 - 31.1	7,058	22.9	18.9	18.5 - 19.4	17,111	28.2	24.3	23.9 - 24.7	17,111	28.2

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

C91-C95: Leukaemia

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	277	37.2	33.1	29.1 - 37.1	210	27.2	22.9	19.6 - 26.1		487	32.1	27.7	25.1 - 30.2	
N02 Greater Manchester and Cheshire	593	39.6	37.9	34.8 - 41.0	425	27.6	25.2	22.7 - 27.7		1,018	33.5	31.2	29.3 - 33.2	
N03 Merseyside & Cheshire	307	31.6	28.9	25.6 - 32.2	218	21.0	19.3	16.6 - 22.0		525	26.1	23.8	21.7 - 25.9	
N06 Yorkshire Cancer Network	1,012	77.6	70.7	66.2 - 75.1	753	55.5	44.4	41.0 - 47.8		1,765	66.3	56.5	53.8 - 59.2	
N07 Humber & Yorkshire Coast	456	87.6	72.3	65.5 - 79.1	294	54.8	39.0	34.1 - 43.9		750	71.0	54.7	50.6 - 58.9	
N08 North Trent	388	44.3	39.0	35.1 - 43.0	261	28.9	23.5	20.4 - 26.5		649	36.5	30.9	28.4 - 33.3	
N11 Pan Birmingham	483	51.7	49.3	44.8 - 53.7	367	37.7	32.9	29.3 - 36.4		850	44.6	40.6	37.8 - 43.4	
N12 Arden	249	50.4	46.0	40.1 - 51.8	174	34.7	29.5	24.9 - 34.2		423	42.5	37.5	33.8 - 41.2	
N20 Mount Vernon	207	33.8	31.7	27.3 - 36.1	154	24.3	21.3	17.8 - 24.8		361	29.0	26.2	23.4 - 29.0	
N21 West London	345	37.6	41.3	36.9 - 45.8	243	26.3	26.8	23.3 - 30.3		588	31.9	33.6	30.9 - 36.4	
N22 North London	344	45.9	48.7	43.4 - 53.9	248	31.9	33.0	28.8 - 37.2		592	38.8	40.1	36.8 - 43.4	
N23 North East London	256	33.4	36.8	32.2 - 41.4	224	28.8	28.1	24.3 - 31.9		480	31.1	32.4	29.4 - 35.4	
N24 South East London	419	55.0	60.6	54.7 - 66.5	312	40.1	37.8	33.3 - 42.2		731	47.5	48.5	44.9 - 52.1	
N25 South West London	433	56.5	58.6	53.0 - 64.3	334	41.7	38.3	34.0 - 42.7		767	48.9	47.9	44.4 - 51.4	
N26 Peninsula	508	63.4	48.9	44.4 - 53.4	384	45.4	32.8	29.1 - 36.5		892	54.1	40.4	37.5 - 43.3	
N27 Dorset	226	66.6	46.8	40.2 - 53.4	184	50.9	35.8	29.7 - 41.9		410	58.5	40.6	36.1 - 45.0	
N28 Avon, Somerset & Wiltshire	554	59.5	51.0	46.7 - 55.4	404	42.0	32.6	29.1 - 36.0		958	50.6	41.3	38.5 - 44.1	
N29 3 Counties	261	51.2	42.6	37.2 - 47.9	226	42.6	33.3	28.5 - 38.0		487	46.8	37.7	34.2 - 41.3	
N30 Thames Valley	694	59.6	56.9	52.6 - 61.1	506	42.8	37.7	34.3 - 41.2		1,200	51.1	46.8	44.1 - 49.5	
N31 Central South Coast	544	56.8	48.6	44.4 - 52.8	423	42.3	33.9	30.4 - 37.5		967	49.4	40.7	38.0 - 43.4	
N32 Surrey, West Sussex & Hampshire	376	63.8	57.3	51.4 - 63.2	254	41.3	34.6	30.1 - 39.1		630	52.3	45.3	41.6 - 48.9	
N33 Sussex	355	63.7	49.4	44.0 - 54.7	293	48.6	35.2	30.6 - 39.8		648	55.9	41.6	38.1 - 45.0	
N34 Kent & Medway	506	63.7	54.9	50.0 - 59.7	363	43.2	33.7	29.9 - 37.4		869	53.2	43.9	40.8 - 46.9	
N35 Greater Midlands	509	54.9	47.0	42.8 - 51.2	381	39.8	30.7	27.4 - 34.0		890	47.2	38.5	35.9 - 41.2	
N36 North of England	628	42.7	37.4	34.4 - 40.4	464	30.2	25.0	22.6 - 27.5		1,092	36.4	30.9	29.0 - 32.8	
N37 Anglia	800	60.3	50.4	46.8 - 54.0	530	38.8	31.1	28.2 - 33.9		1,330	49.4	40.2	37.9 - 42.5	
N38 Essex	283	41.6	35.8	31.6 - 40.1	189	26.5	22.1	18.8 - 25.5		472	33.8	28.5	25.8 - 31.2	
N39 East Midlands	852	43.5	39.4	36.7 - 42.1	531	26.5	23.0	20.9 - 25.1		1,383	34.9	30.8	29.1 - 32.5	
England ¹	12,876	51.7	46.7	45.9 - 47.5	9,353	36.2	30.2	29.5 - 30.8		22,229	43.8	38.0	37.4 - 38.5	
North of Scotland	349	54.9	47.1	42.0 - 52.2	274	41.5	33.0	28.8 - 37.2		623	48.1	39.6	36.3 - 42.8	
South East Scotland	464	67.9	60.4	54.9 - 66.0	331	45.0	36.7	32.5 - 40.9		795	56.1	47.6	44.1 - 51.0	
West of Scotland	803	69.8	62.8	58.4 - 67.2	537	42.9	33.6	30.5 - 36.6		1,340	55.8	46.7	44.2 - 49.3	
Scotland ¹	1,619	65.6	57.9	55.0 - 60.8	1,143	43.2	34.3	32.1 - 36.4		2,762	54.0	45.1	43.3 - 46.8	
Wales	897	62.1	51.2	47.8 - 54.7	670	44.0	33.3	30.6 - 36.1		1,567	52.8	41.7	39.5 - 43.9	
Northern Ireland	346	40.5	39.3	35.2 - 43.5	264	29.7	26.4	23.1 - 29.7		610	35.0	32.3	29.7 - 34.9	
United Kingdom	15,738	53.0	47.7	46.9 - 48.4	11,430	37.0	30.6	30.0 - 31.2		27,168	44.8	38.6	38.1 - 39.1	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

One-year cancer prevalence, UK, 31st December 2006

All other Malignant Neoplasms[^]

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	117	15.7	13.6	11.1 - 16.1	183	23.7	18.8	15.8 - 21.7		300	19.8	16.2	14.3 - 18.1	
N02 Greater Manchester and Cheshire	271	18.1	16.9	14.8 - 18.9	371	24.1	20.4	18.2 - 22.5		642	21.1	18.7	17.2 - 20.2	
N03 Merseyside & Cheshire	148	15.2	13.3	11.1 - 15.5	195	18.7	15.1	12.8 - 17.3		343	17.0	14.1	12.6 - 15.7	
N06 Yorkshire Cancer Network	173	13.3	12.2	10.4 - 14.0	312	23.0	19.9	17.6 - 22.2		485	18.2	16.1	14.6 - 17.6	
N07 Humber & Yorkshire Coast	74	14.2	11.9	9.1 - 14.7	126	23.5	18.4	14.9 - 21.8		200	18.9	15.1	12.9 - 17.3	
N08 North Trent	161	18.4	15.2	12.8 - 17.6	192	21.3	15.9	13.5 - 18.4		353	19.8	15.5	13.8 - 17.2	
N11 Pan Birmingham	119	12.7	12.1	9.9 - 14.3	169	17.3	15.1	12.7 - 17.5		288	15.1	13.6	12.0 - 15.2	
N12 Arden	82	16.6	14.7	11.5 - 17.9	96	19.2	15.4	12.1 - 18.6		178	17.9	15.0	12.7 - 17.3	
N20 Mount Vernon	63	10.3	9.5	7.1 - 11.8	108	17.1	14.3	11.5 - 17.2		171	13.7	12.0	10.1 - 13.9	
N21 West London	122	13.3	13.8	11.3 - 16.3	142	15.4	15.0	12.5 - 17.6		264	14.3	14.3	12.5 - 16.1	
N22 North London	109	14.5	15.3	12.3 - 18.2	138	17.8	16.3	13.5 - 19.2		247	16.2	15.8	13.8 - 17.8	
N23 North East London	95	12.4	13.8	10.9 - 16.6	136	17.5	17.0	14.0 - 20.0		231	15.0	15.5	13.4 - 17.5	
N24 South East London	124	16.3	16.7	13.7 - 19.7	146	18.8	16.8	14.0 - 19.7		270	17.5	16.9	14.8 - 19.0	
N25 South West London	121	15.8	15.5	12.7 - 18.3	160	20.0	18.0	15.1 - 21.0		281	17.9	16.7	14.7 - 18.7	
N26 Peninsula	152	19.0	15.2	12.7 - 17.8	204	24.1	17.0	14.5 - 19.6		356	21.6	16.2	14.3 - 18.0	
N27 Dorset	64	18.9	13.9	10.2 - 17.5	87	24.0	15.9	12.2 - 19.7		151	21.5	14.9	12.3 - 17.5	
N28 Avon, Somerset & Wiltshire	133	14.3	12.0	9.9 - 14.1	209	21.7	16.8	14.4 - 19.3		342	18.1	14.5	12.9 - 16.1	
N29 3 Counties	95	18.6	15.5	12.3 - 18.7	128	24.1	18.8	15.3 - 22.2		223	21.4	17.2	14.8 - 19.5	
N30 Thames Valley	151	13.0	12.6	10.6 - 14.6	244	20.6	18.2	15.8 - 20.6		395	16.8	15.4	13.9 - 17.0	
N31 Central South Coast	163	17.0	14.1	11.8 - 16.3	248	24.8	18.8	16.3 - 21.3		411	21.0	16.5	14.8 - 18.1	
N32 Surrey, West Sussex & Hampshire	69	11.7	10.2	7.7 - 12.6	111	18.1	13.9	11.2 - 16.7		180	15.0	12.2	10.3 - 14.0	
N33 Sussex	106	19.0	14.7	11.8 - 17.6	129	21.4	14.4	11.6 - 17.1		235	20.3	14.5	12.5 - 16.5	
N34 Kent & Medway	130	16.4	14.2	11.7 - 16.7	156	18.6	15.1	12.6 - 17.6		286	17.5	14.6	12.9 - 16.4	
N35 Greater Midlands	136	14.7	12.5	10.4 - 14.7	191	20.0	15.8	13.4 - 18.1		327	17.3	14.2	12.6 - 15.8	
N36 North of England	260	17.7	14.9	13.1 - 16.8	390	25.4	19.6	17.6 - 21.7		650	21.6	17.3	15.9 - 18.7	
N37 Anglia	226	17.0	14.0	12.1 - 15.9	305	22.3	16.8	14.8 - 18.8		531	19.7	15.4	14.0 - 16.8	
N38 Essex	109	16.0	13.1	10.6 - 15.6	171	23.9	18.8	15.8 - 21.8		280	20.1	15.9	14.0 - 17.9	
N39 East Midlands	305	15.6	13.7	12.1 - 15.3	453	22.6	18.1	16.4 - 19.9		758	19.1	16.0	14.8 - 17.1	
England ¹	3,878	15.6	13.8	13.4 - 14.3	5,500	21.3	17.2	16.8 - 17.7		9,378	18.5	15.6	15.2 - 15.9	
North of Scotland	121	19.0	15.4	12.6 - 18.2	147	22.2	16.2	13.4 - 19.0		268	20.7	15.7	13.8 - 17.7	
South East Scotland	113	16.5	14.5	11.8 - 17.2	147	20.0	15.5	12.9 - 18.2		260	18.3	15.0	13.1 - 16.9	
West of Scotland	165	14.3	13.1	11.0 - 15.1	264	21.1	17.3	15.1 - 19.4		429	17.9	15.2	13.7 - 16.7	
Scotland ¹	399	16.2	14.1	12.7 - 15.5	558	21.1	16.5	15.1 - 18.0		957	18.7	15.3	14.3 - 16.3	
Wales	269	18.6	15.3	13.4 - 17.1	310	20.4	15.9	14.0 - 17.8		579	19.5	15.5	14.1 - 16.8	
Northern Ireland	130	15.2	14.7	12.2 - 17.3	185	20.8	17.8	15.1 - 20.4		315	18.1	16.3	14.4 - 18.1	
United Kingdom	4,676	15.7	13.9	13.5 - 14.4	6,553	21.2	17.1	16.7 - 17.6		11,229	18.5	15.5	15.2 - 15.8	

[^]All other malignant neoplasms includes the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

^{*}Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Five-year cancer prevalence, UK, 31st December 2006

All other Malignant Neoplasms[^]

Males

Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval
N01 Lancashire and South Cumbria	401	53.9	46.5	41.9 - 51.2
N02 Greater Manchester and Cheshire	794	53.0	49.6	46.1 - 53.1
N03 Merseyside & Cheshire	474	48.8	42.4	38.5 - 46.3
N06 Yorkshire Cancer Network	581	44.6	41.8	38.4 - 45.3
N07 Humber & Yorkshire Coast	235	45.2	37.8	32.8 - 42.7
N08 North Trent	480	54.8	46.9	42.6 - 51.2
N11 Pan Birmingham	387	41.5	39.5	35.5 - 43.5
N12 Arden	225	45.5	40.6	35.2 - 46.0
N20 Mount Vernon	260	42.5	39.7	34.8 - 44.6
N21 West London	458	49.9	52.1	47.3 - 57.0
N22 North London	394	52.5	54.8	49.3 - 60.4
N23 North East London	323	42.2	46.2	41.1 - 51.4
N24 South East London	357	46.9	49.0	43.8 - 54.2
N25 South West London	476	62.1	61.9	56.2 - 67.5
N26 Peninsula	532	66.3	53.0	48.3 - 57.8
N27 Dorset	233	68.7	51.5	44.4 - 58.6
N28 Avon, Somerset & Wiltshire	490	52.6	45.4	41.3 - 49.5
N29 3 Counties	280	54.9	44.9	39.5 - 50.3
N30 Thames Valley	588	50.5	48.5	44.5 - 52.4
N31 Central South Coast	533	55.6	47.0	42.9 - 51.1
N32 Surrey, West Sussex & Hampshire	245	41.6	37.1	32.4 - 41.8
N33 Sussex	269	48.3	39.5	34.6 - 44.4
N34 Kent & Medway	332	41.8	36.7	32.7 - 40.8
N35 Greater Midlands	410	44.2	38.8	34.9 - 42.6
N36 North of England	857	58.3	50.5	47.1 - 54.0
N37 Anglia	670	50.5	42.8	39.4 - 46.1
N38 Essex	346	50.8	43.1	38.4 - 47.7
N39 East Midlands	961	49.0	43.7	40.9 - 46.5
England ¹	12,595	50.5	45.5	44.7 - 46.3

Females

No. of Patients	Crude proportion	ASP*	95% confidence interval
525	68.0	55.6	50.5 - 60.6
1,109	72.0	62.3	58.5 - 66.1
649	62.4	51.5	47.3 - 55.7
1,073	79.1	69.7	65.4 - 74.0
377	70.3	55.9	50.0 - 61.9
599	66.4	53.8	49.2 - 58.3
587	60.3	53.8	49.3 - 58.4
344	68.6	57.9	51.5 - 64.3
369	58.3	49.9	44.6 - 55.2
585	63.3	61.1	56.0 - 66.2
488	62.8	59.8	54.3 - 65.3
496	63.7	62.6	56.9 - 68.4
469	60.2	56.1	50.8 - 61.4
559	69.7	62.0	56.6 - 67.5
647	76.4	56.0	51.2 - 60.7
286	79.0	55.8	48.5 - 63.1
735	76.4	61.3	56.7 - 66.0
423	79.8	63.0	56.6 - 69.4
846	71.6	63.6	59.2 - 68.0
771	77.0	59.9	55.4 - 64.5
351	57.1	45.8	40.8 - 50.9
369	61.2	45.3	40.2 - 50.4
556	66.2	55.3	50.5 - 60.1
634	66.2	53.2	48.8 - 57.6
1,198	78.1	63.3	59.5 - 67.1
928	68.0	53.7	50.0 - 57.4
524	73.3	59.5	54.1 - 64.9
1,399	69.8	57.3	54.2 - 60.5
17,901	69.3	57.9	57.0 - 58.8

Persons

No. of Patients	Crude proportion	ASP*	95% confidence interval
926	61.1	51.0	47.6 - 54.4
1,903	62.6	55.9	53.3 - 58.5
1,123	55.8	46.8	44.0 - 49.7
1,654	62.2	56.1	53.4 - 58.9
612	57.9	47.0	43.1 - 50.8
1,079	60.6	50.0	46.9 - 53.1
974	51.1	46.8	43.8 - 49.8
569	57.2	49.2	45.1 - 53.4
629	50.5	45.0	41.4 - 48.6
1,043	56.6	56.5	52.9 - 60.0
882	57.8	57.5	53.6 - 61.4
819	53.0	54.9	51.0 - 58.7
826	53.6	52.7	49.0 - 56.4
1,035	66.0	61.6	57.7 - 65.5
1,179	71.5	54.4	51.1 - 57.8
519	74.0	53.5	48.4 - 58.6
1,225	64.7	53.5	50.4 - 56.6
703	67.6	54.0	49.8 - 58.2
1,434	61.1	56.1	53.1 - 59.0
1,304	66.6	53.7	50.6 - 56.8
596	49.5	41.7	38.3 - 45.2
638	55.0	42.5	39.0 - 46.0
888	54.3	46.3	43.1 - 49.4
1,044	55.4	46.3	43.4 - 49.2
2,055	68.4	56.9	54.4 - 59.5
1,598	59.4	48.3	45.8 - 50.8
870	62.4	51.4	47.8 - 54.9
2,360	59.5	50.7	48.6 - 52.8
30,496	60.1	51.8	51.2 - 52.4

North of Scotland	335	52.7	44.1	39.3 - 48.9
South East Scotland	354	51.8	45.9	41.1 - 50.8
West of Scotland	538	46.8	42.8	39.2 - 46.5
Scotland ¹	1,227	49.7	44.1	41.6 - 46.6

473	71.6	54.7	49.5 - 60.0
554	75.4	62.7	57.2 - 68.2
800	63.9	53.0	49.2 - 56.9
1,829	69.1	56.2	53.5 - 58.9

808	62.3	49.4	45.9 - 53.0
908	64.0	54.7	51.0 - 58.3
1,338	55.7	48.2	45.6 - 50.9
3,056	59.7	50.4	48.5 - 52.2

Wales	896	62.0	52.0	48.5 - 55.5
-------	-----	------	------	-------------

1,131	74.4	58.8	55.1 - 62.5
-------	------	------	-------------

2,027	68.3	55.3	52.8 - 57.8
-------	------	------	-------------

Northern Ireland	444	52.0	51.4	46.6 - 56.2
------------------	-----	------	------	-------------

563	63.4	55.5	50.7 - 60.2
-----	------	------	-------------

1,007	57.8	53.2	49.9 - 56.6
-------	------	------	-------------

United Kingdom	15,162	51.1	45.9	45.1 - 46.6
----------------	--------	------	------	-------------

21,424	69.4	57.7	56.9 - 58.5
--------	------	------	-------------

36,586	60.4	51.9	51.3 - 52.4
--------	------	------	-------------

[^]All other malignant neoplasms includes the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

^{*}Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Ten-year cancer prevalence, UK, 31st December 2006

All other Malignant Neoplasms[^]

Males					Females					Persons				
Cancer Network	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
N01 Lancashire and South Cumbria	603	81.1	70.4	64.7 - 76.1	807	104.5	84.9	78.7 - 91.2		1,410	93.0	77.8	73.5 - 82.0	
N02 Greater Manchester and Cheshire	1,187	79.2	74.4	70.1 - 78.7	1,664	108.0	92.7	88.1 - 97.3		2,851	93.8	83.5	80.4 - 86.7	
N03 Merseyside & Cheshire	759	78.1	68.3	63.3 - 73.3	1,049	100.8	82.8	77.6 - 88.1		1,808	89.9	75.5	71.9 - 79.1	
N06 Yorkshire Cancer Network	935	71.7	67.0	62.7 - 71.4	1,571	115.8	101.2	96.0 - 106.5		2,506	94.2	84.6	81.2 - 88.0	
N07 Humber & Yorkshire Coast	375	72.1	60.9	54.6 - 67.3	605	112.7	88.5	81.0 - 96.0		980	92.7	75.1	70.2 - 80.0	
N08 North Trent	705	80.4	69.3	64.0 - 74.5	901	99.8	80.9	75.3 - 86.5		1,606	90.3	74.8	71.0 - 78.6	
N11 Pan Birmingham	618	66.2	63.4	58.4 - 68.5	998	102.5	91.6	85.7 - 97.5		1,616	84.7	77.8	73.9 - 81.7	
N12 Arden	342	69.2	61.2	54.6 - 67.8	531	106.0	88.8	80.9 - 96.7		873	87.7	75.1	69.9 - 80.2	
N20 Mount Vernon	410	67.0	62.7	56.5 - 68.8	553	87.3	75.3	68.8 - 81.9		963	77.3	69.2	64.7 - 73.7	
N21 West London	752	81.9	86.5	80.1 - 92.8	973	105.3	101.0	94.4 - 107.5		1,725	93.6	93.5	89.0 - 98.1	
N22 North London	636	84.8	88.1	81.1 - 95.1	751	96.6	92.0	85.2 - 98.8		1,387	90.8	90.0	85.1 - 94.9	
N23 North East London	489	63.9	69.7	63.4 - 76.0	782	100.5	99.9	92.6 - 107.2		1,271	82.3	85.5	80.6 - 90.3	
N24 South East London	596	78.3	81.9	75.1 - 88.6	716	92.0	85.6	79.0 - 92.1		1,312	85.2	83.6	79.0 - 88.3	
N25 South West London	809	105.5	105.0	97.7 - 112.4	988	123.2	107.7	100.6 - 114.8		1,797	114.6	106.1	101.0 - 111.2	
N26 Peninsula	853	106.4	84.1	78.2 - 90.0	1,097	129.6	94.2	88.0 - 100.3		1,950	118.3	89.2	85.0 - 93.5	
N27 Dorset	398	117.3	86.6	77.5 - 95.7	494	136.5	94.7	85.3 - 104.1		892	127.2	90.3	83.8 - 96.8	
N28 Avon, Somerset & Wiltshire	851	91.4	78.7	73.3 - 84.1	1,284	133.4	106.5	100.3 - 112.7		2,135	112.7	92.9	88.8 - 97.0	
N29 3 Counties	436	85.5	70.0	63.2 - 76.8	654	123.3	94.6	86.8 - 102.3		1,090	104.8	82.6	77.4 - 87.7	
N30 Thames Valley	965	82.9	79.0	74.0 - 84.0	1,365	115.4	103.1	97.5 - 108.8		2,330	99.3	90.8	87.1 - 94.6	
N31 Central South Coast	898	93.7	79.7	74.4 - 85.1	1,387	138.5	108.3	102.2 - 114.4		2,285	116.6	94.6	90.5 - 98.6	
N32 Surrey, West Sussex & Hampshire	416	70.6	63.3	57.1 - 69.4	554	90.2	73.2	66.8 - 79.6		970	80.6	68.5	64.0 - 72.9	
N33 Sussex	441	79.2	64.1	57.8 - 70.3	597	99.0	73.7	67.2 - 80.2		1,038	89.5	68.9	64.4 - 73.4	
N34 Kent & Medway	505	63.5	55.3	50.3 - 60.2	818	97.4	81.0	75.2 - 86.9		1,323	80.9	68.4	64.6 - 72.2	
N35 Greater Midlands	650	70.0	61.2	56.4 - 66.0	969	101.2	80.8	75.4 - 86.2		1,619	85.9	71.5	67.9 - 75.1	
N36 North of England	1,301	88.6	76.8	72.6 - 81.1	1,854	120.8	98.6	93.9 - 103.3		3,155	105.0	87.8	84.6 - 91.0	
N37 Anglia	1,008	76.0	63.7	59.7 - 67.8	1,398	102.4	80.8	76.3 - 85.3		2,406	89.4	72.3	69.2 - 75.3	
N38 Essex	527	77.4	65.7	60.0 - 71.5	777	108.7	87.2	80.7 - 93.7		1,304	93.5	76.6	72.3 - 80.9	
N39 East Midlands	1,457	74.3	65.9	62.5 - 69.3	2,128	106.2	87.3	83.4 - 91.2		3,585	90.4	76.8	74.2 - 79.4	
England ¹	19,967	80.1	72.0	71.0 - 73.0	28,311	109.6	91.2	90.1 - 92.3		48,278	95.1	81.7	81.0 - 82.5	
North of Scotland	549	86.4	72.3	66.1 - 78.4	795	120.3	92.4	85.6 - 99.3		1,344	103.7	82.5	77.9 - 87.1	
South East Scotland	544	79.6	71.0	65.0 - 77.1	836	113.8	94.0	87.3 - 100.7		1,380	97.3	83.1	78.6 - 87.7	
West of Scotland	836	72.7	66.2	61.7 - 70.8	1,254	100.2	83.3	78.5 - 88.1		2,090	87.0	75.1	71.8 - 78.4	
Scotland ¹	1,930	78.2	69.2	66.1 - 72.3	2,887	109.1	88.7	85.3 - 92.1		4,817	94.1	79.3	77.0 - 81.6	
Wales	1,377	95.3	80.1	75.8 - 84.4	1,839	120.9	94.8	90.1 - 99.4		3,216	108.4	87.5	84.4 - 90.7	
Northern Ireland	690	80.9	80.1	74.1 - 86.1	952	107.2	92.6	86.5 - 98.7		1,642	94.3	86.3	82.0 - 90.6	
United Kingdom	23,964	80.7	72.4	71.4 - 73.3	33,989	110.0	91.2	90.1 - 92.2		57,953	95.7	81.9	81.2 - 82.6	

[^]All other malignant neoplasms includes the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

^{*}Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

¹ Cancer survivors were assigned a cancer network based on their postcode of residence at time of diagnosis. It was not possible to map all patients to a cancer network due to incomplete or missing postcodes, therefore the sum of the patients from the English and Scottish cancer networks may be less than the total number of patients for the respective countries.

Annex 1

This annex presents national estimates of twenty-year prevalence of cancer in England and Scotland, for the end of 2006. It was not possible to produce equivalent national estimates for Wales and Northern Ireland. These estimates were produced in addition to the UK analyses covering one-year, five-year and ten-year prevalence of cancer.

Twenty-year cancer prevalence, England, 31st December 2006

England Prevalence by cancer site

Males					Females					Persons				
Cancer Site	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
C00-C14 & C30-C32: Head and neck	28,406	114.0	99.1	97.9 - 100.2	12,821	49.6	38.3	37.6 - 39.0		41,227	81.2	66.5	65.9 - 67.2	
C15: Oesophagus	6,436	25.8	21.8	21.3 - 22.4	3,586	13.9	9.5	9.1 - 9.8		10,022	19.7	15.2	14.9 - 15.5	
C16: Stomach	9,126	36.6	29.4	28.8 - 30.1	5,065	19.6	12.5	12.1 - 12.9		14,191	28.0	20.1	19.8 - 20.5	
C18-C20: Colorectum	82,333	330.3	264.4	262.6 - 266.2	72,030	278.8	177.7	176.3 - 179.1		154,363	304.1	216.1	215.0 - 217.2	
C22: Liver	1,631	6.5	5.8	5.5 - 6.1	861	3.3	2.7	2.5 - 2.9		2,492	4.9	4.2	4.0 - 4.3	
C25: Pancreas	2,136	8.6	7.4	7.0 - 7.7	2,064	8.0	5.9	5.6 - 6.2		4,200	8.3	6.6	6.4 - 6.8	
C33-C34: Trachea, bronchus and lung	21,513	86.3	70.2	69.2 - 71.1	15,657	60.6	44.0	43.2 - 44.7		37,170	73.2	55.3	54.7 - 55.9	
C43: Malignant melanoma	27,546	110.5	98.4	97.2 - 99.6	42,557	164.7	138.9	137.5 - 140.2		70,103	138.1	118.8	117.9 - 119.7	
C45: Mesothelioma	1,509	6.1	5.1	4.8 - 5.3	379	1.5	1.1	1.0 - 1.2		1,888	3.7	2.9	2.8 - 3.1	
C50: Breast	1,620	6.5	5.3	5.0 - 5.6	354,750	1373.1	1106.1	1102.4 - 1109.9		356,370	702.0	583.4	581.4 - 585.3	
C53: Cervix uteri					31,018	120.1	111.4	110.1 - 112.7						
C54-C55: Uterus					46,729	180.9	134.8	133.6 - 136.1						
C56: Ovary					22,937	88.8	76.1	75.0 - 77.1						
C61: Prostate	162,582	652.3	509.8	507.3 - 512.3										
C62: Testis	26,424	106.0	103.4	102.1 - 104.6										
C64-C66 & C68: Kidney	15,198	61.0	52.4	51.5 - 53.2	9,133	35.4	27.5	26.9 - 28.1		24,331	47.9	39.0	38.5 - 39.5	
C67: Bladder	44,839	179.9	140.4	139.1 - 141.7	15,460	59.8	36.4	35.7 - 37.0		60,299	118.8	81.8	81.1 - 82.5	
C70-C72: Brain and other parts of CNS	6,714	26.9	26.5	25.9 - 27.2	5,465	21.2	21.2	20.6 - 21.7		12,179	24.0	23.8	23.4 - 24.2	
C81: Hodgkin disease	9,498	38.1	36.9	36.1 - 37.6	7,127	27.6	26.8	26.1 - 27.4		16,625	32.8	31.8	31.3 - 32.2	
C82-C85 & C96: Non-Hodgkin lymphoma	27,144	108.9	96.1	94.9 - 97.2	24,010	92.9	72.2	71.2 - 73.1		51,154	100.8	83.5	82.7 - 84.2	
C88 & C90: Myeloma	6,327	25.4	21.4	20.9 - 22.0	5,065	19.6	14.2	13.8 - 14.6		11,392	22.4	17.5	17.2 - 17.8	
C91-C95: Leukaemia	17,392	69.8	63.2	62.2 - 64.2	13,072	50.6	42.6	41.8 - 43.4		30,464	60.0	52.3	51.7 - 52.9	
Other Malignant Neoplasms ^a	41,487	166.4	140.3	139.0 - 141.7	49,970	193.4	156.2	154.8 - 157.7		91,457	180.2	145.6	144.6 - 146.5	
C00-C97 excl. C44: All malignant neoplasms (excl. non-melanoma skin cancer)	539,861	2165.8	1797.1	1792.4 - 1801.8	739,756	2863.2	2255.9	2250.6 - 2261.1		1,279,617	2520.8	2010.1	2006.5 - 2013.6	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

^aAll other malignant neoplasms includes the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

Twenty-year cancer prevalence, Scotland, 31st December 2006

Scotland Prevalence by cancer site

Males					Females					Persons				
Cancer Site	No. of Patients	Crude proportion	ASP*	95% confidence interval	No. of Patients	Crude proportion	ASP*	95% confidence interval		No. of Patients	Crude proportion	ASP*	95% confidence interval	
C00-C14 & C30-C32: Head and neck	4,210	170.5	144.2	139.8 - 148.6	1,942	73.4	54.3	51.7 - 56.8		6,152	120.2	95.0	92.6 - 97.4	
C15: Oesophagus	828	33.5	27.7	25.8 - 29.6	495	18.7	12.0	10.9 - 13.1		1,323	25.9	19.2	18.1 - 20.3	
C16: Stomach	956	38.7	31.0	29.0 - 32.9	725	27.4	17.2	15.9 - 18.6		1,681	32.9	23.2	22.0 - 24.3	
C18-C20: Colorectum	9,619	389.5	312.2	306.0 - 318.5	9,086	343.2	213.3	208.7 - 218.0		18,705	365.6	255.1	251.3 - 258.8	
C22: Liver	223	9.0	7.7	6.7 - 8.8	108	4.1	3.0	2.4 - 3.7		331	6.5	5.2	4.6 - 5.7	
C25: Pancreas	215	8.7	7.2	6.3 - 8.2	237	9.0	6.2	5.4 - 7.1		452	8.8	6.7	6.1 - 7.3	
C33-C34: Trachea, bronchus and lung	2,983	120.8	97.6	94.0 - 101.1	2,708	102.3	70.3	67.6 - 73.1		5,691	111.2	81.5	79.3 - 83.7	
C43: Malignant melanoma	3,275	132.6	115.6	111.6 - 119.6	5,313	200.7	165.0	160.4 - 169.6		8,588	167.8	140.8	137.7 - 143.8	
C45: Mesothelioma	139	5.6	4.6	3.8 - 5.4	32	1.2	1.0	0.6 - 1.3		171	3.3	2.6	2.2 - 3.0	
C50: Breast	134	5.4	4.5	3.7 - 5.3	35,626	1345.7	1038.6	1027.6 - 1049.7		35,760	698.9	559.3	553.4 - 565.2	
C53: Cervix uteri					3,775	142.6	128.5	124.3 - 132.7						
C54-C55: Uterus					4,680	176.8	128.5	124.7 - 132.3						
C56: Ovary					3,312	125.1	101.5	97.9 - 105.1						
C61: Prostate	14,789	598.9	466.4	458.9 - 473.9										
C62: Testis	3,278	132.7	127.2	122.8 - 131.5										
C64-C66 & C68: Kidney	1,986	80.4	67.7	64.7 - 70.7	1,331	50.3	35.8	33.8 - 37.9		3,317	64.8	50.1	48.3 - 51.8	
C67: Bladder	4,003	162.1	127.8	123.8 - 131.8	1,763	66.6	39.8	37.9 - 41.8		5,766	112.7	76.4	74.4 - 78.5	
C70-C72: Brain and other parts of CNS	672	27.2	26.6	24.6 - 28.7	505	19.1	18.9	17.2 - 20.6		1,177	23.0	22.7	21.3 - 24.0	
C81: Hodgkin disease	990	40.1	38.6	36.2 - 41.0	786	29.7	28.8	26.7 - 30.8		1,776	34.7	33.5	31.9 - 35.1	
C82-C85 & C96: Non-Hodgkin lymphoma	2,734	110.7	95.8	92.2 - 99.5	2,668	100.8	74.7	71.7 - 77.7		5,402	105.6	84.6	82.3 - 86.9	
C88 & C90: Myeloma	660	26.7	22.0	20.3 - 23.7	564	21.3	13.9	12.7 - 15.1		1,224	23.9	17.6	16.6 - 18.6	
C91-C95: Leukaemia	2,145	86.9	77.3	73.9 - 80.6	1,566	59.2	47.7	45.2 - 50.2		3,711	72.5	61.2	59.2 - 63.3	
Other Malignant Neoplasms ^a	2,766	112.0	99.0	95.3 - 102.7	4,233	159.9	129.0	124.9 - 133.0		6,999	136.8	114.5	111.8 - 117.3	
C00-C97 excl. C44: All malignant neoplasms (excl. non-melanoma skin cancer)	56,605	2292.3	1900.7	1885.4 - 1916.0	81,455	3076.7	2328.1	2311.8 - 2344.4		138,060	2698.1	2097.5	2086.4 - 2108.5	

*Age-standardised proportion to the European Standard Population. Crude and age-standardised proportions are shown per 100,000 population.

^aAll other malignant neoplasms includes the following ICD-10 codes: C17, C21, C23-C24, C26, C37-C41, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

Methodology

ISD Scotland, the Welsh Cancer Intelligence and Surveillance Unit, the Northern Ireland Cancer Registry and the eight cancer registries in England provided data containing demographic, tumour and follow-up details for all registered malignant neoplasms (ICD-10 C00-C97 excluding non-melanoma skin cancer, C44) diagnosed between 1997 and 2006.

Patients may be diagnosed with more than one tumour in their lifetime. In order to count prevalence of patients, only the first diagnosed tumour in each patient was included in the analysis. Prevalence was calculated by counting all those patients in the data who were still alive on the index date, 31st December 2006.

Residents of England were assigned a cancer network by matching their postcode at the time of diagnosis to the National Cancer Postcode Directory.

In Scotland, residents were assigned a cancer network from their NHS Board of residence. The NHS Board of residence was assigned by matching the postcode at the time of diagnosis to the General Register Office for Scotland (GROS) postcode file.

Cancer Network	NHS Board of residence
North of Scotland	Grampian; Highland and Argyll; Orkney; Shetland; Tayside; Western Isles.
South East Scotland	Borders; Dumfries and Galloway; Fife; Lothian.
West of Scotland	Ayrshire and Arran; Forth Valley; Greater Glasgow and Clyde; Lanarkshire.

A small number of patients had missing or incomplete postcodes, however 99.95% of patients in the dataset were successfully assigned a cancer network of residence. For this report, Wales provided data for its entirety and not for the three cancer networks of Wales. Northern Ireland is in its entirety, one cancer network.

All other malignant neoplasms group included the following ICD-10 codes: C17, C21, C23-C24, C26, C30-C32, C37-C42, C46-C49, C51-C52, C57-C58, C60, C63, C69, C73-C80, C97.

Glossary

One-Year, Five-Year and Ten-Year Cancer Prevalence

The total number of patients who had been diagnosed with cancer up to one year, up to five years, or up to ten years before 31st December 2006, and who were still alive on 31st December 2006.

Crude Proportion

The crude proportion was calculated by dividing the number of patients by the population at risk in 2006. The proportion is given per 100,000 population. The crude proportion does not take into account the age structure of the different populations and therefore does not adjust for the confounding effect this may have.

Age-Standardised Proportion (ASP)

The ASP is used to eliminate the variation in the age structures of populations to allow comparisons between different areas to be made. The ASP is obtained by using a weighted average of age-specific proportions, i.e. the crude proportions within each five-year age group. Direct age-standardisation has been used, applied to the European Standard Population. ASPs are the figures which should be used when making comparisons between the different networks or countries, if one wishes to account for differences in age distribution.

95% Confidence Interval (95% C.I.)

For the ASP, a 95% confidence interval is given. Confidence intervals are used as a measure of uncertainty in the estimated proportions. The upper and lower limits of the interval show how big a contribution chance may have made to a particular statistic. The 95% confidence intervals quoted give the range in which the proportion in question would fall 19 times out of 20, were it possible to repeat the analysis.


Cancer Networks

At the time these analyses were undertaken, there were 28 Cancer Networks in England, three in Scotland and one that covers the entirety of Northern Ireland. Although Wales consists of three cancer networks, prevalence has only been calculated for the whole of Wales for this report.

Cancer Networks bring together health service commissioners, providers, the voluntary sector and local authorities to coordinate services for patients across all aspects of care within a geographical area.

A map of Cancer Network boundaries is available on the following page with the estimated populations for 2006.



Cancer Networks and estimated 2006 populations



Cancer Network		Estimated Population	Cancer Network		Estimated Population
N01	Lancashire and South Cumbria	1,516,500	N31	Central South Coast	1,959,600
N02	Greater Manchester and Cheshire	3,038,800	N32	Surrey, West Sussex & Hampshire	1,203,700
N03	Mersey & Cheshire	2,011,900	N33	Sussex	1,160,000
N06	Yorkshire Cancer Network	2,660,600	N34	Kent & Medway	1,634,600
N07	Humber & Yorkshire Coast	1,057,100	N35	Greater Midlands	1,885,400
N08	North Trent	1,779,300	N36	North of England	3,003,700
N11	Pan Birmingham	1,907,600	N37	Anglia	2,691,300
N12	Arden	995,300	N38	Essex	1,395,100
N20	Mount Vernon	1,245,400	N39	East Midlands	3,964,300
N21	West London	1,842,300	SC01	North of Scotland	1,296,200
N22	North London	1,527,300	SC02	South East Scotland	1,418,400
N23	North East London	1,544,000	SC03	West of Scotland	2,402,200
N24	South East London	1,540,100	EN	England	50,762,900
N25	South West London	1,568,700	SC	Scotland	5,116,900
N26	Peninsula	1,648,500	WA	Wales	2,965,900
N27	Dorset	701,100	NI	Northern Ireland	1,741,600
N28	Avon, Somerset & Wiltshire	1,894,000	UK	United Kingdom	60,587,300
N29	3 Counties	1,040,100			
N30	Thames Valley	2,346,600			



**WE ARE
MACMILLAN.
CANCER SUPPORT**



Published June 2010

NCIN Publications

One Year Cancer Survival Trends, England, 1985-2004

One Year Cancer Survival by Cancer Network, England, 2000-2004

Cancer Incidence and Mortality by Cancer Network, UK, 2005

Cancer Incidence by Deprivation, England, 1995-2004

Cancer Incidence and Survival by Major Ethnic Group, England, 2002-2006

One, Five and Ten Year Cancer Prevalence by Cancer Network, UK, 2006 (updated June 2010)

National Cancer Intelligence Network Coordinating Centre
18th Floor, Portland House, Bressenden Place
London, SW1E 5RS
Tel: +44 (0) 20 8282 6258 Fax: +44 (0) 20 7869 8191
enquiries@ncin.org.uk www.ncin.org.uk